



Placement Empowerment Program Cloud Computing and DevOps Centre

Use Cloud Storage

Create a storage bucket on your cloud platform and upload/download files. Configure access permissions for the bucket.

Name: Kevin Christopher Ruban Department : AI-ML



Introduction and Overview

In this (PoC), we will explore AWS S3 (Simple Storage Service) to understand its functionality as a reliable cloud storage solution. The task involves creating an S3 bucket, uploading and downloading files, and configuring access permissions to manage who can access the stored data. This PoC demonstrates S3's versatility in securely storing and retrieving files, both publicly and privately. We will also set bucket policies to control access and test public URLs for hosted files. By completing this task, we gain hands-on experience with S3 and its key features, such as scalability, security, and cost-efficiency.

Objective

The goal of this project is to:

- 1. Understand AWS S3 Basics: Learn how to create, configure, and manage an S3 bucket for cloud storage.
- 2. File Operations: Gain hands-on experience in uploading, downloading, and managing files within the S3 bucket.
- 3. Access Control: Configure bucket policies and permissions to manage secure and public access to stored data.

Importance of Storage Bucket(S3)

Foundation for Advanced Use Cases: Learning how to handle S3 storage is a stepping stone for mastering cloud computing and deploying large-scale applications.


Hands-On Learning of Cloud Storage: AWS S3 provides a practical platform to learn cloud storage concepts, enabling users to create buckets, upload/download files, and manage data at scale.

Data Security and Access Control: By configuring bucket policies and permissions, users can secure their data and manage who can access it.

Step-by-Step Overview

Step1:


Go to the AWS Management Console, Search for and click on S3



Step 2:

Click the "Create bucket" button.

Enter a unique bucket name (e.g., hijmj).



Step 3:

Turn off "Block all public access" (you can modify it later).

Block Public Access settings for this bucket	
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn or access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more	
Block all public access Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.	
- Block public access to buckets and objects granted through new access control lists (ACLs) 53 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow put using ACLs.	ıblic access to S3 resources
Block public access to buckets and objects granted through any access control lists (ACLs) S3 will ignore all ACLs that grant public access to buckets and objects.	
Block public access to buckets and objects granted through new public bucket or access point policies S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.	
☐ Block public and cross-account access to buckets and objects through any public bucket or access point policies S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.	
Turning off block all public access might result in this bucket and the objects within becoming public AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.	

Step 4:

Click "Create bucket".


Step 5:

Open your newly created bucket from the S3 console.

Step 6:


Click "Upload" and then,

Drag and drop your file(s) or use the Add files button. Click Upload to complete.




Step 7:

Go to the uploaded file in your bucket. Click the file name to open it.




Step 9:

In the "Permissions" tab, scroll to Bucket Policy and click Edit.Replace your-bucket-name with your actual bucket name.Save changes.



Step10:

Use the S3 bucket URL or public file URL to test access permissions.



Expected Outcome

By completing this POC, you will:

- 1. Successfully create an AWS S3 bucket and perform file upload/download operations.
- 2. Configure and validate access permissions, ensuring secure or public access as needed.
- 3. Gain a solid understanding of S3's functionality, enabling its use in real-world cloud-based applications.