Ex. No. 7	Firestore Employee Record Manager
Date of Exercise	21.09.2026
Github Code Link(Keep as public)	https://github.com/Kevin-Kattakayam/exp7

Aim

To create a Flutter employee directory that reads employee records from Cloud Firestore and supports adding, searching, filtering, and deleting records.

Description

The Employee model converts employee fields to and from Firestore documents. A Firestore service initializes the connection, exposes a real-time employee stream, retrieves records, adds and deletes documents, checks duplicate employee IDs, and includes sample data with a local demo cache. The screen filters the stream by department and searches employee name, role, or ID. A form validates and submits new employee details; employee cards and detail sheets present each record.

Program

lib/main.dart

```
import 'package:flutter/material.dart';
import 'screens/employee_list_screen.dart';
import 'services/firestore_service.dart';

void main() async {
  WidgetsFlutterBinding.ensureInitialized();

  // Initialize Firebase and Google Cloud Firestore with offline persistence
  await FirestoreService.instance.initialize();

  runApp(const FirestoreEmployeeApp());
}

/// Root widget for the Google Cloud Firestore Employee Directory app.
class FirestoreEmployeeApp extends StatelessWidget {
  const FirestoreEmployeeApp({super.key});
```

```
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      title: 'Firestore Employee Directory',
      debugShowCheckedModeBanner: false,
      theme: ThemeData(
        colorSchemeSeed: Colors.deepOrange,
        useMaterial3: true,
      ),
      home: const EmployeeListScreen(),
    );
  }
}
```

lib/firebase_options.dart

```
import 'package:firebase_core/firebase_core.dart' show FirebaseOptions;
import 'package:flutter/foundation.dart'
    show defaultTargetPlatform, kIsWeb, TargetPlatform;

/// Default [FirebaseOptions] for use with your Firebase apps.
/// Provides configuration for Google Cloud Firestore.
class DefaultFirebaseOptions {
  static FirebaseOptions get currentPlatform {
    if (kIsWeb) {
      return web;
    }
    switch (defaultTargetPlatform) {
      case TargetPlatform.android:
        return android;
      case TargetPlatform.iOS:
        return ios;
      case TargetPlatform.macOS:
        return macos;
      case TargetPlatform.windows:
        return windows;
      case TargetPlatform.linux:
        throw UnsupportedError(
          'DefaultFirebaseOptions have not been configured for linux.',
        );
      default:
        return android;
    }
  }
```

```
  static const FirebaseOptions web = FirebaseOptions(
    apiKey: 'AIzaSyDemoFirestoreApiKeyWeb1234567890',
    appId: '1:123456789012:web:abcdef1234567890abcdef',
    messagingSenderId: '123456789012',
    projectId: 'firestore-employee-lab-exp7',
    authDomain: 'firestore-employee-lab-exp7.firebaseapp.com',
    storageBucket: 'firestore-employee-lab-exp7.appspot.com',
  );

  static const FirebaseOptions android = FirebaseOptions(
    apiKey: 'AIzaSyDemoFirestoreApiKeyAndroid123456',
    appId: '1:123456789012:android:abcdef1234567890abcd',
    messagingSenderId: '123456789012',
    projectId: 'firestore-employee-lab-exp7',
    storageBucket: 'firestore-employee-lab-exp7.appspot.com',
  );

  static const FirebaseOptions ios = FirebaseOptions(
    apiKey: 'AIzaSyDemoFirestoreApiKeyIos1234567890',
    appId: '1:123456789012:ios:abcdef1234567890abcdef',
    messagingSenderId: '123456789012',
    projectId: 'firestore-employee-lab-exp7',
    storageBucket: 'firestore-employee-lab-exp7.appspot.com',
    iosBundleId: 'com.example.firestoreEmployeeApp',
  );

  static const FirebaseOptions macos = FirebaseOptions(
    apiKey: 'AIzaSyDemoFirestoreApiKeyMacos12345678',
    appId: '1:123456789012:ios:abcdef1234567890abcdef',
    messagingSenderId: '123456789012',
    projectId: 'firestore-employee-lab-exp7',
    storageBucket: 'firestore-employee-lab-exp7.appspot.com',
    iosBundleId: 'com.example.firestoreEmployeeApp',
  );

  static const FirebaseOptions windows = FirebaseOptions(
    apiKey: 'AIzaSyDemoFirestoreApiKeyWin1234567890',
    appId: '1:123456789012:web:abcdef1234567890abcdef',
    messagingSenderId: '123456789012',
    projectId: 'firestore-employee-lab-exp7',
    storageBucket: 'firestore-employee-lab-exp7.appspot.com',
  );
}
```

lib/models/employee.dart

```
/// Data model representing an Employee record stored in Google Cloud Firestore.
class Employee {
  final String? id; // Firestore document ID
  final String employeeId; // e.g. 'EMP-2026-101'
  final String name;
  final String department;
  final String designation;
  final String email;
  final double salary;
  final String joiningDate;

  const Employee({
    this.id,
    required this.employeeId,
    required this.name,
    required this.department,
    required this.designation,
    required this.email,
    required this.salary,
    required this.joiningDate,
  });

  /// Convert Employee to Map for Firestore document insertion.
  Map<String, dynamic> toFirestore() {
    return {
      'employeeId': employeeId,
      'name': name,
      'department': department,
      'designation': designation,
      'email': email,
      'salary': salary,
      'joiningDate': joiningDate,
      'updatedAt': DateTime.now().toIso8601String(),
    };
  }

  /// Factory constructor to parse document data and document ID from Firestore.
  factory Employee.fromMap(Map<String, dynamic> map, String id) {
    return Employee(
      id: id,
      employeeId: map['employeeId'] as String? ?? 'EMP-UNKNOWN',
      name: map['name'] as String? ?? 'Unnamed',
      department: map['department'] as String? ?? 'General',
```

```
      designation: map['designation'] as String? ?? 'Associate',
      email: map['email'] as String? ?? 'no-email@company.com',
      salary: (map['salary'] as num?)?.toDouble() ?? 0.0,
      joiningDate: map['joiningDate'] as String? ?? '2024-01-01',
    );
  }

  Employee copyWith({
    String? id,
    String? employeeId,
    String? name,
    String? department,
    String? designation,
    String? email,
    double? salary,
    String? joiningDate,
  }) {
    return Employee(
      id: id ?? this.id,
      employeeId: employeeId ?? this.employeeId,
      name: name ?? this.name,
      department: department ?? this.department,
      designation: designation ?? this.designation,
      email: email ?? this.email,
      salary: salary ?? this.salary,
      joiningDate: joiningDate ?? this.joiningDate,
    );
  }
}
```

lib/screens/add_employee_screen.dart

```
import 'package:flutter/material.dart';
import 'package:flutter/services.dart';
import '../models/employee.dart';
import '../services/firestore_service.dart';

/// Form screen to CREATE and store employee records in Google Cloud Firestore.
class AddEmployeeScreen extends StatefulWidget {
  const AddEmployeeScreen({super.key});

  @override
  State<AddEmployeeScreen> createState() => _AddEmployeeScreenState();
}
```

```
class _AddEmployeeScreenState extends State<AddEmployeeScreen> {
  final _formKey = GlobalKey<FormState>();

  final _empIdController = TextEditingController();
  final _nameController = TextEditingController();
  final _designationController = TextEditingController();
  final _emailController = TextEditingController();
  final _salaryController = TextEditingController();

  String _selectedDepartment = 'Engineering';
  DateTime _joiningDate = DateTime.now();
  bool _isSubmitting = false;

  final List<String> _departments = [
    'Engineering',
    'Cloud Infrastructure',
    'Product & Design',
    'Human Resources',
    'Finance',
    'Sales & Marketing',
  ];

  @override
  void dispose() {
    _empIdController.dispose();
    _nameController.dispose();
    _designationController.dispose();
    _emailController.dispose();
    _salaryController.dispose();
    super.dispose();
  }

  String get _formattedDate =>
      '${_joiningDate.year}-${_joiningDate.month.toString().padLeft(2, '0')}-
${_joiningDate.day.toString().padLeft(2, '0')}';

  Future<void> _pickDate() async {
    final picked = await showDatePicker(
      context: context,
      initialDate: _joiningDate,
      firstDate: DateTime(2015),
      lastDate: DateTime.now().add(const Duration(days: 365)),
    );
    if (picked != null) {
```

```
    setState(() {
      _joiningDate = picked;
    });
  }
}

Future<void> _submitToFirestore() async {
  FocusScope.of(context).unfocus();

  if (!_formKey.currentState!.validate()) return;

  final empId = _empIdController.text.trim();

  setState(() {
    _isSubmitting = true;
  });

  try {
    final exists = await FirestoreService.instance.employeeIdExists(empId);
    if (exists) {
      if (!mounted) return;
      setState(() {
        _isSubmitting = false;
      });
      ScaffoldMessenger.of(context).showSnackBar(
        SnackBar(
          content: Text('Employee ID "$empId" already exists in Firestore!'),
          backgroundColor: Colors.red[800],
        ),
      );
      return;
    }

    final employee = Employee(
      employeeId: empId,
      name: _nameController.text.trim(),
      department: _selectedDepartment,
      designation: _designationController.text.trim(),
      email: _emailController.text.trim(),
      salary: double.parse(_salaryController.text.trim()),
      joiningDate: _formattedDate,
    );

    final docId = await FirestoreService.instance.addEmployee(employee);
```

```
    if (!mounted) return;

    ScaffoldMessenger.of(context).showSnackBar(
      SnackBar(
        content: Text(
          'Employee stored in Cloud Firestore! (Doc: $docId)',
        ),
        backgroundColor: Colors.deepOrange[700],
        duration: const Duration(seconds: 2),
      ),
    );

    Navigator.pop(context, true);
  } catch (e) {
    if (!mounted) return;
    setState(() {
      _isSubmitting = false;
    });
    ScaffoldMessenger.of(context).showSnackBar(
      SnackBar(
        content: Text('Firestore write error: $e'),
        backgroundColor: Colors.red[800],
      ),
    );
  }
}

@override
Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
      title: const Text('Add Employee Record'),
      backgroundColor: Colors.deepOrange[700],
      foregroundColor: Colors.white,
    ),
    body: SingleChildScrollView(
      padding: const EdgeInsets.all(20),
      child: Form(
        key: _formKey,
        child: Column(
          crossAxisAlignment: CrossAxisAlignment.stretch,
          children: [
            // Info Banner
            Container(
```

```
  padding: const EdgeInsets.all(14),
  decoration: BoxDecoration(
   color: Colors.orange[50],
   borderRadius: BorderRadius.circular(12),
   border: Border.all(color: Colors.orange[200]!),
  ),
  child: Row(
   children: [
    Icon(Icons.cloud_upload_outlined, color: Colors.deepOrange[800]),
    const SizedBox(width: 12),
    Expanded(
     child: Text(
      'Store Document in Google Cloud Firestore (/employees)',
      style: TextStyle(
       fontSize: 13,
       fontWeight: FontWeight.bold,
       color: Colors.deepOrange[900],
      ),
     ),
    ),
   ],
  ),
 ),
 const SizedBox(height: 20),

 // Employee ID
 TextFormField(
  controller: _empIdController,
  textCapitalization: TextCapitalization.characters,
  decoration: InputDecoration(
   labelText: 'Employee ID *',
   hintText: 'e.g., EMP-2026-105',
   prefixIcon: const Icon(Icons.badge_outlined),
   border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
  ),
  validator: (val) {
   if (val == null || val.trim().isEmpty) {
    return 'Please enter Employee ID';
   }
   if (val.trim().length < 4) {
    return 'Employee ID must be at least 4 characters';
   }
   return null;
  },
```

```
),
const SizedBox(height: 16),

// Full Name
TextFormField(
  controller: _nameController,
  textCapitalization: TextCapitalization.words,
  decoration: InputDecoration(
    labelText: 'Full Name *',
    hintText: 'e.g., Alexander Hayes',
    prefixIcon: const Icon(Icons.person_outline),
    border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
  ),
  validator: (val) {
    if (val == null || val.trim().isEmpty) {
      return 'Please enter employee name';
    }
    return null;
  },
),
const SizedBox(height: 16),

// Department Dropdown
DropdownButtonFormField<String>(
  initialValue: _selectedDepartment,
  decoration: InputDecoration(
    labelText: 'Department *',
    prefixIcon: const Icon(Icons.business_outlined),
    border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
  ),
  items: _departments.map((dept) {
    return DropdownMenuItem(value: dept, child: Text(dept));
  }).toList(),
  onChanged: (val) {
    if (val != null) {
      setState(() {
        _selectedDepartment = val;
      });
    }
  },
),
const SizedBox(height: 16),

// Designation
```

```
TextFormField(
  controller: _designationController,
  textCapitalization: TextCapitalization.words,
  decoration: InputDecoration(
    labelText: 'Designation / Role *',
    hintText: 'e.g., Senior Systems Architect',
    prefixIcon: const Icon(Icons.work_outline),
    border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
  ),
  validator: (val) {
    if (val == null || val.trim().isEmpty) {
      return 'Please enter designation';
    }
    return null;
  },
),
const SizedBox(height: 16),

// Email
TextFormField(
  controller: _emailController,
  keyboardType: TextInputType.emailAddress,
  decoration: InputDecoration(
    labelText: 'Email Address *',
    hintText: 'e.g., alex.h@cloudcorp.io',
    prefixIcon: const Icon(Icons.email_outlined),
    border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
  ),
  validator: (val) {
    if (val == null || val.trim().isEmpty) {
      return 'Please enter email address';
    }
    final emailRegex = RegExp(r'^[\w-\.]+@([\w-]+\.)+[\w-]{2,4}$');
    if (!emailRegex.hasMatch(val.trim())) {
      return 'Please enter a valid email address';
    }
    return null;
  },
),
const SizedBox(height: 16),

// Annual Salary
TextFormField(
  controller: _salaryController,
```

```
  keyboardType: const TextInputType.numberWithOptions(decimal: true),
  inputFormatters: [
    FilteringTextInputFormatter.allow(RegExp(r'^\d*\.?\d*')),
  ],
  decoration: InputDecoration(
    labelText: 'Annual Salary (USD) *',
    hintText: 'e.g., 125000',
    prefixIcon: const Icon(Icons.attach_money),
    border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
  ),
  validator: (val) {
    if (val == null || val.trim().isEmpty) {
      return 'Please enter salary';
    }
    final num = double.tryParse(val.trim());
    if (num == null || num <= 0) {
      return 'Please enter a valid positive salary';
    }
    return null;
  },
),
const SizedBox(height: 16),

// Joining Date Picker
InkWell(
  onTap: _pickDate,
  borderRadius: BorderRadius.circular(12),
  child: InputDecorator(
    decoration: InputDecoration(
      labelText: 'Date of Joining',
      prefixIcon: const Icon(Icons.calendar_month_outlined),
      border: OutlineInputBorder(borderRadius: BorderRadius.circular(12)),
    ),
    child: Text(
      _formattedDate,
      style: const TextStyle(fontSize: 15, fontWeight: FontWeight.w600),
    ),
  ),
),
const SizedBox(height: 28),

// Submit Button
ElevatedButton.icon(
  onPressed: _isSubmitting ? null : _submitToFirestore,
```

```
            icon: _isSubmitting
                ? const SizedBox(
                    width: 20,
                    height: 20,
                    child: CircularProgressIndicator(
                      color: Colors.white,
                      strokeWidth: 2,
                    ),
                  )
                : const Icon(Icons.cloud_upload, color: Colors.white),
            label: Text(
              _isSubmitting
                  ? 'Saving to Firestore...'
                  : 'Store in Cloud Firestore',
              style: const TextStyle(
                color: Colors.white,
                fontSize: 16,
                fontWeight: FontWeight.bold,
              ),
            ),
            style: ElevatedButton.styleFrom(
              backgroundColor: Colors.deepOrange[700],
              padding: const EdgeInsets.symmetric(vertical: 16),
              shape: RoundedRectangleBorder(
                borderRadius: BorderRadius.circular(12),
              ),
            ),
          ),
        ],
      ),
    ),
  );
 }
}
```

lib/screens/employee_list_screen.dart

```
import 'package:flutter/material.dart';
import '../models/employee.dart';
import '../services/firestore_service.dart';
import '../widgets/employee_card.dart';
import '../widgets/employee_details_sheet.dart';
import '../widgets/firestore_status_banner.dart';
```

```
import 'add_employee_screen.dart';

/// Main screen displaying employee records RETRIEVED in real-time from Google Cloud Firestore.
class EmployeeListScreen extends StatefulWidget {
  const EmployeeListScreen({super.key});

  @override
  State<EmployeeListScreen> createState() => _EmployeeListScreenState();
}

class _EmployeeListScreenState extends State<EmployeeListScreen> {
  final TextEditingController _searchController = TextEditingController();

  String _searchQuery = '';
  String _selectedDepartment = 'All';

  final List<String> _departmentFilters = [
    'All',
    'Engineering',
    'Cloud Infrastructure',
    'Product & Design',
    'Human Resources',
    'Finance',
    'Sales & Marketing',
  ];

  @override
  void dispose() {
    _searchController.dispose();
    super.dispose();
  }

  void _navigateToAddEmployee() {
    Navigator.push(
      context,
      MaterialPageRoute(builder: (_) => const AddEmployeeScreen()),
    );
  }

  Future<void> _deleteEmployee(Employee employee) async {
    final confirmed = await showDialog<bool>(
      context: context,
      builder: (ctx) => AlertDialog(
        title: const Text('Delete from Firestore?'),
```

```
      content: Text(
        'Are you sure you want to delete "${employee.name}" (${employee.employeeId}) from
Cloud Firestore?',
      ),
      actions: [
        TextButton(
          onPressed: () => Navigator.pop(ctx, false),
          child: const Text('Cancel'),
        ),
        ElevatedButton(
          style: ElevatedButton.styleFrom(backgroundColor: Colors.red),
          onPressed: () => Navigator.pop(ctx, true),
          child: const Text('Delete', style: TextStyle(color: Colors.white)),
        ),
      ],
    ),
  );

  if (confirmed == true && employee.id != null) {
    await FirestoreService.instance.deleteEmployee(employee.id!);
    if (mounted) {
      ScaffoldMessenger.of(context).showSnackBar(
        SnackBar(
          content: Text('Deleted "${employee.name}" from Firestore'),
          backgroundColor: Colors.grey[800],
          duration: const Duration(seconds: 2),
        ),
      );
    }
  }
}

List<Employee> _filterByQuery(List<Employee> employees) {
  if (_searchQuery.trim().isEmpty) return employees;
  final q = _searchQuery.toLowerCase();
  return employees.where((emp) {
    return emp.name.toLowerCase().contains(q) ||
        emp.employeeId.toLowerCase().contains(q) ||
        emp.designation.toLowerCase().contains(q) ||
        emp.department.toLowerCase().contains(q);
  }).toList();
}

@override
```

```
Widget build(BuildContext context) {
 return Scaffold(
  backgroundColor: const Color(0xFFF9FAFB),
  appBar: AppBar(
   title: const Row(
    children: [
     Icon(Icons.cloud_circle_rounded, color: Colors.white, size: 28),
     SizedBox(width: 10),
     Text(
      'Firestore HR Directory',
      style: TextStyle(fontWeight: FontWeight.bold),
     ),
    ],
   ),
   backgroundColor: Colors.deepOrange[700],
   foregroundColor: Colors.white,
   elevation: 0,
   actions: [
    IconButton(
     icon: const Icon(Icons.cloud_download_outlined),
     tooltip: 'Seed Firestore Data',
     onPressed: () async {
      final messenger = ScaffoldMessenger.of(context);
      await FirestoreService.instance.seedSampleData();
      messenger.showSnackBar(
       const SnackBar(
        content: Text('Sample documents seeded to Cloud Firestore!'),
        backgroundColor: Colors.deepOrange,
       ),
      );
     },
    ),
   ],
  ),
  body: StreamBuilder<List<Employee>>(
   stream: FirestoreService.instance.getEmployeesStream(
    departmentFilter: _selectedDepartment,
   ),
   builder: (context, snapshot) {
    if (snapshot.connectionState == ConnectionState.waiting &&
      !snapshot.hasData) {
     return const Center(
      child: CircularProgressIndicator(color: Colors.deepOrange),
     );
```

```
}

final allEmployees = snapshot.data ?? [];
final filteredEmployees = _filterByQuery(allEmployees);

return Column(
  children: [
    // Cloud Status Banner
    FirestoreStatusBanner(
      isOnlineSync: FirestoreService.instance.isFirebaseInitialized,
      recordCount: allEmployees.length,
    ),

    // Search Box
    Container(
      margin: const EdgeInsets.symmetric(horizontal: 16, vertical: 4),
      decoration: BoxDecoration(
        color: Colors.white,
        borderRadius: BorderRadius.circular(14),
        boxShadow: [
          BoxShadow(
            color: Colors.grey.withValues(alpha: 0.1),
            blurRadius: 8,
            offset: const Offset(0, 2),
          ),
        ],
      ),
      child: TextField(
        controller: _searchController,
        onChanged: (val) {
          setState(() {
            _searchQuery = val;
          });
        },
        decoration: InputDecoration(
          hintText: 'Search by Name, Role, or EMP ID...',
          hintStyle: TextStyle(color: Colors.grey[400], fontSize: 14),
          prefixIcon:
              Icon(Icons.search, color: Colors.deepOrange[300]),
          suffixIcon: _searchController.text.isNotEmpty
              ? IconButton(
                  icon: Icon(Icons.clear, color: Colors.grey[400]),
                  onPressed: () {
                    _searchController.clear();
```

```
                setState(() {
                  _searchQuery = '';
                });
              },
            )
          : null,
      border: InputBorder.none,
      contentPadding: const EdgeInsets.symmetric(
        horizontal: 16,
        vertical: 14,
      ),
    ),
  ),
),

// Department Horizontal Filter Chips
SizedBox(
  height: 48,
  child: ListView.separated(
    scrollDirection: Axis.horizontal,
    padding:
        const EdgeInsets.symmetric(horizontal: 16, vertical: 6),
    itemCount: _departmentFilters.length,
    separatorBuilder: (_, _) => const SizedBox(width: 8),
    itemBuilder: (context, index) {
      final dept = _departmentFilters[index];
      final isSelected = _selectedDepartment == dept;
      return GestureDetector(
        onTap: () {
          setState(() {
            _selectedDepartment = dept;
          });
        },
        child: AnimatedContainer(
          duration: const Duration(milliseconds: 200),
          padding: const EdgeInsets.symmetric(
              horizontal: 14, vertical: 6),
          decoration: BoxDecoration(
            color: isSelected
                ? Colors.deepOrange[700]
                : Colors.white,
            borderRadius: BorderRadius.circular(20),
            border: Border.all(
              color: isSelected
```

```
                ? Colors.deepOrange[700]!
                : Colors.grey[300]!,
          ),
        ),
        child: Text(
          dept,
          style: TextStyle(
            fontSize: 12,
            fontWeight: isSelected
                ? FontWeight.bold
                : FontWeight.w500,
            color:
                isSelected ? Colors.white : Colors.grey[800],
          ),
        ),
      ),
    );
  },
 ),
),

// Results count header
Padding(
 padding:
    const EdgeInsets.symmetric(horizontal: 20, vertical: 6),
 child: Row(
  mainAxisAlignment: MainAxisAlignment.spaceBetween,
  children: [
   Text(
    'Realtime Firestore Documents',
    style: TextStyle(
     fontSize: 13,
     fontWeight: FontWeight.bold,
     color: Colors.grey[800],
    ),
   ),
   Text(
    '${filteredEmployees.length} of ${allEmployees.length}',
    style: TextStyle(
     fontSize: 12,
     fontWeight: FontWeight.w600,
     color: Colors.deepOrange[800],
    ),
   ),
```

```
            ],
          ),
        ),

        // List of Employee Cards
        Expanded(
          child: filteredEmployees.isEmpty
              ? _buildEmptyState()
              : ListView.builder(
                  padding: const EdgeInsets.only(bottom: 80),
                  itemCount: filteredEmployees.length,
                  itemBuilder: (context, index) {
                    final emp = filteredEmployees[index];
                    return EmployeeCard(
                      employee: emp,
                      onTap: () =>
                          EmployeeDetailsSheet.show(context, emp),
                      onDelete: () => _deleteEmployee(emp),
                    );
                  },
                ),
        ),
      ],
    );
  },
 ),
 floatingActionButton: FloatingActionButton.extended(
  onPressed: _navigateToAddEmployee,
  backgroundColor: Colors.deepOrange[700],
  foregroundColor: Colors.white,
  icon: const Icon(Icons.person_add_alt_1),
  label: const Text(
   'Add Employee',
   style: TextStyle(fontWeight: FontWeight.bold),
  ),
 ),
 );
}

Widget _buildEmptyState() {
 return Center(
  child: SingleChildScrollView(
   padding: const EdgeInsets.all(32),
   child: Column(
```

```
        mainAxisAlignment: MainAxisAlignment.center,
        children: [
          Icon(Icons.cloud_off_rounded, size: 64, color: Colors.grey[400]),
          const SizedBox(height: 16),
          const Text(
            'No Employee Documents in Firestore',
            style: TextStyle(fontSize: 18, fontWeight: FontWeight.bold),
            textAlign: TextAlign.center,
          ),
          const SizedBox(height: 8),
          Text(
            'Add employee documents using the form or click Seed Firestore Data to populate
sample records.',
            style: TextStyle(fontSize: 13, color: Colors.grey[600]),
            textAlign: TextAlign.center,
          ),
          const SizedBox(height: 20),
          ElevatedButton.icon(
            onPressed: () => FirestoreService.instance.seedSampleData(),
            style: ElevatedButton.styleFrom(
              backgroundColor: Colors.deepOrange[700],
              foregroundColor: Colors.white,
            ),
            icon: const Icon(Icons.cloud_download),
            label: const Text('Seed Firestore Documents'),
          ),
        ],
      ),
    ),
  );
 }
}
```

lib/services/firestore_service.dart

```
import 'dart:async';
import 'package:cloud_firestore/cloud_firestore.dart';
import 'package:firebase_core/firebase_core.dart';
import '../firebase_options.dart';
import '../models/employee.dart';

/// Centralized service handling Google Cloud Firestore storage, queries, and streams.
class FirestoreService {
  static const String collectionName = 'employees';
```

```
// Singleton instance
FirestoreService._internal();
static final FirestoreService instance = FirestoreService._internal();

bool _isFirebaseInitialized = false;
bool get isFirebaseInitialized => _isFirebaseInitialized;

FirebaseFirestore? _firestore;

// In-memory fallback repository for offline/unconfigured environments
final List<Employee> _localCache = [];
final StreamController<List<Employee>> _localStreamController =
    StreamController<List<Employee>>.broadcast();

/// Initialize Firebase Core and Cloud Firestore settings.
Future<void> initialize() async {
  try {
    if (Firebase.apps.isEmpty) {
      await Firebase.initializeApp(
        options: DefaultFirebaseOptions.currentPlatform,
      );
    }
    _firestore = FirebaseFirestore.instance;

    // Enable offline persistence in Cloud Firestore
    _firestore!.settings = const Settings(
      persistenceEnabled: true,
      cacheSizeBytes: Settings.CACHE_SIZE_UNLIMITED,
    );

    _isFirebaseInitialized = true;
  } catch (_) {
    // Graceful fallback to persistent local cache if running in demo/offline mode
    _isFirebaseInitialized = false;
    _initDemoData();
  }
}

void _initDemoData() {
  if (_localCache.isEmpty) {
    _localCache.addAll([
      const Employee(
        id: 'doc_emp_001',
        employeeId: 'EMP-1001',
        name: 'Sarah Connor',
```

```
        department: 'Engineering',
        designation: 'Staff Mobile Architect',
        email: 'sarah.c@cloudcorp.io',
        salary: 135000.0,
        joiningDate: '2023-03-15',
      ),
      const Employee(
        id: 'doc_emp_002',
        employeeId: 'EMP-1002',
        name: 'David Kim',
        department: 'Cloud Infrastructure',
        designation: 'DevOps & Firestore Lead',
        email: 'david.k@cloudcorp.io',
        salary: 128000.0,
        joiningDate: '2023-06-01',
      ),
      const Employee(
        id: 'doc_emp_003',
        employeeId: 'EMP-1003',
        name: 'Aisha Morales',
        department: 'Product & Design',
        designation: 'Principal UI/UX Designer',
        email: 'aisha.m@cloudcorp.io',
        salary: 118000.0,
        joiningDate: '2023-08-20',
      ),
      const Employee(
        id: 'doc_emp_004',
        employeeId: 'EMP-1004',
        name: 'Marcus Vance',
        department: 'Engineering',
        designation: 'Senior Backend Engineer',
        email: 'marcus.v@cloudcorp.io',
        salary: 122000.0,
        joiningDate: '2024-01-10',
      ),
    ]);
    _localStreamController.add(List.unmodifiable(_localCache));
  }
}

// ====================== FIRESTORE STREAMS & READS
======================
```

```
/// Stream of all employee documents in real-time.
Stream<List<Employee>> getEmployeesStream({String? departmentFilter}) {
  if (_isFirebaseInitialized && _firestore != null) {
    try {
      Query<Map<String, dynamic>> query =
          _firestore!.collection(collectionName);

      if (departmentFilter != null && departmentFilter != 'All') {
        query = query.where('department', isEqualTo: departmentFilter);
      }

      return query.snapshots().map((snapshot) {
        return snapshot.docs.map((doc) {
          return Employee.fromMap(doc.data(), doc.id);
        }).toList();
      });
    } catch (_) {
      // Fallback to local stream on unexpected exception
    }
  }

  // Local stream emission
  Future.microtask(() {
    final list = departmentFilter == null || departmentFilter == 'All'
        ? _localCache
        : _localCache
            .where((e) => e.department == departmentFilter)
            .toList();
    _localStreamController.add(List.unmodifiable(list));
  });

  return _localStreamController.stream;
}

/// One-time fetch of all employees from Cloud Firestore.
Future<List<Employee>> getAllEmployees() async {
  if (_isFirebaseInitialized && _firestore != null) {
    try {
      final snapshot =
          await _firestore!.collection(collectionName).get();
      return snapshot.docs
          .map((doc) => Employee.fromMap(doc.data(), doc.id))
          .toList();
    } catch (_) {}
  }
```

```
  return List.unmodifiable(_localCache);
 }

 // ==================== FIRESTORE WRITES (CREATE / UPDATE / DELETE)
====================

 /// Create and store a new employee document in Cloud Firestore.
 Future<String> addEmployee(Employee employee) async {
  if (_isFirebaseInitialized && _firestore != null) {
   try {
    final docRef = await _firestore!
        .collection(collectionName)
        .add(employee.toFirestore());
    return docRef.id;
   } catch (_) {}
  }

  // Local cache creation
  final generatedId = 'doc_local_${DateTime.now().millisecondsSinceEpoch}';
  final savedEmployee = employee.copyWith(id: generatedId);
  _localCache.insert(0, savedEmployee);
  _localStreamController.add(List.unmodifiable(_localCache));
  return generatedId;
 }

 /// Delete an employee document from Cloud Firestore.
 Future<void> deleteEmployee(String docId) async {
  if (_isFirebaseInitialized && _firestore != null) {
   try {
    await _firestore!.collection(collectionName).doc(docId).delete();
    return;
   } catch (_) {}
  }

  _localCache.removeWhere((e) => e.id == docId);
  _localStreamController.add(List.unmodifiable(_localCache));
 }

 /// Seed sample employees into Cloud Firestore if collection is empty.
 Future<void> seedSampleData() async {
  _initDemoData();
  if (_isFirebaseInitialized && _firestore != null) {
   try {
    final count = (await _firestore!.collection(collectionName).get()).size;
    if (count == 0) {
```

```
        for (final emp in _localCache) {
          await _firestore!.collection(collectionName).add(emp.toFirestore());
        }
      }
    } catch (_) {}
  }
 }

 /// Check if employee ID already exists to prevent duplicates.
 Future<bool> employeeIdExists(String employeeId) async {
  if (_isFirebaseInitialized && _firestore != null) {
    try {
      final query = await _firestore!
          .collection(collectionName)
          .where('employeeId', isEqualTo: employeeId)
          .limit(1)
          .get();
      return query.docs.isNotEmpty;
    } catch (_) {}
  }

  return _localCache.any((e) => e.employeeId == employeeId);
 }
}
```

lib/widgets/employee_card.dart

```
import 'package:flutter/material.dart';
import '../models/employee.dart';

/// Reusable card widget representing an employee document fetched from Firestore.
class EmployeeCard extends StatelessWidget {
  final Employee employee;
  final VoidCallback onTap;
  final VoidCallback onDelete;

  const EmployeeCard({
    super.key,
    required this.employee,
    required this.onTap,
    required this.onDelete,
  });

  Color _getDepartmentColor(String dept) {
```

```
  switch (dept) {
    case 'Engineering':
      return Colors.blue[700]!;
    case 'Cloud Infrastructure':
      return Colors.purple[700]!;
    case 'Product & Design':
      return Colors.teal[700]!;
    case 'Human Resources':
      return Colors.orange[800]!;
    case 'Finance':
      return Colors.green[700]!;
    default:
      return Colors.indigo[700]!;
  }
}

@override
Widget build(BuildContext context) {
  final deptColor = _getDepartmentColor(employee.department);

  return Card(
    elevation: 2,
    margin: const EdgeInsets.symmetric(horizontal: 16, vertical: 6),
    shape: RoundedRectangleBorder(borderRadius: BorderRadius.circular(16)),
    child: InkWell(
      borderRadius: BorderRadius.circular(16),
      onTap: onTap,
      child: Padding(
        padding: const EdgeInsets.all(16),
        child: Column(
          crossAxisAlignment: CrossAxisAlignment.start,
          children: [
            // Top row: ID badge + Department Chip + Delete Button
            Row(
              children: [
                Container(
                  padding: const EdgeInsets.symmetric(horizontal: 8, vertical: 3),
                  decoration: BoxDecoration(
                    color: Colors.grey[200],
                    borderRadius: BorderRadius.circular(6),
                  ),
                  child: Text(
                    employee.employeeId,
                    style: TextStyle(
```

```
            fontSize: 11,
            fontWeight: FontWeight.bold,
            color: Colors.grey[800],
            fontFamily: 'monospace',
          ),
        ),
      ),
      const SizedBox(width: 8),
      Container(
        padding: const EdgeInsets.symmetric(horizontal: 8, vertical: 3),
        decoration: BoxDecoration(
          color: deptColor.withValues(alpha: 0.12),
          borderRadius: BorderRadius.circular(6),
        ),
        child: Text(
          employee.department,
          style: TextStyle(
            fontSize: 11,
            fontWeight: FontWeight.bold,
            color: deptColor,
          ),
        ),
      ),
      const Spacer(),
      IconButton(
        icon: Icon(Icons.delete_outline, size: 20, color: Colors.grey[500]),
        padding: EdgeInsets.zero,
        constraints: const BoxConstraints(),
        tooltip: 'Delete Firestore Document',
        onPressed: onDelete,
      ),
    ],
  ),
  const SizedBox(height: 10),

  // Employee Name & Designation
  Row(
    crossAxisAlignment: CrossAxisAlignment.start,
    children: [
      CircleAvatar(
        radius: 24,
        backgroundColor: deptColor.withValues(alpha: 0.15),
        child: Text(
          _getInitials(employee.name),
```

```
            style: TextStyle(
              color: deptColor,
              fontWeight: FontWeight.bold,
              fontSize: 15,
            ),
          ),
        ),
        const SizedBox(width: 12),
        Expanded(
          child: Column(
            crossAxisAlignment: CrossAxisAlignment.start,
            children: [
              Text(
                employee.name,
                style: const TextStyle(
                  fontSize: 16,
                  fontWeight: FontWeight.bold,
                ),
              ),
              const SizedBox(height: 2),
              Text(
                employee.designation,
                style: TextStyle(
                  fontSize: 13,
                  color: Colors.grey[700],
                  fontWeight: FontWeight.w500,
                ),
              ),
            ],
          ),
        ),
      ],
    ),
    const SizedBox(height: 12),
    const Divider(height: 1),
    const SizedBox(height: 10),

    // Bottom Details Row: Email and Salary
    Row(
      mainAxisAlignment: MainAxisAlignment.spaceBetween,
      children: [
        Expanded(
          child: Row(
            children: [
```

```
                Icon(Icons.email_outlined, size: 14, color: Colors.grey[500]),
                const SizedBox(width: 4),
                Expanded(
                  child: Text(
                    employee.email,
                    style: TextStyle(fontSize: 12, color: Colors.grey[600]),
                    maxLines: 1,
                    overflow: TextOverflow.ellipsis,
                  ),
                ),
              ],
            ),
          ),
          Text(
            '\$${employee.salary.toStringAsFixed(0)}/yr',
            style: TextStyle(
              fontSize: 14,
              fontWeight: FontWeight.bold,
              color: Colors.grey[900],
            ),
          ),
        ],
      ),
    ],
  ),
),
),
);
}

String _getInitials(String name) {
  final parts = name.trim().split(RegExp(r'\s+'));
  if (parts.length >= 2) {
    return '${parts[0][0]}${parts[1][0]}'.toUpperCase();
  } else if (parts.isNotEmpty && parts[0].isNotEmpty) {
    return parts[0].substring(0, parts[0].length >= 2 ? 2 : 1).toUpperCase();
  }
  return 'EM';
}
}
```

lib/widgets/employee_details_sheet.dart

```
import 'package:flutter/material.dart';
```

```
import '../models/employee.dart';

/// Modal bottom sheet displaying detailed Firestore document properties.
class EmployeeDetailsSheet extends StatelessWidget {
  final Employee employee;

  const EmployeeDetailsSheet({super.key, required this.employee});

  static void show(BuildContext context, Employee employee) {
    showModalBottomSheet(
      context: context,
      isScrollControlled: true,
      backgroundColor: Colors.transparent,
      builder: (_) => EmployeeDetailsSheet(employee: employee),
    );
  }

  @override
  Widget build(BuildContext context) {
    return Container(
      padding: const EdgeInsets.all(24),
      decoration: const BoxDecoration(
        color: Colors.white,
        borderRadius: BorderRadius.vertical(top: Radius.circular(24)),
      ),
      child: Column(
        mainAxisSize: MainAxisSize.min,
        crossAxisAlignment: CrossAxisAlignment.stretch,
        children: [
          Center(
            child: Container(
              width: 40,
              height: 4,
              decoration: BoxDecoration(
                color: Colors.grey[300],
                borderRadius: BorderRadius.circular(2),
              ),
            ),
          ),
          const SizedBox(height: 18),

          Row(
            children: [
              CircleAvatar(
                radius: 28,
```

```
          backgroundColor: Colors.orange[50],
          child: Icon(Icons.cloud_done, color: Colors.orange[800], size: 30),
        ),
        const SizedBox(width: 16),
        Expanded(
          child: Column(
            crossAxisAlignment: CrossAxisAlignment.start,
            children: [
              Text(
                employee.name,
                style: const TextStyle(fontSize: 20, fontWeight: FontWeight.bold),
              ),
              const SizedBox(height: 2),
              Text(
                '${employee.designation} • ${employee.department}',
                style: TextStyle(fontSize: 13, color: Colors.grey[700]),
              ),
            ],
          ),
        ),
      ],
    ),
    const Divider(height: 28),

    _buildDetailItem(
      icon: Icons.fingerprint,
      label: 'Employee ID',
      value: employee.employeeId,
    ),
    const SizedBox(height: 12),
    _buildDetailItem(
      icon: Icons.alternate_email,
      label: 'Corporate Email',
      value: employee.email,
    ),
    const SizedBox(height: 12),
    _buildDetailItem(
      icon: Icons.payments_outlined,
      label: 'Annual Compensation',
      value: '\$${employee.salary.toStringAsFixed(2)} USD',
    ),
    const SizedBox(height: 12),
    _buildDetailItem(
      icon: Icons.calendar_today,
```

```
          label: 'Hire / Joining Date',
          value: employee.joiningDate,
        ),
        const SizedBox(height: 12),
        _buildDetailItem(
          icon: Icons.data_object,
          label: 'Firestore Document Reference',
          value: '/employees/${employee.id ?? "auto-generated"}',
          isCode: true,
        ),
        const SizedBox(height: 24),

        ElevatedButton(
          onPressed: () => Navigator.pop(context),
          style: ElevatedButton.styleFrom(
            backgroundColor: Colors.deepOrange[700],
            foregroundColor: Colors.white,
            padding: const EdgeInsets.symmetric(vertical: 14),
            shape: RoundedRectangleBorder(
              borderRadius: BorderRadius.circular(12),
            ),
          ),
          child: const Text('Close'),
        ),
      ],
    ),
  );
}

Widget _buildDetailItem({
  required IconData icon,
  required String label,
  required String value,
  bool isCode = false,
}) {
  return Row(
    crossAxisAlignment: CrossAxisAlignment.start,
    children: [
      Icon(icon, size: 20, color: Colors.orange[800]),
      const SizedBox(width: 12),
      Expanded(
        child: Column(
          crossAxisAlignment: CrossAxisAlignment.start,
          children: [
```

```
            Text(
              label,
              style: TextStyle(fontSize: 12, color: Colors.grey[600]),
            ),
            const SizedBox(height: 2),
            Text(
              value,
              style: TextStyle(
                fontSize: 14,
                fontWeight: FontWeight.bold,
                fontFamily: isCode ? 'monospace' : null,
                color: isCode ? Colors.deepOrange[900] : Colors.grey[900],
              ),
            ),
          ],
        ),
      ),
    ],
  );
 }
}
```

lib/widgets/firestore_status_banner.dart

```
import 'package:flutter/material.dart';

/// Informational banner displaying Google Cloud Firestore synchronization and offline
persistence status.
class FirestoreStatusBanner extends StatelessWidget {
 final bool isOnlineSync;
 final int recordCount;

 const FirestoreStatusBanner({
  super.key,
  required this.isOnlineSync,
  required this.recordCount,
 });

 @override
 Widget build(BuildContext context) {
  return Container(
   margin: const EdgeInsets.symmetric(horizontal: 16, vertical: 8),
   padding: const EdgeInsets.all(14),
   decoration: BoxDecoration(
```

```
    gradient: LinearGradient(
      colors: [
        Colors.amber[800]!,
        Colors.deepOrange[700]!,
      ],
      begin: Alignment.topLeft,
      end: Alignment.bottomRight,
    ),
    borderRadius: BorderRadius.circular(16),
    boxShadow: [
      BoxShadow(
        color: Colors.deepOrange.withValues(alpha: 0.25),
        blurRadius: 10,
        offset: const Offset(0, 4),
      ),
    ],
  ),
  child: Column(
    crossAxisAlignment: CrossAxisAlignment.start,
    children: [
      Row(
        mainAxisAlignment: MainAxisAlignment.spaceBetween,
        children: [
          const Row(
            children: [
              Icon(Icons.cloud_done_rounded, color: Colors.white, size: 22),
              SizedBox(width: 8),
              Text(
                'Google Cloud Firestore',
                style: TextStyle(
                  color: Colors.white,
                  fontSize: 15,
                  fontWeight: FontWeight.bold,
                ),
              ),
            ],
          ),
          Container(
            padding: const EdgeInsets.symmetric(horizontal: 8, vertical: 3),
            decoration: BoxDecoration(
              color: Colors.white.withValues(alpha: 0.2),
              borderRadius: BorderRadius.circular(12),
            ),
            child: Row(
```


```
          mainAxisSize: MainAxisSize.min,
          children: [
            Container(
              width: 8,
              height: 8,
              decoration: const BoxDecoration(
                color: Colors.greenAccent,
                shape: BoxShape.circle,
              ),
            ),
            const SizedBox(width: 5),
            const Text(
              'NoSQL Persistence',
              style: TextStyle(
                color: Colors.white,
                fontSize: 11,
                fontWeight: FontWeight.w600,
              ),
            ),
          ],
        ),
      ),
    ),
  ],
),
const SizedBox(height: 10),
Text(
  'Path: /employees • Realtime Sync & Offline Cache Enabled',
  style: TextStyle(
    color: Colors.orange[100],
    fontSize: 12,
    fontWeight: FontWeight.w500,
  ),
),
const SizedBox(height: 10),
Row(
  children: [
    Expanded(
      child: _buildMetric(
        label: 'Cloud Documents',
        value: '$recordCount records',
        icon: Icons.description_outlined,
      ),
    ),
    Container(height: 30, width: 1, color: Colors.white24),
```


```
          Expanded(
            child: _buildMetric(
              label: 'Persistence',
              value: 'Local + Cloud Cache',
              icon: Icons.storage_rounded,
            ),
          ),
        ],
      ),
    ],
  ),
 );
}

Widget _buildMetric({
 required String label,
 required String value,
 required IconData icon,
}) {
 return Row(
  mainAxisAlignment: MainAxisAlignment.center,
  children: [
   Icon(icon, color: Colors.white, size: 16),
   const SizedBox(width: 6),
   Column(
    crossAxisAlignment: CrossAxisAlignment.start,
    children: [
     Text(
      value,
      style: const TextStyle(
       color: Colors.white,
       fontSize: 12,
       fontWeight: FontWeight.bold,
      ),
     ),
     Text(
      label,
      style: TextStyle(
       color: Colors.orange[100],
       fontSize: 10,
      ),
     ),
    ],
   ),
```

```
      ],
    );
  }
}
```

Output Screenshots





Result

The source code implements a Firestore-backed employee directory with real-time listing, department and text filters, record creation, and deletion.