Desenvolvimento de Sistemas

Nome: Wallex André Adriano dos Santos

Turma: 2° DS

Período: Tarde

Códigos - GitHub

Exercícios

Bhaskara

```
jLabell.setFont(new java.awt.Font("Segoe UI", 3, 18)); // HOIIS
jLabell.setForeground(new java.awt.Color(30, 144, 255));
iLabell.setText("Cateto A");
```

```
Telajava - Editor
                                                                                                      ]

] javax, rain, Groupiayout layout = new javax, saing, Groupiayout (getContentFame());

getContentFame(), setLayout(layout)

layout, restOcisontalOcoupi

layout, restOcisontalOcoupi

layout, restOcisontalOcoupi

devot.cometervallalingoupi

.eddContentEarchilalingoupi

.eddCo
Tidayes of Tributes (face)

Totayes of Tributes (face)

Totayes of Tributes (face)

Totayes of Tributes (face)

Totayes of Tributes (face)

Additional of T
```

٤				×
	Calculadora de Bhaske	ara		
A	1			
B	-5			
C	6			
X1	X1 = 3.0			
X2	X2 = 2.0			
Δ	Δ = 1.0			
	Duas raízes reais e distintas			
	Calcular Sair	Li	impa	r
(4)	-			×
1	Calculadora de Bhask	ara		×
≜ <i>A</i>	Calculadora de Bhask	ara		×
	Calculadora de Bhasko	ara		×
A	Calculadora de Bhask	ara		×
A B	Calculadora de Bhask	ara		×
A B	Calculadora de Bhaska	ara		×
A B C X1	Calculadora de Bhaska	ara		×
A B C X1 X2	Calculadora de Bhask	ara		×
A B C X1 X2	Calculadora de Bhaske		impa	

Pitágoras

```
Source Coups Motory Name.

1 Unport Java, avar. Color;
2 Unport Java, avar. Color;
3 Unport Java, avar. Color;
4 public Calas Tela extends Java, swing. Trans (
5 public Calas Tela extends Java, swing. Trans (
6 public Tela() (
7 public Calas Tela extends Java, swing. Trans (
8 public Calas Tela extends Java, swing. Trans (
9 public Calas Tela extends Java, swing. Trans (
9 public Calas Tela extends Java, swing. Trans (
9 public Calas Tela extends Java, swing. Trans (
12 public Tela (
13 public Tela (
14 public Calas Tela extends Java, swing. Trans (
15 public Tela (
16 public Tela (
17 public Tela (
18 public T
                                                                                                                                                                                   javax.swlnp.GroupLayout jFanellLayout = new javax.swlnp.GroupLayout(jFanel
jFanell.aetLayout(jFanellLayout);
jFanellLayout.eneteRoriantaGroup(javax.swlnp.GroupLayout.Alignment.
.aedGep(0.100, Short.Mat/Matth)
                                                                                                                                                                                   )2 Janellayout.extVerticalGroup(
janellayout.extVerticalGroup(
janellayout.extVerticalGroup()
janellayout.extVerticalGroup()
janellayout.extVerticalGroup()
janellayout.extVerticalGroup()
janellayout.extVerticalGroup()
j
```

```
|Button].setFont(nev java.awr.Font("Seque HI", 3, 18)); // HOILBH
|Button].setForeground(nev java.awr.Golorid), 144, 255);
|Button].setForeground(nev java.awr.setm.detcomlistener() {
|Button].setForeground(nev java.awr.setm.detcomlistener() {
|Button].setForeground(nev);
|Button].setForeground(nev);
|Button].setForeground(nev);
                                                                                                  | Design | No. | Desi
                                                                                               Memory Description of the Company of
          ○ Telajava - Editor

☐ Telajava ×
            double hipotenuseR = Math.sart(someQuadrados);

Tels > 6 ;TestFieldBActionPerformed > 18697 | INS |
```

