APP BOTÃO LOGCAT

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
    - drawable
    - mipmap
    - values
    - xml

MainActivity.kt | build.gradle.kts (:app) | build.gradle.kts (IntroductionJetPack)

```kotlin
// Top-level build file where you can add configuration options common to all sub
plugins {
    id("com.android.application") version "8.4.0" apply false
    id("org.jetbrains.kotlin.android") version "1.8.10" apply false
}
```

Running Devices | Pixel 3a API 34 ...x8...

Logcat | Logcat

Pixel 3a API 34 extension level 7 x86 64 (emulator-555 | package:mine

```
2024-05-17 15:23:15.789  8546-8546  TestAndroid        com.example.introductionjetpack  D  App: Clicou em DEBUG!
2024-05-17 15:23:16.033  8546-8574  ProfileInstaller   com.example.introductionjetpack  D  Installing profile for com.example.introductionjetpack
2024-05-17 15:23:25.772  8546-8565  EGL_emulation      com.example.introductionjetpack  D  app_time_stats: avg=195.93ms min=3.79ms max=9218.87ms
2024-05-17 15:23:25.813  8546-8546  TestAndroid        com.example.introductionjetpack  I  App:  Clicou em INFO!
```

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
package com.example.introductionjetpack.ui.theme

import androidx.compose.ui.graphics.Color

val Purple80 = Color( color: 0xFFD0BCFF)
val PurpleGrey80 = Color( color: 0xFFCCC2DC)
val Pink80 = Color( color: 0xFFEFB8C8)

val Purple40 = Color( color: 0xFF6650a4)
val PurpleGrey40 = Color( color: 0xFF625b71)
val Pink40 = Color( color: 0xFF7D5260)

val DarkGreen = Color( color: 0xFF388E3C)
val DarkBlue = Color( color: 0xFF1A237E)
val DarkOrange = Color( color: 0xFFFF6F00)
val DarkRed = Color( color: 0xFFB71C1C)
```

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
package com.example.introductionjetpack.ui.theme

import android.app.Activity
import android.os.Build
import androidx.compose.foundation.isSystemInDarkTheme
import androidx.compose.material3.ButtonDefaults
import androidx.compose.material3.MaterialTheme
import androidx.compose.material3.darkColorScheme
import androidx.compose.material3.dynamicDarkColorScheme
import androidx.compose.material3.dynamicLightColorScheme
import androidx.compose.material3.lightColorScheme
import androidx.compose.runtime.Composable
import androidx.compose.runtime.SideEffect
import androidx.compose.ui.graphics.toArgb
import androidx.compose.ui.platform.LocalContext
import androidx.compose.ui.platform.LocalView
import androidx.core.view.WindowCompat

private val DarkColorScheme = darkColorScheme(
    primary = Purple80,
    secondary = PurpleGrey80,
    tertiary = Pink80
)

private val LightColorScheme = lightColorScheme(
    primary = Purple40,
    secondary = PurpleGrey40,
    tertiary = Pink40
```

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > ui > theme > Theme.kt

15:49 | LF | UTF-8 | 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
import androidx.compose.ui.graphics.toArgb
import androidx.compose.ui.platform.LocalContext
import androidx.compose.ui.platform.LocalView
import androidx.core.view.WindowCompat

private val DarkColorScheme = darkColorScheme(
    primary = Purple80,
    secondary = PurpleGrey80,
    tertiary = Pink80
)

private val LightColorScheme = lightColorScheme(
    primary = Purple40,
    secondary = PurpleGrey40,
    tertiary = Pink40

    /* Other default colors to override
    background = Color(0xFFFFFBFE),
    surface = Color(0xFFFFFBFE),
    onPrimary = Color.White,
    onSecondary = Color.White,
    onTertiary = Color.White,
    onBackground = Color(0xFF1C1B1F),
    onSurface = Color(0xFF1C1B1F),
    */
)

@Composable
```

4

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > ui > theme > Theme.kt

40:1 | LF | UTF-8 | 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
    */
)

@Composable
fun IntroductionJetPackTheme(
    darkTheme: Boolean = isSystemInDarkTheme(),
    // Dynamic color is available on Android 12+
    dynamicColor: Boolean = true,
    content: @Composable () -> Unit
) {
    val colorScheme = when {
        dynamicColor && Build.VERSION.SDK_INT >= Build.VERSION_CODES.S -> {
            val context = LocalContext.current
            if (darkTheme) dynamicDarkColorScheme(context) else dynamicLightColorScheme(context)
        }

        darkTheme -> DarkColorScheme
        else -> LightColorScheme
    }
    val view = LocalView.current
    if (!view.isInEditMode) {
        SideEffect {
            val window = (view.context as Activity).window
            window.statusBarColor = colorScheme.primary.toArgb()
            WindowCompat.getInsetsController(window, view).isAppearanceLightStatusBars = darkTheme
        }
    }
```

:roductionJetPack-main > app > src > main > java > com > example > introductionjetpack > ui > theme > Theme.kt > IntroductionJetPackTheme | 64:6 | LF | UTF-8 | 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
    val view = LocalView.current
    if (!view.isInEditMode) {
        SideEffect {
            val window = (view.context as Activity).window
            window.statusBarColor = colorScheme.primary.toArgb()
            WindowCompat.getInsetsController(window, view).isAppearanceLightStatusBars = darkTheme
        }
    }

    MaterialTheme(
        colorScheme = colorScheme,
        typography = Typography,
        content = content
    )
}

@Composable
fun DebugButtonColors() = ButtonDefaults.buttonColors(containerColor = DarkGreen)

@Composable
fun WarningButtonColors() = ButtonDefaults.buttonColors(containerColor = DarkOrange)

@Composable
fun ErrorButtonColors() = ButtonDefaults.buttonColors(containerColor = DarkRed)

@Composable
fun InfoButtonColors() = ButtonDefaults.buttonColors(containerColor = DarkBlue)
```

4

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > ui > theme > Theme.kt

83:80 | LF | UTF-8 | 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
package com.example.introductionjetpack.ui.theme

import androidx.compose.material3.Typography
import androidx.compose.ui.text.TextStyle
import androidx.compose.ui.text.font.FontFamily
import androidx.compose.ui.text.font.FontWeight
import androidx.compose.ui.unit.sp

// Set of Material typography styles to start with
val Typography = Typography(
    bodyLarge = TextStyle(
        fontFamily = FontFamily.Default,
        fontWeight = FontWeight.Normal,
        fontSize = 16.sp,
        lineHeight = 24.sp,
        letterSpacing = 0.5.sp
    )
    /* Other default text styles to override
    titleLarge = TextStyle(
        fontFamily = FontFamily.Default,
        fontWeight = FontWeight.Normal,
        fontSize = 22.sp,
        lineHeight = 28.sp,
        letterSpacing = 0.sp
    ),
    labelSmall = TextStyle(
        fontFamily = FontFamily.Default,
        fontWeight = FontWeight.Medium
```

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
package com.example.introductionjetpack

import android.nfc.Tag
import android.os.Bundle
import android.util.Log
import androidx.activity.ComponentActivity
import androidx.activity.compose.setContent
import androidx.compose.foundation.layout.Arrangement
import androidx.compose.foundation.layout.Column
import androidx.compose.foundation.layout.fillMaxSize
import androidx.compose.foundation.layout.fillMaxWidth
import androidx.compose.foundation.shape.RoundedCornerShape
import androidx.compose.material3.ButtonColors
import androidx.compose.material3.ButtonDefaults
import androidx.compose.material3.ElevatedButton
import androidx.compose.material3.MaterialTheme
import androidx.compose.material3.Surface
import androidx.compose.material3.Text
import androidx.compose.runtime.Composable
import androidx.compose.ui.Alignment
import androidx.compose.ui.Modifier
import androidx.compose.ui.text.font.FontWeight
import androidx.compose.ui.tooling.preview.Preview
import androidx.compose.ui.unit.dp
import com.example.introductionjetpack.ui.theme.DebugButtonColors
import com.example.introductionjetpack.ui.theme.ErrorButtonColors
import com.example.introductionjetpack.ui.theme.InfoButtonColors
import com.example.introductionjetpack.ui.theme.IntroductionJetPackTheme
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt

3:8 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```
import androidx.compose.ui.tooling.preview.Preview
import androidx.compose.ui.unit.dp
import com.example.introductionjetpack.ui.theme.DebugButtonColors
import com.example.introductionjetpack.ui.theme.ErrorButtonColors
import com.example.introductionjetpack.ui.theme.InfoButtonColors
import com.example.introductionjetpack.ui.theme.IntroductionJetPackTheme
import com.example.introductionjetpack.ui.theme.WarningButtonColors

const val TAG = "TestAndroid"

class MainActivity : ComponentActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContent {
            IntroductionJetPackTheme {
                // A surface container using the 'background' color from the theme
                App()
            }
        }
    }
}

@Composable
private fun App(){
    Surface(
        modifier = Modifier.fillMaxSize(),
        color = MaterialTheme.colorScheme.background
    ) {
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt > App

49:8 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
        }
    }
}

@Composable
private fun App(){
    Surface(
        modifier = Modifier.fillMaxSize(),
        color = MaterialTheme.colorScheme.background
    ) {
        Column(
            verticalArrangement = Arrangement.SpaceEvenly,
            horizontalAlignment = Alignment.CenterHorizontally
        ) { this: ColumnScope
            Greeting( name: "JetPack")
            ActionButton(
                text = "Debug",
                buttonColors = DebugButtonColors(),
                modifier = Modifier.fillMaxWidth( fraction: 0.5f)
            ) {
                /* Ação do Botão */
                Log.d(TAG, msg: "App: Clicou em DEBUG!")
            }
            ActionButton(
                text = "Info",
                buttonColors = InfoButtonColors(),
                modifier = Modifier.fillMaxWidth( fraction: 0.5f)
            ) {
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt > App

67:8 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```
        text = "Debug",
        buttonColors = DebugButtonColors(),
        modifier = Modifier.fillMaxWidth( fraction: 0.5f)
    ) {
        /* Ação do Botão */
        Log.d(TAG,  msg: "App: Clicou em DEBUG!")
    }
    ActionButton(
        text = "Info",
        buttonColors = InfoButtonColors(),
        modifier = Modifier.fillMaxWidth( fraction: 0.5f)
    ) {
        Log.i(TAG,  msg: "App:  Clicou em INFO!")
    }
    ActionButton(
        text = "Warning",
        buttonColors = WarningButtonColors(),
        modifier = Modifier.fillMaxWidth( fraction: 0.5f)
    ) {
        Log.w(TAG, msg: "App: Clicou em Warning")
    }
    ActionButton(
        text = "Error",
        buttonColors = ErrorButtonColors(),
        modifier = Modifier.fillMaxWidth( fraction: 0.5f)
    ) {
        try{
            throw RuntimeException("Clicou em Error!")
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt > App

83:8 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```
            }
            ActionButton(
                text = "Warning",
                buttonColors = WarningButtonColors(),
                modifier = Modifier.fillMaxWidth( fraction: 0.5f)
            ) {
                Log.w(TAG, msg: "App: Clicou em Warning")
            }
            ActionButton(
                text = "Error",
                buttonColors = ErrorButtonColors(),
                modifier = Modifier.fillMaxWidth( fraction: 0.5f)
            ) {
                try{
                    throw RuntimeException("Clicou em Error!")
                }catch(ex: Exception){
                    Log.e(TAG, msg: "${ex.message}")
                }
            }
        }
    }
}

@Composable
fun ActionButton(
    text: String,
    buttonColors: ButtonColors = ButtonDefaults.buttonColors(),
    modifier: Modifier = Modifier,
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt

96:8 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
                }
            }
        }
    }
}

@Composable
fun ActionButton(
    text: String,
    buttonColors: ButtonColors = ButtonDefaults.buttonColors(),
    modifier: Modifier = Modifier,
    block: () -> Unit
){
    ElevatedButton(
        onClick = block,
        shape = RoundedCornerShape(5.dp),
        colors = buttonColors,
        modifier = modifier
    ) { this: RowScope
        Text(text = text)
    }
}

@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
    Text(
        text = "Aula de $name!",
        style = MaterialTheme.typography.bodyLarge.copy(
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt > Greeting

113:8 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```
}

@Composable
fun Greeting(name: String, modifier: Modifier = Modifier) {
    Text(
        text = "Aula de $name!",
        style = MaterialTheme.typography.bodyLarge.copy(
            fontWeight = FontWeight.Bold
        ),
        color = MaterialTheme.colorScheme.secondary
    )
}

@Preview(showBackground = true, widthDp = 150, heightDp = 200)
@Composable
fun AppPreview(){
    IntroductionJetPackTheme {
        App()
    }
}

@Preview(showBackground = true, widthDp = 120)
@Composable
fun ActionButtonPreview(){
    ActionButton(text = "Cadastrar") {

    }
}
```

3 8

introduction_JetPack_main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt > ActionButtonPreview

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
  - res (generated)
- Gradle Scripts

MainActivity.kt | Type.kt | Theme.kt | Color.kt

```kotlin
        color = materialTheme.colorScheme.secondary
    )
}

@Preview(showBackground = true, widthDp = 150, heightDp = 200)
@Composable
fun AppPreview(){
    IntroductionJetPackTheme {
        App()
    }
}

@Preview(showBackground = true, widthDp = 120)
@Composable
fun ActionButtonPreview(){
    ActionButton(text = "Cadastrar") {

    }
}

@Preview(showBackground = true)
@Composable
fun GreetingPreview() {
    IntroductionJetPackTheme {
        Greeting( name: "JetPack")
    }
}
```

3 8

introductionJetPack-main > app > src > main > java > com > example > introductionjetpack > MainActivity.kt

143:2 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
    - drawable
    - mipmap
    - values
    - xml
  - res (generated)
- Gradle Scripts
  - build.gradle.kts (Project: I
  - build.gradle.kts (Module :a
  - proguard-rules.pro (ProGu
  - gradle.properties (Project
  - gradle-wrapper.properties
  - local.properties (SDK Loca

MainActivity.kt | build.gradle.kts (:app) | Type.kt | Theme.kt | Color.kt

```kotlin
plugins {
    id("com.android.application")
    id("org.jetbrains.kotlin.android")
}

android {
    namespace = "com.example.introductionjetpack"
    compileSdk = 33

    defaultConfig {
        applicationId = "com.example.introductionjetpack"
        minSdk = 24
        targetSdk = 33
        versionCode = 1
        versionName = "1.0"

        testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
        vectorDrawables {
            useSupportLibrary = true
        }
    }

    buildTypes {
        release {
            isMinifyEnabled = false
            proguardFiles(
                getDefaultProguardFile("proguard-android-optimize.txt"),
                "proguard-rules.pro"
```

introductionJetPack-main > app > build.gradle.kts > plugins

1:1 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
    - drawable
    - mipmap
    - values
    - xml
  - res (generated)
- Gradle Scripts
  - build.gradle.kts (Project: I
  - build.gradle.kts (Module :a
  - proguard-rules.pro (ProGu
  - gradle.properties (Project
  - gradle-wrapper.properties
  - local.properties (SDK Loca

MainActivity.kt | build.gradle.kts (:app) | Type.kt | Theme.kt | Color.kt

```
20          }
21      }
22
23      buildTypes {
24          release {
25              isMinifyEnabled = false
26              proguardFiles(
27                  getDefaultProguardFile("proguard-android-optimize.txt"),
28                  "proguard-rules.pro"
29              )
30          }
31      }
32      compileOptions {
33          sourceCompatibility = JavaVersion.VERSION_1_8
34          targetCompatibility = JavaVersion.VERSION_1_8
35      }
36      kotlinOptions {
37          jvmTarget = "1.8"
38      }
39      buildFeatures {
40          compose = true
41      }
42      composeOptions {
43          kotlinCompilerExtensionVersion = "1.4.3"
44      }
45      packaging {
46          resources {
47              excludes += "/META-INF/{AL2.0,LGPL2.1}"
```

introductionJetPack-main > app > build.gradle.kts > android

46:20 | LF | UTF-8 | 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
    - drawable
    - mipmap
    - values
    - xml
  - res (generated)
- Gradle Scripts
  - build.gradle.kts (Project: I
  - build.gradle.kts (Module :a
  - proguard-rules.pro (ProGu
  - gradle.properties (Project
  - gradle-wrapper.properties
  - local.properties (SDK Loca

MainActivity.kt | build.gradle.kts (:app) | Type.kt | Theme.kt | Color.kt

```
    composeOptions {
        kotlinCompilerExtensionVersion = "1.4.3"
    }
    packaging {
        resources {
            excludes += "/META-INF/{AL2.0,LGPL2.1}"
        }
    }
}

dependencies {

    implementation("androidx.core:core-ktx:1.9.0")
    implementation("androidx.lifecycle:lifecycle-runtime-ktx:2.6.1")
    implementation("androidx.activity:activity-compose:1.7.0")
    implementation(platform("androidx.compose:compose-bom:2023.03.00"))
    implementation("androidx.compose.ui:ui")
    implementation("androidx.compose.ui:ui-graphics")
    implementation("androidx.compose.ui:ui-tooling-preview")
    implementation("androidx.compose.material3:material3")
    testImplementation("junit:junit:4.13.2")
    androidTestImplementation("androidx.test.ext:junit:1.1.5")
    androidTestImplementation("androidx.test.espresso:espresso-core:3.5.1")
    androidTestImplementation(platform("androidx.compose:compose-bom:2023.03.00"))
    androidTestImplementation("androidx.compose.ui:ui-test-junit4")
    debugImplementation("androidx.compose.ui:ui-tooling")
    debugImplementation("androidx.compose.ui:ui-test-manifest")
}
```

introductionJetPack-main > app > build.gradle.kts > dependencies

68:26 LF UTF-8 4 spaces

IntroductionJetPack | Version control | Pixel_3a_API_34_extension_l... | app

Android

- app
  - manifests
    - AndroidManifest.xml
  - kotlin+java
    - com.example.introduct
      - ui.theme
        - Color.kt
        - Theme.kt
        - Type.kt
      - MainActivity.kt
    - com.example.introduct
    - com.example.introduct
  - res
    - drawable
    - mipmap
    - values
    - xml
  - res (generated)
- Gradle Scripts
  - build.gradle.kts (Project: I
  - build.gradle.kts (Module :a
  - proguard-rules.pro (ProGu
  - gradle.properties (Project
  - gradle-wrapper.properties
  - local.properties (SDK Loca

MainActivity.kt | build.gradle.kts (:app) | build.gradle.kts (IntroductionJetPack) | Type.kt | Theme.kt | Color.kt

```kotlin
// Top-level build file where you can add configuration options common to all sub-projects/modules.
plugins {
    id("com.android.application") version "8.4.0" apply false
    id("org.jetbrains.kotlin.android") version "1.8.10" apply false
}
```

introductionJetPack-main > build.gradle.kts

5:2 LF UTF-8 4 spaces