

Done by:Anisa Domi

UC Name	UC_PRS_1 - Update Personal Information
Summary	Edit personal profile data such as name, phone number, or contact details.
Dependency	None
Actors	Primary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The tenant logs in. 2. The tenant opens the profile settings page. 3. The tenant edits the required personal information. 4. The tenant saves the changes. 5. The tenant profile is updated and he reads the success message on screen.
Description of alternative sequence	1. If data is invalid, tenant reads error message on screen.
Non functional requirements	The system shall validate input data securely and save profile updates within a few seconds.
Postconditions	The tenant profile is updated.

UC Name	UC_PRS_2 - Search Properties
Summary	Search for rental properties that match general preferences.
Dependency	None
Actors	Primary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The tenant opens the property search page. 2. The tenant enters search keywords or basic preferences. 3. The tenant starts the search. 4. The system retrieves matching properties. 5. The system displays the search results.
Description of alternative sequence	1. If no properties match the search, the system shows an empty-results message.
Non functional requirements	Search results should be displayed quickly and support large numbers of property records.
Postconditions	Matching properties are displayed or the tenant is informed that no results were found.

UC Name	UC_PRS_3 - Filter Properties
Summary	Filter available properties by location, price, and property type to narrow search results.
Dependency	UC_PRS_2 - Search Properties
Actors	Primary: Tenant
Preconditions	The tenant is logged into the system and the property search page is accessible.
Description of main sequence	1. The tenant opens the property search page. 2. The tenant selects filter options such as location, price range, or property type. 3. The tenant applies the selected filters. 4. The system processes the selected criteria. 5. The system displays properties that match the selected filters.
Description of alternative sequence	1. If no properties match the selected filters, the system displays a message indicating that no results were found.
Non functional requirements	The filtering process should respond efficiently and accurately under normal system load.
Postconditions	Filtered property results are displayed to the tenant or the tenant is informed that no matching

	properties were found.
--	------------------------

UC Name	UC_PRS_4 - View Property Details and Booking History
Summary	View detailed information about a property and the tenant's booking history.
Dependency	UC_PRS_2 - Search Properties
Actors	Primary: Tenant
Preconditions	The tenant is logged into the system and has access to property listings or booking history.
Description of main sequence	1. The tenant selects a property from the search results. 2. The Tenant sees property details 3. The tenant navigates to their booking history section. 4. If history exists, tenant reads the booking history
Description of alternative sequence	1. If the tenant has no booking history, he will read the no history message on screen
Non functional requirements	Property details and booking history should load securely and within acceptable response time.
Postconditions	The tenant views property details and/or booking history successfully.

UC Name	UC_PRS_5 - Send Rental Request and Message to Property Owner
Summary	Allow the tenant to send a rental request or message to a property owner regarding a property listing.
Dependency	UC_PRS_4 - View Property Details and Booking History
Actors	Primary: Tenant Secondary: Property Owner
Preconditions	The tenant is logged into the system and viewing the details of a property listing.
Description of main sequence	1. The tenant selects a property listing. 2. The tenant chooses the option to send a rental request or message the property owner. 3. The tenant enters the request or message details. 4. The tenant submits the request or message. 5. If valid, tenant sends request to owner and then stores the request.
Description of alternative sequence	1. Tenant reads the error on screen. 2. If the message field is empty or invalid, the system prompts the tenant to correct the input before sending.
Non functional requirements	The system shall securely store requests and deliver messages reliably.
Postconditions	The rental request or message is successfully sent to the property owner and recorded in the system.

UC Name	UC_PRS_6 - Cancel Rental Request
Summary	Cancel a previously submitted rental request before it is finalized.
Dependency	UC_PRS_5 - Send Rental Request and Message to Property Owner
Actors	Primary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The tenant logs into the system. 2. The tenant opens the list of submitted rental requests. 3. The tenant selects a pending request.

	4. The tenant chooses the cancel option. 5. The system updates the request status and confirms the cancellation.
Description of alternative sequence	1. If the request has already been approved, rejected, or processed, the system may deny cancellation and show the cant cancel message.
Non functional requirements	Cancellation requests should update system records immediately and maintain data consistency.
Postconditions	The selected request is canceled when cancellation is allowed.

Done by:Haidi Toto

UC Name	UC_PRS_7 - Receive Messages from Property Owner
Summary	Read messages sent by property owners.
Dependency	UC_PRS_5 - Send Rental Request and Message to Property Owner
Actors	Primary: Tenant Secondary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The tenant logs in. 2. The tenant opens inbox/notifications. 3. The tenant opens a conversation. 4. The tenant checks the received message content.
Description of alternative sequence	1. If there are no new messages, the tenant sees the current conversation history or an empty inbox message.
Non functional requirements	Messages should load securely and be delivered in real time with minimal delay.
Postconditions	The tenant can view messages received from property owners.

UC Name	UC_PRS_8 - Submit Rental Payment
Summary	Pay for an approved rental booking through the system.
Dependency	UC_PRS_17 - Accept or Reject Rental Request
Actors	Primary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The tenant logs into the system. 2. The tenant opens an approved booking or payment page. 3. The tenant enters payment details or chooses a saved payment method. 4. The tenant confirms the payment. 5. The system sends the payment request to the payment service. 6. The system receives the payment result and displays confirmation.
Description of alternative sequence	1. If payment fails, the system displays the failure reason and asks the tenant to retry or choose another method.
Non functional requirements	Payment processing should be secure, encrypted, and completed within a few seconds.
Postconditions	The payment is recorded if successful, and the booking status is updated.

UC Name	UC_PRS_9 - Save Favorite Properties for later viewing
Summary	Allow tenants to save properties they are interested in for later viewing.
Dependency	UC_PRS_2 - Search Properties
Actors	Primary: Tenant

Preconditions	The tenant is logged into the system and viewing a property listing.
Description of main sequence	1. The tenant browses available property listings. 2. The tenant selects a property they want to save. 3. The tenant clicks the “Save to Favorites” option. 4. The tenant stores the selected property. 5. The tenant saves the property.
Description of alternative sequence	1. If the property is already saved in favorites, the tenant sees that the property is already in the favorites list.
Non functional requirements	The system should store favorite properties reliably and retrieve them quickly when requested.
Postconditions	The property is successfully added to the tenant’s favorites list.

UC Name	UC_PRS_10 - Review and Rate Property
Summary	Allow tenants to review and rate a property after completing a rental.
Dependency	UC_PRS_19 - View Booking History
Actors	Primary: Tenant Secondary: Property Owner
Preconditions	The tenant has completed a rental transaction for the property and is logged into the system.
Description of main sequence	1. The tenant opens their booking history. 2. The tenant selects a completed rental. 3. The tenant chooses the option to review the property. 4. The tenant enters a rating and optional review comment. 5. The tenant submits the review. 6. The tenant saves and publishes the review for other users to see.
Description of alternative sequence	1. If the tenant has not completed a rental for the property, he prevents the review from being submitted.
Non functional requirements	Reviews and ratings should be stored securely and displayed accurately to users.
Postconditions	The property review and rating are stored in the system and visible to other users.

UC Name	UC_PRS_11 - Update Profile Information and availability of rental properties
Summary	Allow property owners to update their personal profile information and manage the availability status of their rental properties.
Dependency	UC_PRS_12 - Add Property Listing
Actors	Primary: Property Owner
Preconditions	The property owner is logged into the system and has an existing account and property listings.
Description of main sequence	1. The property owner logs into the system. 2. The property owner navigates to their profile or property management section. 3. The property owner selects the option to edit profile information or property availability. 4. The property owner updates the necessary information (contact details, availability status, etc.). 5. The property owner saves the changes. 6. The system updates and stores the new information.
Description of alternative sequence	1. If the entered information is incomplete or invalid, the system displays an error message and asks the owner to correct the data.
Non functional requirements	The system should validate updated information and process changes without data loss.
Postconditions	The property owner’s profile information and/or property availability status are successfully updated in the system.

UC Name	UC_PRS_12 - Add Property Listing
Summary	Create a new rental property listing.
Dependency	None
Actors	Primary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs into the system. 2. The property owner opens the add-listing page. 3. The property owner enters property information such as title, description, price, location, and availability. 4. The property owner submits the listing. 5. The system validates and stores the listing.
Description of alternative sequence	1. If required listing information is missing, the system asks the owner to complete it before submission.
Non functional requirements	Property listings should be stored securely and support image and data scalability.
Postconditions	A new property listing is stored in the system.

Done by:Ledio Tafciu

UC Name	UC_PRS_13 - Upload Property Images
Summary	Attach photos to a property listing.
Dependency	UC_PRS_12 - Add Property Listing
Actors	Primary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs in. 2. The property owner opens an existing or draft listing. 3. The property owner selects image files to upload. 4. The property owner uploads and attaches the images to the property listing.
Description of alternative sequence	1. If a file format is unsupported or upload fails, the system shows an error message.
Non functional requirements	Uploaded images should support common file formats and upload efficiently.
Postconditions	Property images are linked to the listing.

UC Name	UC_PRS_14 - Edit Property Listing
Summary	Modify an existing property listing.
Dependency	UC_PRS_12 - Add Property Listing
Actors	Primary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs into the system. 2. The property owner opens one of their listings. 3. The property owner edits the listing details. 4. The property owner saves the changes. 5. The system validates and updates the listing.
Description of alternative sequence	1. If validation fails, the system shows an error and keeps the previous saved version until corrected.
Non functional requirements	Listing updates should be processed reliably without affecting stored property data.
Postconditions	The selected listing is updated.

UC Name	UC_PRS_15 - Delete Property Listing
Summary	Remove an existing property listing from the platform.
Dependency	UC_PRS_12 - Add Property Listing
Actors	Primary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs into the system. 2. The property owner opens one of their listings. 3. The property owner chooses the delete option. 4. The system asks for confirmation. 5. The property owner confirms deletion. 6. The system removes or deactivates the listing.
Description of alternative sequence	1. If the property is linked to an active booking, the system may block deletion and inform the owner.
Non functional requirements	The system should maintain database consistency when listings are deleted or deactivated.
Postconditions	The listing is removed or marked inactive.

UC Name	UC_PRS_16 - View Rental Requests
Summary	See rental requests sent by tenants.
Dependency	UC_PRS_5 - Send Rental Request and Message to Property Owner
Actors	Primary: Property Owner Secondary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs into the system. 2. The property owner opens the rental requests section. 3. The property owner views pending request. 4. The system displays the request list.
Description of alternative sequence	1. If no requests exist, the system shows an empty list message.
Non functional requirements	Rental requests should be retrieved quickly and displayed accurately.
Postconditions	The owner can view rental requests for their properties.

UC Name	UC_PRS_17 - Accept or Reject Rental Request
Summary	Review a tenant request and decide whether to approve or reject it.
Dependency	UC_PRS_16 - View Rental Requests
Actors	Primary: Property Owner Secondary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs into the system. 2. The property owner opens a specific rental request. 3. The property owner reviews tenant and property request details. 4. The property owner chooses Accept or Reject. 5. The property owner updates the request status. 6. The property owner notifies the tenant about the decision.
Description of alternative sequence	1. If the property is no longer available, the system may block approval and ask the owner to resolve availability first.
Non functional requirements	Approval decisions should update the request status immediately and securely.

Postconditions	The rental request is approved or rejected and the tenant is informed.
-----------------------	--

UC Name	UC_PRS_18 - Send Message to Tenant
Summary	Send a message to a tenant through the system.
Dependency	UC_PRS_16 - View Rental Requests
Actors	Primary: Property Owner Secondary: Tenant
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The property owner logs into the system. 2. The property owner opens a conversation or request. 3. The property owner writes a message. 4. The property owner sends the message. 5. The property owner stores and delivers the message to the tenant.
Description of alternative sequence	1. If the message is empty, the system asks for message content before sending.
Non functional requirements	Messaging functionality should support reliable delivery and secure communication.
Postconditions	The message is stored and delivered to the tenant.

Done by:Desard Lybeshari

UC Name	UC_PRS_19 - View Booking History
Summary	Allow property owners to view the booking history of their listed properties.
Dependency	UC_PRS_12 - Add Property Listing
Actors	Primary: Property Owner Secondary: Tenant
Preconditions	The property owner is logged into the system and has at least one property listed in the system.
Description of main sequence	1. The property owner logs in. 2. The property owner opens the property management section. 3. The property owner selects one of their listed properties. 4. The property owner chooses the option to view booking history. 5. Current and past bookings are displayed
Description of alternative sequence	1. If the selected property has no booking history, a message no bookings found is shown
Non functional requirements	Booking history data should be stored accurately and retrieved efficiently.
Postconditions	The booking history of the selected property is displayed to the property owner.

UC Name	UC_PRS_20 - Mark Property as Unavailable or Rented
Summary	Allow property owners to update the status of a property as unavailable or rented.
Dependency	UC_PRS_14 - Edit Property Listing
Actors	Primary: Property Owner
Preconditions	The property owner is logged into the system and has an existing property listing.
Description of main sequence	1. The property owner logs in. 2. The property owner opens the property management section. 3. The property owner selects a listed property. 4. The property owner chooses the option to update the property status. 5. The property owner marks the property as unavailable or rented. 6. Status is saved and reflected in listing
Description of alternative sequence	1. If status cannot be updated, an error message is displayed and the change is not saved.

Non functional requirements	Property availability updates should synchronize immediately across the platform.
Postconditions	The selected property status is updated to unavailable or rented in the system.

UC Name	UC_PRS_21 - Edit User Accounts
Summary	Modify user account information when administrative action is required.
Dependency	UC_PRS_41 - Register Account
Actors	Primary: Administrator
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The administrator logs in. 2. The administrator opens user management. 3. The administrator selects a user account. 4. The administrator edits the account details or status. 5. The administrator saves the changes. 6. The system validates entered data. 7. If data valid, update user account.
Description of alternative sequence	1. If data is invalid, the system shows an error and requests account details.
Non functional requirements	Administrative account updates should be processed securely and logged for auditing purposes.
Postconditions	The selected user account is updated.

UC Name	UC_PRS_22 - Delete User Accounts
Summary	Remove a user account from the system.
Dependency	UC_PRS_21 - Edit User Accounts
Actors	Primary: Administrator
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The administrator logs in. 2. The administrator opens user management. 3. The administrator selects a user account. 4. The administrator chooses Delete. 5. The system asks for confirmation. 6. The administrator confirms the action. 7. The system deletes or deactivates the account.
Description of alternative sequence	1. If the account is linked to unresolved transactions or disputes, the system may block deletion and warn the administrator.
Non functional requirements	The system should maintain user data integrity and log deletion activities securely.
Postconditions	The user account is removed or deactivated.

UC Name	UC_PRS_23 - Monitor Rental Transactions
Summary	Track rental transactions for control and oversight.
Dependency	UC_PRS_8 - Submit Rental Payment
Actors	Primary: Administrator
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The administrator logs in. 2. The administrator opens the transactions section.

	3. The system retrieves transaction records. 4. Administrator displays transaction details and statuses.
Description of alternative sequence	1. If no transactions are found for the selected period, an empty-results message is shown.
Non functional requirements	Transaction monitoring should support real-time updates and accurate financial records.
Postconditions	The administrator can review rental transaction records.

UC Name	UC_PRS_24 - View System Reports and property listings
Summary	Allow the administrator to view system reports and monitor property listings available on the platform.
Dependency	UC_PRS_31 - Generate Management Reports
Actors	Primary: Administrator Secondary: Property Owner
Preconditions	The administrator is logged into the system and has administrative access privileges.
Description of main sequence	1. The administrator logs in. 2. The administrator navigates to the admin dashboard. 3. The administrator selects the option to view system reports or property listings. 4. The administrator retrieves the relevant data from the database. 5. The administrator displays reports and property listings.
Description of alternative sequence	1. Error message is displayed.
Non functional requirements	Reports and listings should load efficiently and display accurate data.
Postconditions	The administrator successfully views system reports and property listings for monitoring and management purposes.

Done by: Matias Bali

UC Name	UC_PRS_25 - Remove Inappropriate Listings
Summary	Take down listings that violate rules or platform standards.
Dependency	UC_PRS_29 - Verify and approve property listings
Actors	Primary: Administrator Secondary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor. The administrator is logged into the system and has administrative privileges.
Description of main sequence	1. The administrator reviews flagged or reported listings. 2. The administrator selects a listing. 3. The administrator removes or disables the listing. 4. The system records the action.
Description of alternative sequence	1. If the listing is already inactive, the system informs the administrator.
Non functional requirements	Listing moderation actions should be logged and processed securely.
Postconditions	The inappropriate listing is removed or disabled.

UC Name	UC_PRS_26 - Manage Disputes and System Settings
Summary	Allow the administrator to manage user disputes and update system settings.
Dependency	UC_PRS_38 - Manage Complaints
Actors	Primary: Administrator
Preconditions	The administrator is logged into the system and has administrative privileges.
Description of main sequence	1. The administrator accesses the admin dashboard. 2. The administrator selects the dispute management or system settings option. 3. The administrator reviews disputes submitted by users or views current system settings. 4. The administrator updates dispute status or modifies the required system settings. 5. The system saves the changes made by the administrator.
Description of alternative sequence	1. If the selected dispute or system setting cannot be updated, the system displays an error message and does not save the changes.
Non functional requirements	System settings changes should be restricted to authorized administrators only.
Postconditions	The dispute information and/or system settings are updated successfully in the system.

UC Name	UC_PRS_27 - Restore User Accounts
Summary	Reactivate a previously suspended or deactivated user account.
Dependency	UC_PRS_28 - Suspend User Accounts
Actors	Primary: Administrator
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor. The administrator is logged into the system and has administrative privileges.
Description of main sequence	1. The administrator opens user management. 2. The administrator selects a suspended or inactive account. 3. The administrator chooses Restore. 4. The system updates the account status and confirms the action.
Description of alternative sequence	1. If the account cannot be restored due to policy or unresolved issues, the system notifies the administrator.
Non functional requirements	Account restoration actions should maintain account history and security restrictions.
Postconditions	The selected account is restored when restoration is allowed.

UC Name	UC_PRS_28 - Suspend User Accounts
Summary	Temporarily block a user account.
Dependency	UC_PRS_21 - Edit User Accounts
Actors	Primary: Administrator
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor. The administrator is logged into the system and has administrative privileges.
Description of main sequence	1. The administrator opens user management. 2. The administrator selects a user account. 3. The administrator chooses Suspend. 4. The system asks for confirmation or a reason. 5. The administrator confirms the suspension. 6. The system updates the account status.
Description of alternative sequence	1. If the user is already suspended, the system informs the administrator.
Non functional requirements	Account suspension operations should be secure and recorded in activity logs.
Postconditions	The selected account is suspended.

UC Name	UC_PRS_29 - Verify and approve property listings
Summary	Allow the administrator to verify newly submitted property listings and approve them before publication.
Dependency	UC_PRS_12 - Add Property Listing
Actors	Primary: Administrator Secondary: Property Owner
Preconditions	The administrator is logged into the system and there are pending property listings awaiting approval. The administrator is logged into the system and has administrative privileges.
Description of main sequence	1. The administrator accesses the admin dashboard. 2. The administrator selects the pending property listings section. 3. The system displays newly submitted property listings awaiting verification. 4. The administrator reviews the property details and uploaded information. 5. The administrator approves the listing. 6. The system publishes the approved property listing.
Description of alternative sequence	1. If the property listing contains missing, invalid, or inappropriate information, the administrator rejects it and the system keeps it unpublished.
Non functional requirements	Listing approval workflows should ensure accurate validation and secure publication processes.
Postconditions	The property listing is either approved and published or rejected and kept unpublished.

UC Name	UC_PRS_30 - Monitor Rental Requests
Summary	Review rental requests and approval activity at an operational level.
Dependency	UC_PRS_17 - Accept or Reject Rental Request
Actors	Primary: Manager Secondary: Tenant, Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The manager logs into the system. 2. The manager views the rental requests. 3. The manager reviews requests. 4. The manager approves or rejects the request
Description of alternative sequence	1. If there are no requests pending, the manager waits for new requests.
Non functional requirements	The system should support efficient monitoring of large numbers of rental requests.
Postconditions	The manager can monitor rental requests and approvals.

Done by:Ornelt Lemellari

UC Name	UC_PRS_31 - Generate Management Reports
Summary	Produce reports for operational oversight.
Dependency	UC_PRS_24 - View System Reports and property listings
Actors	Primary: Manager
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The manager logs in. 2. The manager opens the reports section. 3. The manager selects report criteria or period. 4. The manager generates the report. 5. The manager displays the report.

Description of alternative sequence	1. If no data exists for the selected criteria, a no data message is shown.
Non functional requirements	Reports should be generated accurately and within acceptable response time.
Postconditions	A management report is generated and displayed.

UC Name	UC_PRS_32 - Approve Large Discounts and Promotions
Summary	Authorize high-impact discounts or promotions.
Dependency	None
Actors	Primary: Manager Secondary: Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The manager logs in. 2. The manager opens the pending discounts or promotions list. 3. The manager reviews the proposal details. 4. The manager approves or rejects the request and records his answer.
Description of alternative sequence	1. If required information is missing, the manager may return the proposal without approval.
Non functional requirements	Promotion approval actions should be stored securely and support audit tracking.
Postconditions	The discount or promotion request is approved or rejected.

UC Name	UC_PRS_33 - Review Complaints and Forward Unresolved Issues
Summary	Allow the manager to review user complaints and forward unresolved issues to the administrator.
Dependency	UC_PRS_38 - Manage Complaints
Actors	Primary: Manager Secondary: Administrator
Preconditions	The manager is logged into the system and there are complaints submitted by users in the system.
Description of main sequence	1. The manager logs in. 2. The manager navigates to the complaints management section. 3. The manager views submitted complaints. 4. The manager reviews the details of a complaint. 5. The manager attempts to resolve the issue. 6. If the issue cannot be resolved, the manager forwards the complaint to the administrator.
Description of alternative sequence	1. If the complaint can be resolved by the manager, the manager updates the complaint status as resolved and no escalation is needed.
Non functional requirements	Complaint handling should maintain confidentiality and accurate issue tracking.
Postconditions	The complaint is either resolved by the manager or forwarded to the administrator for further action.

UC Name	UC_PRS_34 - View Transaction History
Summary	Review past payment and transaction records.
Dependency	UC_PRS_8 - Submit Rental Payment
Actors	Primary: Financier Secondary: Tenant, Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main	1. The financier logs in.

sequence	2. The financier opens transaction history. 3. The system retrieves transaction records. 4. The system displays the transaction history.
Description of alternative sequence	1. If no transactions are found, the system shows an empty-history message.
Non functional requirements	Transaction records should be retrieved securely and displayed accurately.
Postconditions	The financier can review transaction history.

UC Name	UC_PRS_35 - Monitor Payment Process and Security
Summary	Track payment processing activity and payment-related security status.
Dependency	UC_PRS_8 - Submit Rental Payment
Actors	Primary: Financier
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The financier logs in. 2. The financier opens payment monitoring tools or records. 3. The system displays payment statuses, failures, or suspicious events. 4. The system reviews normal payment processing information.
Description of alternative sequence	1. If a payment issue or security alert is detected, the system highlights it for follow-up.
Non functional requirements	Payment monitoring should support secure transaction tracking and real-time alerts.
Postconditions	The financier has reviewed payment processing and security information.

UC Name	UC_PRS_36 - Communicate Payment Issues with Tenants and Owners
Summary	Contact users about payment-related problems.
Dependency	UC_PRS_35 - Monitor Payment Process and Security
Actors	Primary: Financier Secondary: Tenant, Property Owner
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The financier logs in. 2. The financier identifies a payment issue. 3. The financier opens the communication interface. 4. The financier writes a message to the relevant tenant or owner. 5. The financier sends the message. 6. The financier stores and delivers the communication.
Description of alternative sequence	1. If the message is empty, content is asked before sending.
Non functional requirements	Communication messages should be delivered reliably and securely stored.
Postconditions	Users are informed about the payment issue and the communication is stored.

Done by:Kevin Muho

UC Name	UC_PRS_37 - Approve Refunds for cancelled Rental Transactions
Summary	Allow the financier to approve refunds for cancelled rental transactions.
Dependency	UC_PRS_8 - Submit Rental Payment
Actors	Primary: Financier
Preconditions	The financier is logged into the system and there is at least one cancelled rental transaction with a pending refund request.
Description of main sequence	1. The financier logs in. 2. The financier accesses the transaction management section. 3. The system displays cancelled rental transactions with pending refund requests. 4. The financier selects a refund request for review. 5. The financier reviews the transaction details and cancellation information. 6. The financier approves the refund request. 7. The system updates the refund status and records the approval.
Description of alternative sequence	1. If the refund request does not meet the refund conditions, the request is rejected and the system records the rejection.
Non functional requirements	Refund processing should ensure transaction security and accurate financial record updates.
Postconditions	The refund request is either approved and recorded in the system or rejected and marked accordingly.

UC Name	UC_PRS_38 - Manage Complaints
Summary	Review and process user complaints.
Dependency	None
Actors	Primary: HR
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The HR user logs in. 2. The HR user opens the complaints section. 3. The system retrieves submitted complaints. 4. The HR user reviews a complaint and records a handling action or update. 5. The system saves the complaint status update.
Description of alternative sequence	1. If required complaint details are missing, the system requests more information before progressing the case.
Non functional requirements	Complaint records should be securely maintained and accessible only to authorized staff.
Postconditions	The complaint record is updated.

UC Name	UC_PRS_39 - Send Notifications and Reminders
Summary	Notify users about deadlines, updates, or follow-up actions.
Dependency	UC_PRS_38 - Manage Complaints
Actors	Primary: HR
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The HR user logs in. 2. The HR user opens the notifications interface. 3. The HR user selects recipients and writes the message. 4. The HR user sends the notification or reminder. 5. The HR delivers and records the notification.
Description of alternative	1. If recipient or message data is missing, HR asks for completion before sending.

sequence	
Non functional requirements	Notifications should be delivered promptly and recorded for tracking purposes.
Postconditions	The notification or reminder is sent and recorded.

UC Name	UC_PRS_40 - Maintain Records of User Issues and Resolutions
Summary	Keep a record of issues reported by users and how they were resolved.
Dependency	UC_PRS_38 - Manage Complaints
Actors	Primary: HR
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Description of main sequence	1. The HR user logs in. 2. The HR user opens the issues and resolutions records area. 3. The HR user creates or updates a record with issue details and status. 4. The HR user saves the record. 5. The HR stores the issue and resolution data.
Description of alternative sequence	1. If required information is missing, HR asks for correction before saving.
Non functional requirements	Issue records should be stored securely and support future retrieval and auditing.
Postconditions	The user issue record is created or updated.

UC Name	UC_PRS_41 - Register Account
Summary	Allow a user to create a new account in the system.
Dependency	None
Actors	Primary: User
Preconditions	The user does not already have an account and has access to the registration page.
Description of main sequence	1. The user opens the registration page. 2. The user enters the required personal and account information. 3. The user submits the registration form. 4. The user validates the entered information. 5. If information is valid, if account doesn't exist already, then new account is created
Description of alternative sequence	1. If required fields are missing or invalid, user sees error message. 2. If an account with the same email or username already exists, user is informed
Non functional requirements	User registration should validate credentials securely and protect personal information.
Postconditions	A new user account is created and stored in the system.

UC Name	UC_PRS_42 - Log In
Summary	Allow a user to log into the system using valid credentials.
Dependency	UC_PRS_41 - Register Account
Actors	Primary: User
Preconditions	The user already has a registered account in the system.
Description of main sequence	1. The user opens the login page. 2. The user enters username or email and password. 3. The user submits the login request. 4. The system validates the entered credentials. 5. The system grants access to the user.
Description of alternative sequence	1. If the entered credentials are incorrect, the system displays an error message.

Non functional requirements	Authentication processes should use encrypted credentials and secure session management.
Postconditions	The user is logged into the system successfully.

UC Name	UC_PRS_43 - Log Out
Summary	Allow a user to securely log out of the system and terminate their active session.
Dependency	UC_PRS_42 - Log In
Actors	Primary: User
Preconditions	The user is logged into the system. The system session is active.
Description of main sequence	1. The user selects the “Log Out” option from the system interface. 2. The system processes the logout request. 3. The system terminates the user session. 4. The system clears any session-related data. 5. The system redirects the user to the login page or home page.
Description of alternative sequence	1. If the session has already expired, the system redirects the user to the login page automatically. 2. If a system error occurs during logout, the system shows an error message but ensures the session is terminated.
Non functional requirements	Logout functionality should terminate sessions securely and prevent unauthorized reuse of sessions.
Postconditions	The user is logged out successfully. The session is terminated and no longer accessible without re-authentication.