



Reporte de Monitoreo Acuático

Servicio Nacional de Aprendizaje - SENA

Título: Reporte por Lote - Tanque 001 (200 datos del 04/11/2025 11:07:23 al 04/11/2025 11:15:38)

Periodo: 200 datos del 04/11/2025 11:07:23 al 04/11/2025 11:15:38

Tipo de Sensor	Nº Registros	Promedio	Mínimo	Máximo
Sensor pH	200	6.93	6.72	7.17

Fecha/Hora	Tipo	Valor	Sensor
04/11/25 11:07	PH	6.80	Sensor pH
04/11/25 11:07	PH	6.80	Sensor pH
04/11/25 11:07	PH	6.77	Sensor pH
04/11/25 11:07	PH	6.82	Sensor pH
04/11/25 11:07	PH	6.82	Sensor pH
04/11/25 11:07	PH	6.83	Sensor pH
04/11/25 11:07	PH	6.83	Sensor pH
04/11/25 11:07	PH	6.80	Sensor pH
04/11/25 11:07	PH	6.80	Sensor pH
04/11/25 11:07	PH	6.85	Sensor pH
04/11/25 11:07	PH	6.85	Sensor pH
04/11/25 11:07	PH	6.83	Sensor pH
04/11/25 11:07	PH	6.83	Sensor pH
04/11/25 11:07	PH	6.82	Sensor pH
04/11/25 11:07	PH	6.82	Sensor pH
04/11/25 11:07	PH	6.82	Sensor pH
04/11/25 11:08	PH	6.79	Sensor pH
04/11/25 11:08	PH	6.79	Sensor pH
04/11/25 11:08	PH	6.77	Sensor pH
04/11/25 11:08	PH	6.81	Sensor pH
04/11/25 11:08	PH	6.77	Sensor pH
04/11/25 11:08	PH	6.81	Sensor pH
04/11/25 11:08	PH	6.81	Sensor pH
04/11/25 11:08	PH	6.81	Sensor pH

Fecha/Hora	Tipo	Valor	Sensor
04/11/25 11:08	PH	6.83	Sensor pH
04/11/25 11:08	PH	6.83	Sensor pH
04/11/25 11:08	PH	6.81	Sensor pH
04/11/25 11:08	PH	6.81	Sensor pH
04/11/25 11:08	PH	6.80	Sensor pH
04/11/25 11:08	PH	6.80	Sensor pH
04/11/25 11:08	PH	6.78	Sensor pH
04/11/25 11:08	PH	6.78	Sensor pH
04/11/25 11:08	PH	6.75	Sensor pH
04/11/25 11:08	PH	6.75	Sensor pH
04/11/25 11:08	PH	6.75	Sensor pH
04/11/25 11:08	PH	6.75	Sensor pH
04/11/25 11:08	PH	6.78	Sensor pH
04/11/25 11:08	PH	6.83	Sensor pH
04/11/25 11:08	PH	6.78	Sensor pH
04/11/25 11:08	PH	6.83	Sensor pH
04/11/25 11:09	PH	6.84	Sensor pH
04/11/25 11:09	PH	6.84	Sensor pH
04/11/25 11:09	PH	6.87	Sensor pH
04/11/25 11:09	PH	6.87	Sensor pH
04/11/25 11:09	PH	6.86	Sensor pH
04/11/25 11:09	PH	6.86	Sensor pH
04/11/25 11:09	PH	6.81	Sensor pH
04/11/25 11:09	PH	6.81	Sensor pH
04/11/25 11:09	PH	6.85	Sensor pH
04/11/25 11:09	PH	6.85	Sensor pH
04/11/25 11:09	PH	6.81	Sensor pH
04/11/25 11:09	PH	6.81	Sensor pH
04/11/25 11:09	PH	6.83	Sensor pH
04/11/25 11:09	PH	6.83	Sensor pH
04/11/25 11:09	PH	6.79	Sensor pH
04/11/25 11:09	PH	6.79	Sensor pH
04/11/25 11:09	PH	6.77	Sensor pH
04/11/25 11:09	PH	6.77	Sensor pH
04/11/25 11:09	PH	6.79	Sensor pH

Fecha/Hora	Tipo	Valor	Sensor
04/11/25 11:09	PH	6.74	Sensor pH
04/11/25 11:09	PH	6.79	Sensor pH
04/11/25 11:10	PH	6.74	Sensor pH
04/11/25 11:10	PH	6.79	Sensor pH
04/11/25 11:10	PH	6.79	Sensor pH
04/11/25 11:10	PH	6.78	Sensor pH
04/11/25 11:10	PH	6.80	Sensor pH
04/11/25 11:10	PH	6.80	Sensor pH
04/11/25 11:10	PH	6.78	Sensor pH
04/11/25 11:10	PH	6.81	Sensor pH
04/11/25 11:10	PH	6.81	Sensor pH
04/11/25 11:10	PH	6.82	Sensor pH
04/11/25 11:10	PH	6.82	Sensor pH
04/11/25 11:10	PH	6.87	Sensor pH
04/11/25 11:10	PH	6.87	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.92	Sensor pH
04/11/25 11:10	PH	6.92	Sensor pH
04/11/25 11:10	PH	6.87	Sensor pH
04/11/25 11:10	PH	6.87	Sensor pH
04/11/25 11:10	PH	6.87	Sensor pH
04/11/25 11:10	PH	6.87	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.88	Sensor pH
04/11/25 11:10	PH	6.85	Sensor pH
04/11/25 11:10	PH	6.85	Sensor pH
04/11/25 11:11	PH	6.80	Sensor pH
04/11/25 11:11	PH	6.80	Sensor pH
04/11/25 11:11	PH	6.78	Sensor pH
04/11/25 11:11	PH	6.78	Sensor pH
04/11/25 11:11	PH	6.73	Sensor pH
04/11/25 11:11	PH	6.73	Sensor pH

Fecha/Hora	Tipo	Valor	Sensor
04/11/25 11:11	PH	6.72	Sensor pH
04/11/25 11:11	PH	6.72	Sensor pH
04/11/25 11:11	PH	6.76	Sensor pH
04/11/25 11:11	PH	6.76	Sensor pH
04/11/25 11:11	PH	6.79	Sensor pH
04/11/25 11:11	PH	6.80	Sensor pH
04/11/25 11:11	PH	6.79	Sensor pH
04/11/25 11:11	PH	6.80	Sensor pH
04/11/25 11:11	PH	6.85	Sensor pH
04/11/25 11:11	PH	6.85	Sensor pH
04/11/25 11:11	PH	6.84	Sensor pH
04/11/25 11:11	PH	6.84	Sensor pH
04/11/25 11:11	PH	6.86	Sensor pH
04/11/25 11:11	PH	6.86	Sensor pH
04/11/25 11:11	PH	6.89	Sensor pH
04/11/25 11:11	PH	6.89	Sensor pH
04/11/25 11:11	PH	6.93	Sensor pH
04/11/25 11:11	PH	6.93	Sensor pH
04/11/25 11:12	PH	6.96	Sensor pH
04/11/25 11:12	PH	6.96	Sensor pH
04/11/25 11:12	PH	6.96	Sensor pH
04/11/25 11:12	PH	6.96	Sensor pH
04/11/25 11:12	PH	6.93	Sensor pH
04/11/25 11:12	PH	6.93	Sensor pH
04/11/25 11:12	PH	6.94	Sensor pH
04/11/25 11:12	PH	6.94	Sensor pH
04/11/25 11:12	PH	6.93	Sensor pH
04/11/25 11:12	PH	6.93	Sensor pH
04/11/25 11:12	PH	6.95	Sensor pH
04/11/25 11:12	PH	6.95	Sensor pH
04/11/25 11:12	PH	6.98	Sensor pH
04/11/25 11:12	PH	6.98	Sensor pH
04/11/25 11:12	PH	7.01	Sensor pH
04/11/25 11:12	PH	7.01	Sensor pH
04/11/25 11:12	PH	6.98	Sensor pH

Fecha/Hora	Tipo	Valor	Sensor
04/11/25 11:12	PH	6.98	Sensor pH
04/11/25 11:12	PH	7.02	Sensor pH
04/11/25 11:12	PH	7.02	Sensor pH
04/11/25 11:12	PH	7.04	Sensor pH
04/11/25 11:12	PH	7.04	Sensor pH
04/11/25 11:12	PH	7.07	Sensor pH
04/11/25 11:12	PH	7.07	Sensor pH
04/11/25 11:13	PH	7.02	Sensor pH
04/11/25 11:13	PH	7.02	Sensor pH
04/11/25 11:13	PH	7.05	Sensor pH
04/11/25 11:13	PH	7.05	Sensor pH
04/11/25 11:13	PH	7.09	Sensor pH
04/11/25 11:13	PH	7.09	Sensor pH
04/11/25 11:13	PH	7.07	Sensor pH
04/11/25 11:13	PH	7.07	Sensor pH
04/11/25 11:13	PH	7.11	Sensor pH
04/11/25 11:13	PH	7.11	Sensor pH
04/11/25 11:13	PH	7.07	Sensor pH
04/11/25 11:13	PH	7.07	Sensor pH
04/11/25 11:13	PH	7.11	Sensor pH
04/11/25 11:13	PH	7.11	Sensor pH
04/11/25 11:13	PH	7.10	Sensor pH
04/11/25 11:13	PH	7.10	Sensor pH
04/11/25 11:13	PH	7.10	Sensor pH
04/11/25 11:13	PH	7.10	Sensor pH
04/11/25 11:13	PH	7.13	Sensor pH
04/11/25 11:13	PH	7.13	Sensor pH
04/11/25 11:13	PH	7.15	Sensor pH
04/11/25 11:13	PH	7.15	Sensor pH
04/11/25 11:13	PH	7.11	Sensor pH
04/11/25 11:13	PH	7.11	Sensor pH
04/11/25 11:14	PH	7.16	Sensor pH
04/11/25 11:14	PH	7.16	Sensor pH
04/11/25 11:14	PH	7.17	Sensor pH
04/11/25 11:14	PH	7.17	Sensor pH

Fecha/Hora	Tipo	Valor	Sensor
04/11/25 11:14	PH	7.15	Sensor pH
04/11/25 11:14	PH	7.15	Sensor pH
04/11/25 11:14	PH	7.14	Sensor pH
04/11/25 11:14	PH	7.14	Sensor pH
04/11/25 11:14	PH	7.10	Sensor pH
04/11/25 11:14	PH	7.10	Sensor pH
04/11/25 11:14	PH	7.07	Sensor pH
04/11/25 11:14	PH	7.07	Sensor pH
04/11/25 11:14	PH	7.12	Sensor pH
04/11/25 11:14	PH	7.12	Sensor pH
04/11/25 11:14	PH	7.11	Sensor pH
04/11/25 11:14	PH	7.11	Sensor pH
04/11/25 11:14	PH	7.08	Sensor pH
04/11/25 11:14	PH	7.08	Sensor pH
04/11/25 11:14	PH	7.09	Sensor pH
04/11/25 11:14	PH	7.09	Sensor pH
04/11/25 11:14	PH	7.06	Sensor pH
04/11/25 11:14	PH	7.06	Sensor pH
04/11/25 11:14	PH	7.11	Sensor pH
04/11/25 11:14	PH	7.11	Sensor pH
04/11/25 11:15	PH	7.11	Sensor pH
04/11/25 11:15	PH	7.11	Sensor pH
04/11/25 11:15	PH	7.12	Sensor pH
04/11/25 11:15	PH	7.12	Sensor pH
04/11/25 11:15	PH	7.10	Sensor pH
04/11/25 11:15	PH	7.10	Sensor pH
04/11/25 11:15	PH	7.06	Sensor pH
04/11/25 11:15	PH	7.06	Sensor pH
04/11/25 11:15	PH	7.07	Sensor pH
04/11/25 11:15	PH	7.07	Sensor pH
04/11/25 11:15	PH	7.08	Sensor pH
04/11/25 11:15	PH	7.08	Sensor pH
04/11/25 11:15	PH	7.07	Sensor pH
04/11/25 11:15	PH	7.07	Sensor pH
04/11/25 11:15	PH	7.03	Sensor pH