# Homework #13

## (Due date: 21 December 2023)

**Objective :**

Learn how to use **file input and output**, **strings**, **struct**, and

**functions**.

**13.1**
Write a program to record and update book information in a library. Each book's information will include the title, author's name, publication year, and book ID. You need to implement the following functions:
Reading Book Data: Read book information from "books.txt". Assume each line represents a book, formatted as: Title, Author, Publication Year, Book ID.
Updating Book Information: Allow the user to update the book's information, and write the updated information back to "books.txt".
Displaying Book Information: Print all the book's information on the screen.

Hints:
The struct is used to store information for each book, which includes title, author, year, and id.
Outputs:

```
1. Print all books
2. Update a book
3. Exit
Enter your choice: 1
Title: The Great Gatsby, Author: F. Scott Fitzgerald, Year: 1925, ID: 1001
Title: To Kill a Mockingbird, Author: Harper Lee, Year: 1960, ID: 1002
Title: 1984, Author: George Orwell, Year: 1949, ID: 1003
Title: Pride and Prejudice, Author: Jane Austen, Year: 1813, ID: 1004
Title: Moby-Dick, Author: Herman Melville, Year: 1851, ID: 1005
1. Print all books
2. Update a book
3. Exit
Enter your choice: 2
Enter the ID of the book to update: 1003
Enter new title: Image processing
Enter new author: David
Enter new year: 2023
1. Print all books
2. Update a book
3. Exit
Enter your choice: 1
Title: The Great Gatsby, Author: F. Scott Fitzgerald, Year: 1925, ID: 1001
Title: To Kill a Mockingbird, Author: Harper Lee, Year: 1960, ID: 1002
Title: Image processing, Author: David, Year: 2023, ID: 1003
Title: Pride and Prejudice, Author: Jane Austen, Year: 1813, ID: 1004
Title: Moby-Dick, Author: Herman Melville, Year: 1851, ID: 1005
```

**13.2**

Write a program to generate 1000 distinct numbers, where each value is between 1000 and 10000 and store them in 'test.txt,' then performs a bubble sort on the sequence of numbers in 'test.txt'. After sorting the numbers in ascending order, write the results into 'sorted.txt' and output them to the console. Then, load the sorted sequence to perform a Binary Search.

Hints:

Both the bubble sort and Binary Search should be implemented as functions.
The names of the functions are generate( ), bubbleSortRecursive( ), swap( ), and binarySearchRecursive( ) respectively.
The bubble sort and Binary Search should be written recursively.
In the bubble sort, the swap function must be implemented using pointers.
Error handling is required in case a number is not found.

```c
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

//13.1
typedef struct node{

} Book;

void readBooksFromFile( ){

}
void printBooks( ){

}
void updateBookInfo( ){

}

void writeBooksToFile( ){

}
```

```c
//13.2
void getNumber( ){

}

void bubbleSortRecursive( ){

}

void swap(){

}

int binarySearchRecursive ( ){

}

int main() {
```

Output :

```
166
168
199
235
238
314
395
423
446
446
459
465
468
484
489
494
499
546
644
712
788
821
887
954
Enter a number to search: 498
Element not present in the array
```

```
164
165
166
168
199
235
238
314
395
423
446
446
459
465
468
484
489
494
499
546
644
712
788
821
887
954
Enter a number to search: 166
Element found at index 13
```

**Please note:: users of visual studio add the following code to your program's beginning**

```
2    #pragma warning(disable:4996)
```

繳交格式及規定 :

程式重點地方請加註解,給分也會酌量參考註解。

請繳交 .c 檔即可。

c 檔的檔名一律統一,以學號為檔名壓縮成一個以學號為名的壓縮檔

上傳,

上傳請一律繳交壓縮檔。

Example:

若學號為 B123456789, 則.c/.cpp 檔名為 B123456789.c ,

而壓縮檔名為 B123456789.rar。

繳交期限 2023.12.21 (四) 09:00 分之前,逾期一律不收,

無輸入輸出及逾期者一律以 0 分計算。

作業請上傳中山網路大學 網大上傳方式:

1. 點選要繳交的作業,選擇「進行作業」。



2. 依照流程上傳檔案。