No 1. Membuat Sequence untuk meng-generate angka unik untuk pengurutan

```
--Create Sequence
CREATE SEQUENCE seq_film        START WITH 1 INCREMENT BY 1;
CREATE SEQUENCE seq_theater     START WITH 1 INCREMENT BY 1;
CREATE SEQUENCE seq_inventaris  START WITH 1 INCREMENT BY 1;
CREATE SEQUENCE seq_jadwal      START WITH 1 INCREMENT BY 1;
CREATE SEQUENCE seq_member      START WITH 1 INCREMENT BY 1;
CREATE SEQUENCE seq_transaksi   START WITH 1 INCREMENT BY 1;

CREATE TABLE film(
id_film NUMBER PRIMARY KEY,
judul VARCHAR2(250),
sinopsis CLOB,
tahun NUMBER(4),
durasi NUMBER);

CREATE TABLE Theater (
id_theater NUMBER PRIMARY KEY,
harga NUMBER,
kapasitas NUMBER,
kelas VARCHAR2(50));
```

No 2. Create Table dengan jumlah 6 yang sesuai

```
CREATE TABLE Inventaris (
id_inventaris   NUMBER PRIMARY KEY,
id_theater      NUMBER,
nomor_kursi     VARCHAR2(10),
CONSTRAINT fk_inv_theater FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)
);

CREATE TABLE Jadwal (
id_jadwal       NUMBER PRIMARY KEY,
id_film         NUMBER NOT NULL,
id_theater      NUMBER NOT NULL,
periode_start   TIMESTAMP NOT NULL,
periode_end     TIMESTAMP NOT NULL,
CONSTRAINT fk_jdw_film    FOREIGN KEY (id_film)    REFERENCES Film(id_film),
CONSTRAINT fk_jdw_theater FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)
);
```

```sql
CREATE TABLE Member (
id_member   NUMBER PRIMARY KEY,
nama        VARCHAR2(100) NOT NULL,
no_hp       VARCHAR2(15),
tgl_lahir   DATE,
email       VARCHAR2(100)
);

CREATE TABLE Transaksi (
kode_pemesanan  NUMBER PRIMARY KEY,
id_jadwal       NUMBER NOT NULL,
id_member       NUMBER NOT NULL,
status          VARCHAR2(20) DEFAULT 'pending',
tanggal         DATE NOT NULL,
total_harga     NUMBER(10,2),
CONSTRAINT fk_trx_jadwal  FOREIGN KEY (id_jadwal) REFERENCES Jadwal(id_jadwal),
CONSTRAINT fk_trx_member  FOREIGN KEY (id_member) REFERENCES Member(id_member)
);
```

No 3. Membuat Script Insert Data dari ke-enam tabel

```sql
--Insert Data Film
INSERT INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (seq_film.NEXTVAL, 'Interstellar','Perjalanan astronot melintasi galaksi demi menyelamatkan bumi',
INSERT INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (seq_film.NEXTVAL, 'Avengers: Endgame', 'Para Avengers bersatu untuk melawan Thanos', 2019, 181);
INSERT INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (seq_film.NEXTVAL, 'Spider-Man: NWH',   'Spider-Man membuka multiverse dan menghadapi musuh lama',

--Insert Theater
INSERT INTO Theater VALUES (seq_theater.NEXTVAL, 75000,  100, 'Reguler');
INSERT INTO Theater VALUES (seq_theater.NEXTVAL, 120000,  60, 'VIP');
INSERT INTO Theater VALUES (seq_theater.NEXTVAL, 150000,  40, 'IMAX');
INSERT INTO Theater VALUES (seq_theater.NEXTVAL, 90000,   80, 'Premium');
INSERT INTO Theater VALUES (seq_theater.NEXTVAL, 60000,  120, 'Ekonomi');
```

```sql
-- Insert Inventaris
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 1, 'A1');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 1, 'A2');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 1, 'A3');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 2, 'B1');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 2, 'B2');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 3, 'C1');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 3, 'C2');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 4, 'D1');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 4, 'D2');
INSERT INTO Inventaris VALUES (seq_inventaris.NEXTVAL, 5, 'E1');

-- Insert Jadwal
INSERT INTO Jadwal VALUES (seq_jadwal.NEXTVAL, 1, 1, TIMESTAMP '2025-06-01 10:00:00', TIMESTAMP '2025-06-01 13:01:00');
INSERT INTO Jadwal VALUES (seq_jadwal.NEXTVAL, 2, 2, TIMESTAMP '2025-06-01 14:00:00', TIMESTAMP '2025-06-01 16:28:00');
INSERT INTO Jadwal VALUES (seq_jadwal.NEXTVAL, 3, 3, TIMESTAMP '2025-06-02 11:00:00', TIMESTAMP '2025-06-02 13:49:00');

-- Insert Member
INSERT INTO Member VALUES (seq_member.NEXTVAL, 'Budi Santoso' ,'081234567890', DATE '1995-03-15', 'budi@email.com');
INSERT INTO Member VALUES (seq_member.NEXTVAL, 'Siti Rahayu' ,'082345678901', DATE '1998-07-22', 'siti@email.com');
INSERT INTO Member VALUES (seq_member.NEXTVAL, 'Andi Pratama' ,'083456789012', DATE '2000-11-08', 'andi@email.com');
```

```sql
-- Insert Transaksi
INSERT INTO Transaksi VALUES (seq_transaksi.NEXTVAL, 1, 1, 'sukses',  DATE '2025-05-28',  75000);
INSERT INTO Transaksi VALUES (seq_transaksi.NEXTVAL, 2, 2, 'batal',  DATE '2025-05-28', 120000);
INSERT INTO Transaksi VALUES (seq_transaksi.NEXTVAL, 3, 3, 'pending', DATE '2025-05-29', 150000);
COMMIT;
```

No 4. Membuat Script Update data dan Delete data dan menamiplkan semmua table

```sql
-- Update Data
UPDATE Member SET no_hp = 08314141201 WHERE nama = 'Siti Rahayu';
UPDATE Member SET no_hp = 08935801230 WHERE nama = 'Andi Pratama';
UPDATE Member SET email = 'rahayu@email.com' WHERE nama = 'Siti Rahayu';
UPDATE Member SET email = 'pratama@email.com' WHERE nama = 'Andi Pratama';
UPDATE Transaksi SET total_harga = 990000 WHERE kode_pemesanan = 2;
COMMIT;


-- Hapus Data
DELETE Transaksi WHERE kode_pemesanan = 1;
DELETE FROM Member WHERE nama = 'Budi Santoso';
COMMIT;


SELECT * FROM Film;
SELECT * FROM Theater;
SELECT * FROM Inventaris;
SELECT * FROM Jadwal;
SELECT * FROM Member;
SELECT * FROM Transaksi;
```