CMPS 143 - Assignment 1 (10 points)

Due Sunday, April 8 11:55PM

1 Getting Started with NLTK

Before going further you should install NLTK 3.0, downloadable for free from http://www.nltk.org/install.html. Follow the instructions there to download the appropriate version for your platform. In this course we will use Python 3.4 *ONLY*, so you **MUST** download that version. Also, you **MUST** download NumPy – this is not optional as the website says.

(Note: Macs with Yosemite or higher have Python 2.7 as default in the terminal. You will need to run "sudo pip3 install -U nltk" instead of "sudo pip install -U nltk" in order to install NLTK for Python 3.4. You should make a separate installation rather than updating/replacing your system default Python version.)

Once you've installed NLTK, start up the Python interpreter:

- Windows: find and open "Python 3.4 (command line 32bit)" in your start menu.
- Mac: type "python3" and press enter in your terminal.

Install the data required for the book by typing the following two commands at the Python prompt, then selecting the "book" collection as shown in Figure 1 and pressing "Download".

```
>>> import nltk
>>> nltk.download()
```

Collections Corpor	ra Models All Packages		
Identifier	Name	Size	Status
all	All packages	n/a	not installed
all-corpora	All the corpora	n/a	not installed
book	Everything used in the NLTK Book	n/a	not installed
Download Refresh			
Server Index: http://nltk.googlecode.com/svn/trunk/nltk_data/index.xml			
Download Directory: C:\nltk data			

Figure 1: Installing NLTK data.

2 Working with Corpora

In this assignment you will write a program to analyze two different narrative corpora and compare them. The first corpora is a collection of 26 Aesop's fables. The second corpus is a collection of 12 personal narratives told by ordinary people on their weblogs. Both corpora are provided as zip archives with each individual file containing a different fable or blog.

Your program should take one command line argument that specifies which corpus you are going to analyze (fables or blogs). The input file for the fables corpus is the zip archive containing the 26 fables as text (fables.zip). The input for the blogs corpus is the zip archive containing the 12 blogs as text (blogs.zip). Use the stub code assignment1-stub-s15.py to get started.

For each of the corpora your program should do the following:

1. Tokenization

- (a) Write the name of the corpus to stdout.
- (b) Delimit the sentences for each document in the corpus.
- (c) Tokenize the words in each sentence of each document.
- (d) Count the number of total words in the corpus and write the result to stdout.

2. Part-of-Speech

- (a) Apply the default part-of-speech tagger to each tokenized sentence.
- (b) Write a file named CORPUS_NAME-pos.txt that has each part-of-speech tagged sentence on a separate line and a blank newline separating documents. Where CORPUS_NAME is either fables or blogs. The format of the tagging should be a word-tag pair with a / in between. For example: The/DT boy/NN jumped/VBD ./.

3. Frequency

- (a) Write the vocabulary size of corpus to stdout. Please note that you should use the lowercased word.
- (b) Write the most frequent part-of-speech tag and its frequency to the stdout.
- (c) Find the frequency of each unique word (after lowercasing) using the FreqDist module and write the list in decreasing order to a file named CORPUS_NAME-word-freq.txt.
- (d) Find the frequency of each word given its part-of-speech tag. Use a conditional frequency distribution for this (CondFreqDist) where the first item in the pair is the part-of-speech and the second item is the lowercased word. Note, the part-of-speech tagger requires uppercase words and returns the word/tag pair in the inverse order of what we are asking here. Use the tabulate() method of the CondFreqDist class to write the results to a file named CORPUS_NAME-pos-word-freq.txt.

4. Similar Words

(a) For the most frequent word in the **NN** (nouns), **VBD** (past-tense verbs), **JJ** (adjectives) and **RB** (adverbs) part-of-speech tags, find the most similar words using Text.similar(). Write the output to stdout (this will happen by default).

5. Collocations

(a) Write the collocations to the stdout.

3 Output Results

In conclusion, if you follow the steps in Section 2, your program should output the following information in standard output for each corpus:

- 1. Corpus name:
- 2. Total words in the corpus:
- 3. Vocabulary size of the corpus:
- 4. The most frequent part-of-speech tag is ??? with frequency ???
- 5. The most frequent word in the POS (NN/VBD/JJ/RB, note that you need to output result for each of these POS) is ??? and its similar words are: ???
- 6. Collocations:

Your python program should also **output three files for each corpus**. For example, for fabels corpus, it should output fabels-pos.txt, fabels-word-freq.txt and fabels-pos-word-freq.txt.

4 Blog Posts

Write **two short blog posts**, each blog should be 250-375 words. Each blog post should be about your personal experience at some event, and told from the first person perspective. One should be about a positive happy event and the other about a negative unhappy or stressful event. We have included two example blog posts — pos-example.txt and neg-example.txt — with this assignment. You may chose to write about a special event or some event that you experience frequently. Save the blogs in text files named "positive-blog.txt" and "negative-blog.txt".

The blogs you write will be part of a corpus that we will use throughout the class for demonstrating NLP tasks such as Sentiment Analysis or Question Answering. Therefore, make sure to **change the names of people involved in your story** and make any other changes you feel necessary to protect your privacy.

Note: Do not write about something private that you would not want to share with the rest of the class.

What to Turn In

Turn in on Canvas a single zipped file including your personal blog files and the Python program with all the output files.