



Neuradix POS

Local Multi-Shop User Guide

Operate every shop locally. Share customers and finalized sales across trusted registers. Keep shop inventory where it belongs.

OFFLINE-FIRST

SHOP-LOCAL STOCK

PRIVATE BY DESIGN

Certified workflow - 29 September 2026

What moves - and what stays local

The synchronization boundary is deliberately narrow.

SYNCHRONIZES

Across the whole business

- Customer profiles and customer updates
- Finalized sales and immutable line snapshots
- Event acknowledgements and sync diagnostics

STAYS LOCAL

Inside each shop or register

- Items, prices, barcodes, images, and stock stay within the assigned shop
- Drafts, parked carts, and incomplete sales stay on the current register
- Local settings and decrypted keys never enter the relay

1. Register the business and first shop

No backend seeding or manual API calls are required.

1

Choose Local Multi-Shop

Use Neuradix Cloud, select Free Local, then enable Local Multi-Shop.

2

Name the first shop

Enter a shop name and a unique code alongside the owner details.

3

Create and trust

Registration creates the business, subscription, first shop, and first trusted register atomically.

BUSINESS AND FIRST-SHOP FIELDS

inventory, stock, drafts, and parked carts remain shop-local.

Business Name

Documentation Retail

First Shop Name


Valletta Shop

First Shop Code

DOC-VLT

2. Create shops from the owner interface

Inventory remains shop-local; customers and finalized sales remain business-wide.




OWNER ONLY

- Open My Profile
- Select Add Shop
- Use a unique shop code
- Review trusted register counts
- Revoke lost devices promptly

3. Pair a register into its intended shop

The new register chooses its shop before it creates a pairing request.



1

Sign in

Use the business owner account on the new register.

2

Choose shop

Select the register's intended physical shop.

3

Approve code

A trusted owner register approves the short-lived code.

4


Join relay

The new device receives an opaque encrypted key envelope.

Security rule: never approve an unexpected code. Pair only a register physically controlled by the business, then verify the Shop badge before selling.

4. Build local inventory and record sales

Search by name, SKU, or barcode; compatible hardware scanners type into the barcode field.



- Create items separately in each shop.
- Add image, SKU, barcode, price, and stock.
- Search or scan, then add the exact match.
- Select a shared customer.
- Review cart and total, then Record Sale.
- Only the finalized sale leaves this register.

5. Keep selling while offline

SQLite commits first; synchronization follows when trusted devices overlap online.

ACTIONABLE OFFLINE GUIDANCE

C

Inventory

Customers

Sales

History

My Profile

Certification ABP 1325

Business: Certification ABP 1325 Mode: Local Multi-Shop Sync: Offline / Queued

Shop: ABP Shop A Pending: 0 Last Sync: 2026-09-29 16:11

Refresh Switch Mode Logout

Local sync is offline. Changes stay queued on this device. Reconnect this register and at least one trusted register; sync retries automatically.

Inventory

+ Add Item

Certification A Item 2 CERT-A-2 • Barcode 535300100002 • Stock 98	EUR 3.50
Certification A Item 3 CERT-A-3 • Barcode 535300100003 • Stock 97	EUR 4.50
Certification A Item 4 CERT-A-4 • Barcode 535300100004 • Stock 96	EUR 5.50
Shop A-SKU-1 • Barcode 535300100001 • Stock 100	EUR 2.50

RECOVERY

- 1 Reconnect**
Restore internet on the register.
- 2 Overlap**
Keep at least one trusted peer online at the same time.
- 3 Observe**
Wait for Live Relay and Pending: 0.
- 4 Verify**
Compare shared customers and History.

6. Verify convergence without mixing catalogs

The certified run ended with identical customer/sale history and isolated shop stock.

SHARED FINALIZED-SALE HISTORY

C

Inventory

Customers

Sales

History

My Profile

Certification ABP 1325

Business: Certification ABP 1325 Mode: Local Multi-Shop Sync: Live Relay

Shop: ABP Shop A Pending: 0 Last Sync: 2026-09-29 16:11

Refresh Switch Mode Logout

Connected to trusted registers.

History

Certification A Customer 3	2026-09-29 • local_only • 1 items	EUR 2.50
Certification A Customer 3	2026-09-29 • local_only • 1 items	EUR 2.50
Certification A Customer 3	2026-09-29 • local_only • 1 items	EUR 2.50
Certification A Customer 2	2026-09-29 • local_only • 1 items	EUR 2.50
Certification A Customer 2	2026-09-29 • local_only • 1 items	EUR 2.50

CERTIFIED RESULT

18 sales on each register

6 customers on each register


4 local items per shop

0 pending events

Run 130717 - business NBIZ-00004

7. Move a register safely

A shop move changes local inventory scope, so the guard is intentionally strict.



Customers and finalized sales remain because they belong to the business, not to a shop catalog.

8. Troubleshooting

Use the badges and diagnostics before changing configuration.

OFFLINE / QUEUED

Reconnect this register and one trusted peer; retry is automatic.

PAIRING REQUIRED

Select the correct shop and ask a trusted owner register to approve.

PENDING STAYS ABOVE 0

Leave both apps open and online, then choose Refresh.

UNEXPECTED INVENTORY

Stop selling and verify the Shop badge and device assignment.

LOST DEVICE

Revoke its trust from Shop Management immediately.

Protect every local replica

Free Local Multi-Shop intentionally has no permanent cloud copy of operational data.

BEFORE GO-LIVE

- Pair at least two trusted devices and verify Pending: 0 regularly.
- Define who can add shops, pair registers, and revoke lost devices.
- Keep device OS backups and physical access controls enabled.
- Use HTTPS/WSS production endpoints and monitored relay supervision.

Recovery warning

If every synchronized device is lost, Neuradix Cloud cannot restore free-tier inventory, customers, or sales. The devices are the operational replicas.

Server storage audit: all operational counts = 0