
1 Three ways to spend



WIDTH **More calls.** Several copies or models; a vote combines them.
Deep learning: ensembles, channels (pruning).



DEPTH **More thinking.** One call reasons longer, or a stronger model answers.
Deep learning: bit width, model size (quantization).



CHECKING **A verifier picks.** A judge, self-check or test chooses a candidate.
Deep learning: re-ranking, early exit.

2 Run both sides

A held-out question: a BBEH puzzle, research math or LAB-Bench biology

↓

Both sides, same questions


Collective. e.g. a vote of 3 Luna copies, reasoning off

Best alternative. e.g. 1 Luna call, reasoning on, about the same dollars

↓

Exact match. Each reply ends `ANSWER: …`, which must match the key. Every call is stored and priced at list price.

3 The collective minus its best alternative



● confirmatory ○ descriptive ○ preregistered, not supported

deep: reasoning on; copies: reasoning off; read all: each member reads both teammates, then the team votes

Evidence in this paper. Pilot: 19 Haiku agents, 80 BBEH questions · Atlas: public leaderboards · Anchor: depth against width, 533 sealed questions · LAB-Bench teams, 144 test questions · PHOENIX recovery, 330 sealed recoveries

green: preregistered; orange: exploratory or post hoc