

RosettaDash: Why I Built a Dashboard Factory in the Agentic Era

How I used Cursor and several AI models to build cross-framework dashboard components — React, Vue, Angular, Svelte, and custom elements — without rewriting the same screen five times.



Figure 1: Why Do I want a Dashboard?

The problem I kept hitting

Over the past decade, I have written components over and over again in multiple frameworks. React one day. Angular the next. Svelte because a team member insists. AI autocomplete has made development easier; one stack at a time. It does not, however, give you the front-end equivalent to **Haxe**, the high-level language that compiles to Java, C#, Python, or even JavaScript. There is still no “write once, run in any framework” library.

Introducing RosettaDash

RosettaDash is a **component factory**, not a hosted dashboard SaaS. You drag components onto a canvas, bind them (date range to table to chart, and so on), preview with mock or actual data, and export. In addition to standard dashboard components, new features include **bring-your-own-key (BYOK)**; **WASM**; video editing using JavaScript; and many other easter eggs.

As the cost of AI impacts all of us, BYOK is an early consideration for developers today. We use BYOK without thinking of it when we switch devices. Through your Netflix or Amazon key access, your phone or your television can view the same content. The use case for BYOK is obvious if you are developing an app that has an AI component in it. Developers should not go broke due to their app’s popularity.

Destination Atlas: Built from RosettaDash

Destination Atlas is the proof that the components work together coherently as a group. It is a travel-explorer app — thirty cities, maps, a globe, YouTube media, roles, API keys, and much more. Five **proof apps** run the same screens in five runtimes. Among its easter eggs, a video-editing app using **ffmpeg running in wasm** and a client-side JavaScript editor.




Figure 2: Destination Atlas does authoring

RosettaDash, itself, is a proof of concept more than a replacement for how you currently work. It provides a higher view of component development that reveals the commonality across framework libraries. Ultimately, each framework is doing roughly the same as the

next. The components generated with RosettaDash are quite fast-performing in all of the frameworks tested.

To begin and try it yourself:

```
git clone https://github.com/KevinEverywhere/rosettadash.git
cd rosettadash
npm install
npm start
```

Open <http://localhost:4200>, pick a framework, compose something small, export it, and open the zip in Cursor.

Or run a proof app, Destination Atlas in one of the frameworks:

```
npm run proof:react
```

Or, view the components in Storybook:

```
npm run storybook:angular
```

Or, merely view a demo:

```
npm run demo:weather
```

Next

The articles are short, and each has a different focus.

#	Article	One line
01	Components that Travel	What “travel” means — export to React, Vue, Angular, Svelte, or custom elements; four ways into the project
02	The Builder	Palette, canvas, inspector, preview, and export — where you compose
03	Storybook	One component at a time; five catalogs on ports 6006–6010
04	Destination Atlas	The demo as a product — workbench, About, Overview, Destinations, thirty-city library
05	Maps, Globes, Media, and WASM	2D map providers, the globe, YouTube, ffmpeg, wasm, and image data in the browser
06	Settings, BYOK, Roles, i18n, Stack	API keys in the browser, app locale, role gates, and invisible infra
07	One Canvas, Five Runtimes	Five proof apps, native and mixed