

Overview

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026



Manola Quintana • DOB: May 27, 1988

Glucose

Average glucose

140 mg/dL

GMI

6.7 %

Time in Range

1% Very High
46% High
51% In Range
2% Low
<1% Very Low

Sensor usage

Days with data

14/14 days

Time active

100%

Avg. calibrations per day

0.4

Standard deviation

36 mg/dL

Coefficient of Variation

25.9 %


Target Range:

70-140 mg/dL

Top Patterns

Manola's best glucose day was July 28, 2026
Manola's glucose data was in the target range about 69% of the day.

This graph shows your data averaged over 14 days



Overview

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026



Manola Quintana • DOB: May 27, 1988

Devices

 Dexcom G7
CGM ID

Serial Number

Uploaded On

Sensor

iPhone

August 3, 2026

G7

Alert Settings for Device

General		
Low	On	70 mg/dL
Snooze	On	60 min
High	On	140 mg/dL
Delay	Off	0 min
Snooze	Off	0 min
Falling Fast	On	2 mg/dL/min
Rising Fast	On	2 mg/dL/min
Urgent Low	On	55 mg/dL
Snooze	On	30 min
Urgent Low Soon	On	
Snooze	On	30 min
Signal Loss	On	20 min

Overview

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026



Manola Quintana • DOB: May 27, 1988

Devices

 Dexcom G6
CGM ID

Serial Number

Uploaded On

Sensor

iPhone

February 4, 2025

G6

Alert Settings for Device

General		
Low	On	70 mg/dL
Repeat	Off	0 min
High	On	140 mg/dL
Repeat	Off	0 min
Fall Rate	On	3 mg/dL/min
Rise Rate	On	2 mg/dL/min
Urgent Low	On	55 mg/dL
Repeat	On	30 min
Urgent Low Soon	On	
Repeat	On	30 min
Signal Loss	On	20 min

Patterns

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026




Manola Quintana • DOB: May 27, 1988

- CGM: Alert Activity/Exercise Meal/Carbs Blood Glucose Health Calibration Note Medication
- Insulin: Fast-Acting Long-Acting

Best Day

Manola's best glucose day was July 28, 2026
Manola's glucose data was in the target range about 69% of the day.

Tue, Jul 28, 2026




Statistics for this day

Glucose

Average glucose 128 mg/dL	GMI N/A	Time in Range 0% Very High 31% High 69% In Range 0% Low 0% Very Low Target Range: 70-140 mg/dL	Sensor usage Days with data 1/1 days Time active 100% Avg. calibrations per day 1.0
Standard deviation 21 mg/dL	Coefficient of Variation 16.0 %		


Overlay

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026
Week 2 • Tue Jul 28, 2026 - Mon Aug 3, 2026



Overlay

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026
Week 1 • Tue Jul 21, 2026 - Mon Jul 27, 2026



Daily

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026




Manola Quintana • DOB: May 27, 1988


Manola's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication


Mon, Aug 3, 2026



Sun, Aug 2, 2026



Sat, Aug 1, 2026



Time	Device	Event	Details	Insulin Units	Glucose
9:03 PM	CGM	Calibration	158 mg/dL	--	--

Daily

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026




Manola Quintana • DOB: May 27, 1988


Manola's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication

Fri, Jul 31, 2026




Thu, Jul 30, 2026



Time	Device	Event	Details	Insulin Units	Glucose
9:06 AM	CGM	Calibration	106 mg/dL	--	--

Wed, Jul 29, 2026



Daily

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026




Manola Quintana • DOB: May 27, 1988


Manola's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication


Tue, Jul 28, 2026



Mon, Jul 27, 2026



Sun, Jul 26, 2026



Daily

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026




Manola Quintana • DOB: May 27, 1988


Manola's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication


Sat, Jul 25, 2026



Fri, Jul 24, 2026



Thu, Jul 23, 2026



Daily

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026




Manola Quintana • DOB: May 27, 1988

Manola's Daily View


CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication

Wed, Jul 22, 2026



Time	Device	Event	Details	Insulin Units	Glucose
11:00 AM	CGM	Calibration	222 mg/dL	--	--
2:57 PM	CGM	Calibration	200 mg/dL	--	--
11:02 PM	CGM	Calibration	230 mg/dL	--	--

Tue, Jul 21, 2026




Compare



Manola Quintana • DOB: May 27, 1988

14 Days Tue Jul 7, 2026 - Mon Jul 20, 2026



Glucose

Average glucose

142 mg/dL

GMI

6.7 %


Standard deviation

40 mg/dL

Coefficient of Variation

28.4 %

Time in Range



Target Range:

70-140 mg/dL

Sensor usage

Days with data

14/14 days


Time active

100%

Avg. calibrations per day

0.5

14 Days Tue Jul 21, 2026 - Mon Aug 3, 2026



Average glucose

140 mg/dL

GMI

6.7 %


Standard deviation

36 mg/dL

Coefficient of Variation

25.9 %

Time in Range



Target Range:

70-140 mg/dL

Sensor usage

Days with data

14/14 days

Time active

100%

Avg. calibrations per day

0.4

Compare



Manola Quintana • DOB: May 27, 1988

14 Days Tue Jul 7, 2026 - Mon Jul 20, 2026

14 Days Tue Jul 21, 2026 - Mon Aug 3, 2026

Patterns

Nighttime Highs

Manola had a pattern of significant highs between 10:00 PM and 10:55 PM.

Best Day

Manola's glucose data was in the target range about 80% of the day.

Nighttime Highs

Best Day

Manola's glucose data was in the target range about 69% of the day.

Compare

14 Days Tue Jul 7, 2026 - Mon Jul 20, 2026

14 Days Tue Jul 21, 2026 - Mon Aug 3, 2026

Devices



Dexcom G7

CGM ID

Serial Number

Uploaded On

Sensor

iPhone

August 3, 2026

G7



Dexcom G7

CGM ID

Serial Number

Uploaded On

Sensor

iPhone

August 3, 2026

G7



Dexcom G6

CGM ID

Serial Number

Uploaded On

Sensor

iPhone

February 4, 2025

G6



Dexcom G6

CGM ID

Serial Number

Uploaded On

Sensor

iPhone

February 4, 2025

G6

Daily Statistics

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026



Manola Quintana • DOB: May 27, 1988

☀ 6:00 AM - 10:00 PM ■ Very low < 54 ■ Low 54 - 70 ■ In range 70 - 140 ■ High 140 - 250 ■ Very High > 250
🌙 10:00 PM - 6:00 AM ■ Very low < 54 ■ Low 54 - 70 ■ In range 70 - 140 ■ High 140 - 250 ■ Very High > 250

Daily Statistics	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Time in Range							
% Very High	0	0	7	0	2	0	0
% High	51	43	37	53	39	56	42
% In Range	48	57	53	43	55	44	58
% Low	1	0	2	4	4	0	0
% Very Low	0	0	1	0	<1	0	0
# Readings	482	574	570	577	576	577	576
Min	66	69	39	55	40	69	73
Max	193	224	295	237	263	231	184
Mean	140	137	147	143	136	141	133
Std. Dev.	26	29	49	41	45	32	21
Quartile 25	124	118	121	114	104	118	120
Median	142	137	135	143	130	144	136
Quartile 75	158	153	164	170	161	156	150
IQR	34	35	43	56	57	38	30
IQ Std. Dev.	10	10	12	15	16	10	9
SD Mean	1	1	2	2	2	1	1
%CV	18	21	33	28	33	23	16

Hourly Statistics

14 days • Tue Jul 21, 2026 - Mon Aug 3, 2026



Manola Quintana • DOB: May 27, 1988

☀ 6:00 AM - 10:00 PM ■ Very low < 54 ■ Low 54 - 70 ■ In range 70 - 140 ■ High 140 - 250 ■ Very High > 250
🌙 10:00 PM - 6:00 AM ■ Very low < 54 ■ Low 54 - 70 ■ In range 70 - 140 ■ High 140 - 250 ■ Very High > 250


Hourly Statistics	12am-1am	1am-2am	2am-3am	3am-4am	4am-5am	5am-6am	6am-7am	7am-8am	8am-9am	9am-10am	10am-11am	11am-12pm
Time in Range												
■ % Very High	0	0	0	0	0	0	0	0	0	0	0	6
■ % High	40	43	50	60	60	60	65	65	43	30	22	37
■ % In Range	60	49	46	40	40	40	35	35	57	70	77	57
■ % Low	0	8	4	0	0	0	0	0	0	0	1	0
■ % Very Low	0	0	0	0	0	0	0	0	0	0	0	0
# Readings	168	168	168	168	168	168	168	168	168	169	167	169
Min	73	61	55	106	101	101	90	76	77	87	69	92
Max	225	216	223	214	188	185	189	192	173	168	197	295
Mean	140	133	140	149	147	147	147	142	133	126	122	143
Std. Dev.	38	39	36	26	18	19	19	21	20	19	22	42
Quartile 25	108	105	117	126	134	133	135	134	121	112	106	116
Median	131	132	141	150	146	145	150	144	138	121	121	134
Quartile 75	159	162	166	168	159	160	158	153	147	142	140	150
IQR	51	57	50	42	25	27	23	19	26	30	34	35
IQ Std. Dev.	13	18	15	11	7	7	7	4	8	10	10	11
SD Mean	3	3	3	2	1	1	1	2	2	1	2	3
%CV	27	29	26	17	12	13	13	15	15	15	18	29

Hourly Statistics	12pm-1pm	1pm-2pm	2pm-3pm	3pm-4pm	4pm-5pm	5pm-6pm	6pm-7pm	7pm-8pm	8pm-9pm	9pm-10pm	10pm-11pm	11pm-12am
Time in Range												
■ % Very High	10	10	6	0	0	0	0	0	0	0	0	0
■ % High	50	44	35	37	32	25	40	45	45	44	52	68
■ % In Range	40	46	58	57	65	75	60	47	48	52	42	32
■ % Low	0	0	1	3	3	0	0	8	7	4	2	0
■ % Very Low	0	0	0	3	0	0	0	0	0	0	4	0
# Readings	166	166	168	167	158	156	156	156	156	157	154	155
Min	103	72	62	40	65	74	79	58	61	60	39	82
Max	281	265	256	242	181	187	206	231	224	212	248	247
Mean	165	157	142	130	123	126	135	140	136	135	139	153
Std. Dev.	50	53	47	41	29	22	31	47	43	33	41	35
Quartile 25	126	117	110	102	95	112	112	106	110	121	118	127
Median	149	151	130	126	124	120	130	135	136	138	143	154
Quartile 75	190	177	160	151	147	141	158	176	161	149	159	175
IQR	64	60	50	49	52	29	46	70	51	28	41	48
IQ Std. Dev.	20	18	14	15	13	7	13	20	12	7	12	11
SD Mean	4	4	4	3	2	2	2	4	3	3	3	3
%CV	30	34	33	32	24	18	23	33	32	24	30	23

Time in Ranges

Goals for Type 1 and Type 2 Diabetes

Each 5% increase in the Target Range is clinically beneficial.
Each 1% time in range = about 15 minutes per day



Target Range: 75-140 mg/dL

Very High: Above 250 mg/dL

Very Low: Below 54 mg/dL

Manola Quintana

DOB: May 27, 1988

Glucose Metrics

Average Glucose

Goal: <154 mg/dL

140 mg/dL

GMI

Goal: <7%

6.7%

Coefficient of Variation

Goal: <36%


25.9%

Time CGM Active

99.8%


Ambulatory Glucose Profile (AGP)

AGP is a summary of glucose values from the report period, with median (50%) and other percentiles shown as if they occurred in a single day.



Daily Glucose Profile

Each daily profile represents a midnight-to-midnight period.



Patent pending - HealthPartners Institute dba International Diabetes Center - All Rights Reserved. ©2022