PROMPT LIFE V0.19.1

Morning Commute Implementation Pass

Seven existing Morning Commute cards were polished without adding new cards, games, generated PNGs, heavy 3D libraries, progress changes, checkpoint-randomization changes, or badge changes.

typecheck passed

build passed

build:pages passed

audit:answers passed

What Changed

- **Inference:** fixed weights now visibly produce temporary activations, hidden states, and scores.
- **Prompt vs Response:** a compact role diagram separates prompt, response so far, next token, and current context.
- **Tokenization:** simplified token cards now include uneven chunks and punctuation.
- **Token IDs:** token, ID, and embedding-table row are separated.
- **Embeddings:** durable table versus temporary retrieved vector is explicit.
- **Vectors:** teaching sliders are contrasted with distributed unlabeled features.
- **Tensors:** token axis, feature axis, and batch note are clearer in a lightweight coded diagram.
- **Review routes:** hash links now scroll to the intended card inside the review container.

Known Issues

- The existing Vite large-chunk warning remains.
- In-app browser automation could navigate and screenshot review routes, but did not reliably activate bottom-nav buttons. Live Journey interaction screenshots remain a manual follow-up.
- Embeddings remains the best future Morning Commute Image 2 candidate; no generated PNGs were added in this pass.

Screenshots



Forward Pass: fixed weights and temporary activations.



Prompt vs Response: prompt, response so far, next token, current context.

TOKENIZATION

Text to Tokens

Lesson: Tokenization Pattern: token

Variant: paper-diagram

Text to Tokens

Uneven chunks, punctuation included

Text is split into model-readable chunks before token IDs and embedding lookup.

1. **Simplified split** A | jealous | dog | chased | a | startled | cat | across | the | kitchen | floor | .
2. **Uneven chunks** Some tokenizers may split words or punctuation, such as start | led or floor | .
3. **Teaching note** This app uses a simplified split; real tokenizer output can differ.

Key takeaway:
Tokens are model-readable chunks, not always human words.

LEARNING OBJECTIVE

Show that tokens can be words, word pieces, punctuation, or other chunks.

ACCESSIBLE DESCRIPTION

The visual starts with a sentence, then shows

Tokenization: uneven chunks and punctuation.

TOKEN-IDS

Token IDs

Lesson: Token IDs Pattern: ids

Variant: paper-diagram

Token IDs

Lookup keys, not meaning

Each token gets a lookup number that points to an embedding-table row.

1. **Token** dog, cat, and floor are text chunks.
2. **ID** 421, 982, and 1576 are lookup keys.
3. **Embedding row** The ID points to the learned starting vector row.
4. **Limit** The number itself is not the meaning.

Key takeaway:
Token IDs point; they do not understand.

LEARNING OBJECTIVE

Separate the token string, its numeric ID, and the embedding row the ID selects.

ACCESSIBLE DESCRIPTION

Three token cards connect to ID cards, which connect to highlighted rows in an embedding table.

Token IDs: lookup keys, not meaning.

EMBEDDINGS

Embedding Lookup

Lesson: Embeddings | Pattern: vector | Variant: origami-object



Embedding Lookup

Durable table, temporary vector

A token ID retrieves a learned starting vector from a durable embedding table.

1. **Durable table** The embedding table was learned during training.
2. **Temporary retrieval** Inference retrieves one row for the current context.
3. **Starting vector** The retrieved vector starts the token in numerical space.
4. **Hidden state later** Transformer layers later reshape it into context-shaped hidden states.

> **Key takeaway:**
> Embedding means learned starting vector, not dictionary definition.

LEARNING OBJECTIVE

Distinguish the durable learned table from the temporary vector retrieved for the current run.

ACCESSIBLE DESCRIPTION

Embeddings: durable table and temporary retrieved vector.

VECTORS

Feature Vector

Lesson: Vectors | Pattern: bars | Variant: origami-object

Feature Vector

Teaching labels versus distributed features

A vector is a list of numbers; real features are distributed rather than neat English sliders.

1. **Teaching sliders** Labels such as animal-ish or tone are simplified for learning.
2. **Distributed features** Real model features are spread across many dimensions.
3. **Why vectors** Vectors let the model compute with fuzzy numerical relationships.

> **Key takeaway:**
> Vectors are useful because many fuzzy features can vary at once.

LEARNING OBJECTIVE

Let learners compare a simplified slider view with unlabeled distributed numerical features.

ACCESSIBLE DESCRIPTION

The visual contrasts labeled teaching sliders with unlabeled distributed bars and dots.

Vectors: teaching labels versus distributed features.



Tensors at 390px.



Tensors at 320px.