

PROMPT LIFE V0.27.2

Prompt Run v2 Capstone Redesign

Prompt Run is now a compact shared Play challenge that asks learners to actively trace one prompt through the inference loop.

Summary

- Replaced the legacy passive 12-step Prompt Run route with a six-station capstone challenge.
- Stations trace: prompt/response, tokenization, token IDs, hidden states, probabilities, append/repeat.
- Progress writes to **promptlife.playChallenges.v1** and preserves/bridges old Prompt Run keys.
- Completion and review-suggested states use calm feedback without scores, streaks, timers, or leaderboards.
- Version bumped to **0.27.2**.

Six Stations

- **Separate prompt from response:** prompt is given; response tokens are generated.
- **Tokenize:** text becomes a simplified token view.
- **Map to numbers:** token IDs are lookup numbers, not meanings by themselves.
- **Carry context through layers:** embeddings become temporary context-shaped hidden states.
- **Decision room:** logits/probabilities shape one next-token choice; probability is not truth.
- **Append and repeat:** one token is appended, context grows, and the next run conditions on it.

Storage

- Created/read/written: **promptlife.playChallenges.v1**.
- Read/written/preserved: **promptlife:v1:promptRunProgress**.
- Read/written/preserved: **promptlife:v1:traceComplete**.
- Read/preserved for compatibility: **pl.promptRunProgress** and **pl.traceComplete**.
- Reset QA: shared Play progress is removed; legacy Prompt Run progress is rewritten as an empty progress object; trace completion resets to **false**.


Verification

- **npm run typecheck:** passed.
- **npm run build:** passed with the existing Vite large-chunk warning.
- **npm run build:pages:** passed with the existing Vite large-chunk warning.
- **npm run audit:answers:** passed.
- 390px QA: happy completion, review-suggested completion, Play landing, Badge, reset, and smoke routes passed.
- 320px QA: Prompt Run opened with no horizontal overflow.


Known Issues

- The capstone uses simplified toy values and token boundaries; it is a learning trace, not a real tokenizer or transformer debugger.
- The existing production bundle-size warning remains.

Screenshots



Prompt Run start, 390px



Tokenization station, 390px

[Back to Play](#)

CAPSTONE CHALLENGE

Prompt Run

Trace one prompt through the full inference loop.

Station 4 of 6

0 review signals

1

Prompt

2

Tokens

3

IDs

4

Hidden

5

Probs

6

Repeat

STATION 4

Carry context through layers

Track how transformer layers update temporary context-shaped representations.

Choose what the context bundle becomes as it moves through layers.

embeddings

layers

hidden states

Layer rails

1. EMBEDDINGS

learned starting vectors

2. LAYER 1

context begins to mix

3. LAYER 2

Home

Journey

Play

Glossary

Badge

Layer station, 390px

CAPSTONE CHALLENGE

Prompt Run

Trace one prompt through the full inference loop.

Station 5 of 6

0 review signals

1

Prompt

2

Tokens

3

IDs

4

Hidden

5

Probs

6

Repeat

STATION 5

Decision room

Choose one next token from probability-shaped candidates.

Inspect the candidate bars and choose the likely next token. Probability is not truth.

logits

probabilities

sampling

Candidate probabilities

A jealous dog chased a startled cat across the kitchen ...

floor

67%

room

18%

quantum

2%

Home

Journey

Play

Glossary

Badge

Probability station, 390px

Prompt Run

Trace one prompt through the full inference loop.

Station 6 of 6

0 review signals

1Prompt

2Tokens

3IDs

4Hidden

5Probs

6Repeat

STATION 6

Append and repeat

Explain what changed after one next token was chosen.

Choose the explanation that prepares the next model run.

append

context grows

repeat

Append tray

BEFORE
prompt · A · jealous · dog

CHOSEN TOKEN
floor

NEXT CONTEXT
prompt · A · jealous · dog · floor

Home

Journey

Play

Glossary

Badge

Trace one prompt through the full inference loop.

Completed

0 review signals

Insight unlocked

Completed. You traced prompt to tokens, IDs, embeddings, hidden states, probabilities, one sampled token, append, and repeat.

Good trace. The model is not retrieving truth by magic; it is running a forward pass and choosing one next token at a time.

Trace another run

Back to Play

[Autoregression](#)

Home

Journey

Play

Glossary

Badge

Append/repeat station, 390px

Completion, 390px

file:///Users/kevinhegg/Desktop/promptlife/docs/play/prompt-life-v0-27-2-prompt-run-v2-report.html

5/6

[Back to Play](#)

CAPSTONE CHALLENGE

Prompt Run

Trace one prompt through the full inference loop.

Station 1 of 60 review signals

1Prompt

2Tokens

3IDs

4Hidden

5Probs

6Repeat

STATION 1

Separate prompt from response

Identify what was given to the model and what the model generated.

Choose the card that correctly separates the user prompt from the generated response.

prompt

response

context

Current context

USER PROMPT

Give me one sentence with two household pets in conflict.

Home

Journey

Play

Glossary

Badge

Prompt Run start, 320px

Progress saved on this device. Play is practice, not a score. 1 of 5 practice challenges show saved completion or review progress.

Each challenge practices one model-literacy move.

More below ↓

Play challenges

Suggested order follows the Journey.



Glossary Dojo

Ready

Practice concept discrimination.

Practice move: Name concepts

Recommended: Anytime

Anytime

Glossary

Learning cards: All learning cards

Action: Choose, compare, review.

Time: 4 min

Played: 0

Best: Not yet

Practice terms



Attention Match

Ready

Home

Journey

Play

Glossary

Badge

Play landing after completion, 390px

file:///Users/kevinhegg/Desktop/promptlife/docs/play/prompt-life-v0-27-2-prompt-run-v2-report.html

6/6