

PROMPT LIFE AUDIT REPORT

Play/Game Audit v0.26

This PDF wraps the v0.26 audit summary, keep/revise/merge/cut recommendations, final slate proposal, verification results, and mobile screenshots in one place.

Activities audited

Prompt Run, Context Stack, Attention Weave, Token Pipeline Relay, Glossary Dojo, How AI Learns.

Strongest current games

Glossary Dojo, Context Stack, and Prompt Run.

Weakest current games

Token Pipeline Relay, How AI Learns as a Play card, and the current single-example Attention Weave.

Verification

Typecheck, build, build:pages, and audit:answers passed. The existing Vite large-chunk warning remains.

Keep / Revise / Merge / Cut

Activity	Recommendation	Best next action
Prompt Run	REVISE	Keep as the featured capstone; tighten copy and transitions, then make the prompt trace feel more continuous.
Context Stack	KEEP	Keep in the final slate; later add optional RAG/evidence cards to strengthen the context-to-grounding bridge.
Attention Weave	REVISE	Revise into Attention Match with several tiny sentence examples and immediate relation feedback.
Token Pipeline Relay	CUT	Remove from the final Play slate or merge the useful determinism idea into Prompt Run sampling.
Glossary Dojo	KEEP	Keep. Continue wording and mobile feedback QA, but keep it independent from Journey progress.
How AI Learns	MERGE	Merge its strongest distinctions into Journey review and Prompt Run support instead of keeping it as a final Play card.

Score Matrix

Scores are 1 to 5 where 5 is strongest. Maintenance burden is reversed: 1 is low burden and 5 is high burden.

Activity	Rec.	Clarity	Value	Misconception	Fun	Mobile	Replay	Burden	Badge
Prompt Run trace-one-prompt	REVISE	4	5	5	3	4	3	4	5
Context Stack context-stack	KEEP	5	5	5	4	4	3	2	3
Attention Weave attention-weave	REVISE	4	4	5	3	4	2	2	2
Token Pipeline Relay token-relay	CUT	2	2	2	3	4	2	2	1
Glossary Dojo glossary-dojo	KEEP	5	5	5	4	4	5	4	2
How AI Learns how-ai-learns	MERGE	4	4	5	2	4	2	3	2

Recommended Final Slate

Prompt Run

Objective: Trace one prompt through tokenization, embeddings, layers, logits, softmax, sampling, append, and repeat.

Player action: Label, connect, choose, append, and order the inference loop.

Why it belongs: It is the capstone for the day-in-the-life prompt story and the only current Play activity with full-loop coverage.

Time: 6-8 min after revision | **Play insight:** yes

Context Stack

Objective: Understand the context window as temporary visible input, not permanent memory.

Player action: Push cards into a limited context window and watch older cards fall out.

Why it belongs: It is the clearest small game and directly supports context, RAG, grounding, and hallucination literacy.

Time: 3 min | **Play insight:** yes

Attention Match

Objective: Understand attention as weighted relevance between token positions, not human attention or awareness.

Player action: Connect a target token to the source token or phrase it most depends on.

Why it belongs: Attention is a core mystery-reducing concept, but it needs a clearer diagnostic mechanic than the current single arc.

Time: 3-4 min | **Play insight:** yes

Probability Picker

Objective: Understand logits, softmax, sampling, uncertainty, and why generation chooses one next token from probabilities.

Player action: Compare candidate next tokens, adjust a simple temperature control, and choose from probability-shaped options.

Why it belongs: Decision Room concepts currently need a stronger standalone practice activity.

Time: 3-4 min | **Play insight:** yes

Glossary Dojo

Objective: Build durable vocabulary for model literacy through definitions, relationships, and common mix-ups.

Player action: Answer 12 calm glossary questions with four choices and no scoring pressure.

Why it belongs: A vocabulary-rich app needs a replayable practice engine, and Dojo is already mature.

Time: 4 min | **Play insight:** no

Known Issues

- Existing Vite large-chunk warning remains.
- Prompt Run is rich but long.
- Token Pipeline Relay has weak conceptual fit.
- How AI Learns duplicates Journey-style teaching.
- Attention Weave needs more diagnostic replay value.

Recommended Next Prompt

Implement a v0.26.1 Play Slate Simplification pass using the audit docs as source guidance: keep Dojo, keep Context Stack, revise Prompt Run, revise Attention Weave into Attention Match, cut or merge Token Pipeline Relay, and merge How AI Learns into Journey/Prompt Run support while preserving storage compatibility.

Screenshots

Captured in a temporary Chrome profile against localhost. User progress was not changed. The manifest reported no horizontal overflow at 320px or 390px.

PLAY LAB

Play to understand

Small, calm challenges that make model mechanics visible through action and reflection.

FEATURED ACTIVITY



Prompt Run

Guide one prompt through the model.

Action:
Label, connect, choose, append.

Teaches:
The full inference loop.

Time: 8-10 min

Not started

Start

Practice challenges



Context Stack

Fit the right cards into a limited context

Home

Journey

Play

Glossary

Badge

Play page top at 390px

390x844; overflow: no

Action:
Label, connect, choose, append.

Teaches:
The full inference loop.

Time: 8-10 min

Not started

Start

Practice challenges



Context Stack

Fit the right cards into a limited context window.

Action:
Push and observe what falls out.

Teaches:
Context windows.

Time: 3 min

Ready

Start



Attention Weave

Draw relevance arcs between token nodes.

Action:
Connect relevant tokens.

Teaches:
Attention as relevance.

Time: 3 min

Ready

Start



Token Pipeline Delay

Home

Journey

Play

Glossary

Badge

Practice challenge cards at 390px

390x844; overflow: no

file:///Users/kevinhegg/Desktop/promptlife/docs/play/prompt-life-v0-26-play-game-audit-report.html

4/12

ready

Start



Attention Weave

Draw relevance arcs between token nodes.

Action:

Connect relevant tokens.

Teaches:

Attention as relevance.

Time: 3 min

Ready

Start



Token Pipeline Relay

Explore pass, transform, and hold operators.

Action:

Toggle operators.

Teaches:

Sequence, state, and determinism.

Time: 3 min

Ready

Start

Glossary practice



Glossary Dojo

Practice terms, definitions, relationships, and common mix-ups.

Action:

Start a 12-term round.

Teaches:

The vocabulary map behind model



Home



Journey



Play



Glossary



Badge

Glossary and guided comparison cards at 390px
390x844; overflow: no

PLAY LAB

Play to understand

Small, calm challenges that make model mechanics visible through action and reflection.

FEATURED ACTIVITY



Prompt Run

Guide one prompt through the model.

Action:

Label, connect, choose, append.

Teaches:

The full inference loop.

Time: 8-10 min

Not started

Start

Practice challenges



Context Stack

Fit the right cards into a limited context window.



Home



Journey



Play



Glossary



Badge

Play page top at 320px
320x844; overflow: no

Teaches:

The full inference loop.

Time: 8-10 min

Not started

Start

Practice challenges



Context Stack

Fit the right cards into a limited context window.

Action:

Push and observe what falls out.

Teaches:

Context windows.

Time: 3 min

Ready

Start



Attention Weave

Draw relevance arcs between token nodes.

Action:

Connect relevant tokens.

Teaches:

Attention as relevance.

Time: 3 min

Ready

Start



Token Pipeline Relay

Explore pass, transform, and hold operators.

Home

Journey

Play

Glossary

Badge

Play cards at 320px
320x844; overflow: no

[Back to games](#)

Prompt Run

1 of 13

Guide one prompt through the model from visible context to one selected token.

Sample prompt: User prompt: Give me one sentence with two household pets in conflict.

STEP 1

Prompt or Response?

Separate the complete user prompt from generated response tokens.

Hint

Hints are here when you want a nudge. No penalty, no shame.

Get hint

EXERCISE

Prompt or Response?

Prompt tokens versus generated response

Home

Journey

Play

Glossary

Badge

Prompt Run first screen
390x844; overflow: no

file:///Users/kevinhegg/Desktop/promptlife/docs/play/prompt-life-v0-26-play-game-audit-report.html

6/12

[Back to games](#)

Prompt Run

1 of 13

Guide one prompt through the model from visible context to one selected token.

Sample prompt: User prompt: Give me one sentence with two household pets in conflict.

STEP 1

Prompt or Response?

Separate the complete user prompt from generated response tokens.

Hint


The user prompt is the complete request.

[Next hint](#)

EXERCISE

Prompt or Response?

Prompt tokens versus generated response



Prompt Run hint state

390x844; overflow: no

[Back to games](#)

Context Stack



Push cards into a window that holds only the last 4. Older cards fall out of view.


Goal

Keep request, example, and tone visible when the final output card arrives.

Window is empty.

Fell out: nothing yet

Nothing has exceeded the context limit yet.



Context Stack first screen

390x844; overflow: no

[Back to games](#)

Context Stack



Push cards into a window that holds only the last 4. Older cards fall out of view.

Goal

Keep request, example, and tone visible when the final output card arrives.

User: explain LLMs

Example: pet-conflict sentence

Tone: academic

Output: three bullets

Home

Journey

Play

Glossary

Badge

Context Stack active state
390x844; overflow: no

[Back to games](#)

Attention Weave



Tap a source token, then a target token. In this sentence, connect **it** to the word it most likely depends on.

Status

Choose a source token.

Ajealousdogchaseda

startledcatbecauseithissed

Home

Journey

Play

Glossary

Badge

Attention Weave first screen
390x844; overflow: no

[Back to games](#)

Attention Weave



Tap a source token, then a target token. In this sentence, connect **it** to the word it most likely depends on.

Status
Source selected: cat. Now choose a target token.

Ajealousdogchaseda

startledcatbecauseithissed

HomeJourneyPlayGlossaryBadge

Attention Weave active state

390x844; overflow: no

[Back to games](#)

Token Pipeline Relay

seed 42



Tap each operator to cycle pass, transform, and hold. The run is replayable, but it is not training.

Target path
pass to transform to hold to pass

promptstatelogitsnext

sourcehold

passtransform

HomeJourneyPlayGlossaryBadge

Token Pipeline Relay first screen

390x844; overflow: no

[Back to games](#)

Token Pipeline Relay

seed 42



Tap each operator to cycle pass, transform, and hold. The run is replayable, but it is not training.

Target path
pass to transform to hold to pass

promptstatelogitsnext

sourcepass

transformhold

HomeJourneyPlayGlossaryBadge

Token Pipeline Relay active state
390x844; overflow: no

[Back to Play](#)

GLOSSARY DOJO

Practice glossary terms

Twelve calm prompts build vocabulary for the model story.

Ready for twelve terms?

Every choice comes from the glossary. There are no points, timers, leaderboards, or failure states.

0 rounds

0 questions

0 mastered over time

Start 12-term round

HomeJourneyPlayGlossaryBadge

Glossary Dojo entry
390x844; overflow: no

[Back to Play](#)

GLOSSARY DOJO

Practice glossary terms

Question 1 of 12

TERM TO DESCRIPTION

What is Completion?

Choose the best description.

A

The sequence of tokens the model generates after processing the current context.

B

Generating a response by choosing one token, appending it, and repeating.

C

One newly chosen response token appended to the context during generation.

D

The generated text that follows a prompt, assembled from

Home

Journey

Play

Glossary

Badge

Glossary Dojo question state
390x844; overflow: no

[Back to Play](#)

GLOSSARY DOJO

Practice glossary terms

Question 1 of 12

TERM TO DESCRIPTION

What is Completion?

Choose the best description.

A

The sequence of tokens the model generates after processing the current context.
Your choice

B

Generating a response by choosing one token, appending it, and repeating.

C

One newly chosen response token appended to the context during generation.

D

The generated text that follows a

Home

Journey

Play

Glossary

Badge

Glossary Dojo feedback state
390x844; overflow: no

[Back to games](#)

How AI Learns

1 of 10

Compare durable learning, temporary steering, retrieval, inference, human feedback, and self-supervised pretraining.

SUPERVISED LEARNING

data

training signal

Metaphor: Answer key.

Plain meaning

Humans provide examples with answers.

Metaphor

Answer key.

Key distinction



Home



Journey



Play



Glossary



Badge

How AI Learns first screen

390x844; overflow: no

file:///Users/kevinhegg/Desktop/promptlife/docs/play/prompt-life-v0-26-play-game-audit-report.html

12/12