

PROMPT LIFE TARGETED REPAIR

v0.25.4 Prompt vs Response And Checkpoint Paging

What Changed

- Repaired the coded `Prompt vs Response` visual into a taller stacked diagram.
- Separated given prompt tokens, generated response-so-far, next token, and updated context.
- Added optional top-of-panel checkpoint paging for future multi-question lesson cards.
- Preserved the existing single-question checkpoint UI and shuffle key.
- Bumped the visible app version to `v0.25.4`.

QA And Verification

- `npm run typecheck` : passed.
- `npm run build` : passed with the existing Vite large-chunk warning.
- Visual QA at 390px and 320px: no horizontal overflow, no clipped tokens observed.
- Current production content has no `quiz.questions` arrays, so the multi-question pager awaits content-specific QA when first used.

Files Changed

- `src/components/VisualAids.tsx`
- `src/main.tsx`
- `src/styles/global.css`
- `docs/REVIEW_NOTES.md`
- `docs/prompt-life-v0-25-4-prompt-vs-response-and-checkpoint-paging-report.md`

Screenshots

not change.

VISUAL AID

What to picture

1

Given prompt tokens
already provided to the model

Describe two pets in conflict

2

Generated response so far
made one token at a time

A jealous dog

3

Next token
chased

4

Updated context for the next run
given prompt + generated response + new token

prompt A jealous dog chased

Prompt vs Response

Given context versus generated tokens

Prompt tokens are given to the model;
response tokens are generated one at a
time and appended to the next context.

1

Given prompt

The request "Describe two
pets in conflict" is already provided input.

2

Generated response

The response-so-far
"A jealous dog" was generated by the
model.

3

Next token

The newly selected token
"chased" is appended to the response.

4

Updated context

The next run sees prompt
plus response so far plus the new token.

Key takeaways

Home

Journey

Play

Glossary

Badge

Prompt vs Response visual at 390px

390x844; overflow: no

distinct.

CHECKPOINT

What happens after one response
token is generated?

A

It is appended to the context

B

The model permanently learns it

C

The whole answer appears at
once

D

Softmax disappears

REFLECT

Teach it back in one sentence.

Reflection is available in Learn mode.

Return to Journey

Home

Journey

Play

Glossary

Badge

Existing checkpoint panel at 390px

390x844; overflow: no

Visual Aid

What to picture

1 Given prompt tokens already provided to the model
Describe two pets in conflict

2 Generated response so far made one token at a time
A jealous dog

3 Next token
chased

4 Updated context for the next run given prompt + generated response + new token
prompt A jealous dog chased

Prompt vs Response

Given context versus generated tokens

Prompt tokens are given to the model; response tokens are generated one at a time and appended to the next context.

- 1 Given prompt** The request "Describe two pets in conflict" is already provided input.
- 2 Generated response** The response-so-far "A jealous dog" was generated by the model.
- 3 Next token** The newly selected token "chased" is appended to the response.
- 4 Updated context** The next run sees prompt plus response so far plus the new token

Home

Journey

Play

Glossary

Badge

Prompt vs Response visual at 320px
320x844; overflow: no

Checkpoint

What happens after one response token is generated?

A It is appended to the context

B The model permanently learns it

C The whole answer appears at once

D Softmax disappears

Reflect

Teach it back in one sentence.

Reflection is available in Learn mode.

Return to Journey

Home

Journey

Play

Glossary

Badge

Existing checkpoint panel at 320px
320x844; overflow: no