

Prompt Life v0.28.5 Visual Strategy Reset Report

Generated 2026-06-14T03:11:44.091Z. This pass does not redesign Journey visuals. It assigns each of the 39 visual aids to a final strategy lane: Image 2 concept card, coded mechanism mini-diagram, HTML comparison board, or callout-only removal/simplification.

39
CARDS TRIAGED

12
IMAGE 2

17
CODED

8
HTML BOARDS

2
REMOVE/SIMPLIFY

Strategy Summary

Use Image 2 where beauty, atmosphere, and metaphor carry the teaching. Use coded mini-diagrams only where exact relationships matter. Use HTML comparison boards for boundary distinctions. Remove visuals when the diagram adds clutter, fake precision, or more labels than insight.

39-Card Triage Table

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Before Morning	What Is an LLM?	Prompt to Prediction generated-image	Opening visual is useful, but it should be treated as a polished conceptual image, not a mechanics diagram.	Image 2 Concept Card This card needs to reduce mystery and set tone; exact next-token mechanics are better handled by HTML callouts.	P1 before human testing	Keep or regenerate as a textless Image 2 concept card showing prompt input, learned model cloud, and one token emerging.
Before Morning	Where LLMs Fit	AI Family Tree coded-svg	The family-tree relationship is exact enough that a generated image could blur category boundaries.	Coded Mechanism Mini-Diagram Learners must see nested/related categories clearly: AI, machine learning, deep learning, generative AI, LLMs, diffusion, and multimodal.	P2 keep through testing	Keep as a coded minimal branch/taxonomy visual with short labels and tap-to-reveal explanations.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Before Morning	Rationalists vs Empiricists	Rules and Learned Patterns coded-svg	The concept is a boundary between rules-first AI, learned patterns, and hybrids.	HTML Comparison Board A simple board teaches the distinction better than a decorative image or flowchart.	P2 keep through testing	Keep as an HTML comparison board; keep loss explanation in callouts/glossary, not inside the board.
Before Morning	Training	Training Loop coded-svg	Training depends on exact step order and the durable weight-update distinction.	Coded Mechanism Mini-Diagram Prediction, loss, optimizer, and weight update must remain mechanically controlled.	P2 keep through testing	Keep a coded 4-5 step loop with one highlighted durable weight-update step.
Before Morning	Pretraining	Broad Pretraining generated-image	Scale and broad pattern learning are conceptual; exact mechanics belong in callouts.	Image 2 Concept Card A polished static image can show many examples shaping a model without implying perfect memory.	P1 before human testing	Use a textless Image 2 concept card showing many blank paper streams shaping a model horizon.
Before Morning	Overfitting and Generalization	Overfitting vs Generalization coded-svg	The current plot is readable but still risks feeling like a math chart before learners need one.	HTML Comparison Board The key boundary is training-fit versus validation transfer; a board with one small curve example is enough.	P2 keep through testing	Keep or convert to an HTML comparison board: memorizes old examples versus transfers to set-aside examples.
Before Morning	Fine-Tuning	Durable vs Temporary Steering coded-html	This card is a durable-versus-temporary boundary, not an atmospheric concept.	HTML Comparison Board Fine-tuning must be separated from prompting, retrieval, and sampling with high precision.	P1 before human testing	Lock as an HTML comparison board with durable update on one side and current-run steering on the other.
Before Morning	Alignment	Alignment Landscape generated-image	Behavior shaping is conceptual and social; a coded mechanism can imply false precision.	Image 2 Concept Card Image 2 can carry the calm behavior-shaping metaphor while HTML callouts state the conscience boundary.	P1 before human testing	Use a textless Image 2 concept card; keep alignment-versus-conscience language in HTML callouts.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Morning Commute	Inference	Forward Pass coded-html	Inference requires the fixed-weights versus temporary-activation distinction.	Coded Mechanism Mini-Diagram Exact flow matters: context enters, fixed weights are used, temporary values form, scores emerge, next token is selected.	P2 keep through testing	Keep as a coded vertical mechanism strip with no paragraph text in the diagram.
Morning Commute	Prompt vs Response	Prompt vs Response coded-html	Prompt/response must show generated tokens being appended to context.	Coded Mechanism Mini-Diagram This is one of the core mental models; static art would blur given input versus generated output.	P1 before human testing	Keep the crisp stacked coded layout: prompt, response so far, next token, updated context.
Morning Commute	Tokenization	Text to Tokens coded-html	Tokenization needs exact chips and uneven splits without awkward wrapping.	Coded Mechanism Mini-Diagram Learners must see tokens are not always words.	P1 before human testing	Keep as coded token chips with short labels and wrapped rows.
Morning Commute	Token IDs	Token IDs coded-svg	Token ID lookup is an exact mapping, not a metaphor.	Coded Mechanism Mini-Diagram The visual must separate surface text, token chunk, ID, and later vector lookup.	P2 keep through testing	Keep a coded lookup mini-diagram with chips and IDs only.
Morning Commute	Embeddings	Embedding Lookup coded-svg	Embedding is often confused with hidden state, so the lookup boundary must stay explicit.	Coded Mechanism Mini-Diagram A coded table/tray can show learned starting vector without implying current-context shaping.	P2 keep through testing	Keep coded lookup: token ID enters a learned table and returns a starting vector.
Morning Commute	Vectors	Feature Vector coded-html	The current feature-vector visual risks fake precision and may add little beyond the text.	No Visual Needed / Text Callout Only For this audience, a concise callout can say vector equals ordered numbers carrying learned features without requiring a diagram.	P0 before human testing	Remove or replace with a text callout only; if retained later, use one simple row of numbered chips with no axes.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Morning Commute	Tensors	Tensor Block coded-html	The tensor block can look like an arbitrary grid and may create more confusion than clarity.	No Visual Needed / Text Callout Only The minimum learning objective is that tensors are shaped arrays; callouts can do that without a fake geometry.	P0 before human testing	Remove or replace with a callout-only explanation; defer any coded tensor shape until after learner feedback.
Workday	Attention	Relevance Between Tokens coded-html	Attention must remain weighted token-to-token relevance, not human awareness.	Coded Mechanism Mini-Diagram Exact token arcs and weights should be controlled in code.	P1 before human testing	Keep a coded token-arc mini-diagram with 1-3 word labels and no long text.
Workday	MLP	Attention vs MLP coded-html	The lesson depends on distinguishing attention from MLP behavior.	HTML Comparison Board A board can compare across-token relevance with per-token feature reshaping.	P1 before human testing	Keep as an HTML comparison board: Attention connects positions; MLP reshapes each token.
Workday	Layers	Transformer Layer Strip coded-html	Layer order and carry-forward behavior are exact enough to keep coded.	Coded Mechanism Mini-Diagram A minimal strip can show repeated transformations without dense wiring.	P2 keep through testing	Keep coded vertical strip; do not add internal layer math.
Workday	Hidden States	Embedding, Hidden State, Weight coded-html	The card teaches a three-way distinction: embedding, hidden state, and weight.	HTML Comparison Board A comparison board is clearer than a flowchart.	P1 before human testing	Keep as HTML comparison board with short headings and detailed callouts below.
Decision Room	Logits	Raw Scoreboard coded-svg	Raw scores need visual precision and must not look like probabilities or truth.	Coded Mechanism Mini-Diagram Probability bars/scores require controlled values.	P2 keep through testing	Keep coded raw-score bars with HTML callout saying scores are not probabilities.
Decision Room	Softmax	Score to Probability coded-svg	Softmax is a precise conversion from raw scores to probabilities.	Coded Mechanism Mini-Diagram Exact score-to-probability relationship should stay coded.	P2 keep through testing	Keep coded transformation visual with the same token set as logits/sampling.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Decision Room	Sampling	Weighted Token Choice coded-svg	Sampling must separate probability from truth and from the final choice.	Coded Mechanism Mini-Diagram The learner needs controlled probability bars and one selected next token.	P2 keep through testing	Keep coded probability bars plus one selected token; no exact tiny numbers required.
The Day Repeats	Autoregression	Append and Repeat coded-svg	Append-and-repeat is core process mechanics.	Coded Mechanism Mini-Diagram A coded mini-diagram can show next token, append, run again, context grows.	P2 keep through testing	Keep coded repeat loop with four short steps.
The Day Repeats	Context Window	Temporary Context Window coded-html	Context window is a temporary boundary; it must not look like permanent memory.	Coded Mechanism Mini-Diagram A coded tray/stack can show what fits and what falls out.	P1 before human testing	Keep coded tray with visible limit and fall-out area.
The Day Repeats	RAG and Retrieval	Open-Book Retrieval coded-svg	RAG is retrieval plus context, not model learning.	Coded Mechanism Mini-Diagram The outside-document search step and current-context insertion need exact control.	P1 before human testing	Keep coded retrieval shelf/tray: user prompt, retriever, retrieved cards, context tray, generated response.
The Day Repeats	Grounding	Claim Support Map coded-svg	Grounding must show claim-to-evidence support without guaranteeing truth.	Coded Mechanism Mini-Diagram Support lines, missing support, and review markers need careful control.	P1 before human testing	Keep coded claim/evidence support map with sparse labels.
The Day Repeats	Hallucinations	Unsupported Bridge coded-svg	The key distinction is fluent supported output versus fluent unsupported output.	HTML Comparison Board A comparison board can teach hallucination versus lying without spooky imagery.	P1 before human testing	Use/keep HTML comparison board: supported claim, unsupported claim, review.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Twilight: The Wider Landscape	How AI Learns	Learning Modes Matrix coded-svg	This card compares modes; a flowchart invites false sequence thinking.	HTML Comparison Board Training, fine-tuning, RAG, prompting, and evaluation should be shown as categories, not steps in one process.	P1 before human testing	Use/keep HTML comparison board with durable change versus current-run support.
Twilight: The Wider Landscape	Diffusion vs Autoregression	Append Or Denoise coded-svg	The lesson is a boundary between autoregressive text and diffusion denoising.	HTML Comparison Board A two-lane comparison board is clearer than a generative art scene.	P1 before human testing	Keep HTML comparison board: append tokens versus denoise pattern.
Twilight: The Wider Landscape	Multimodal AI	Media Lane Map coded-svg	The current media-lane map is serviceable but still feels diagrammatic and may not need exact wiring.	Image 2 Concept Card Multimodal is a conceptual family idea; Image 2 can show multiple media streams represented together while HTML explains boundaries.	P0 before human testing	Replace with textless Image 2 concept card showing text, image, audio, and video-like paper forms entering one shared representation field.
Twilight: The Wider Landscape	The Perfect Storm	Storm Front coded-svg	Convergence diagrams have repeatedly created label/alignment pressure on mobile.	Image 2 Concept Card A conceptual storm-front image can show convergence while callouts name data, compute, storage, methods, labor, and incentives.	P0 before human testing	Replace with Image 2 concept card; keep all ingredient labels in HTML callouts.
Midnight Ledger	Collective Intelligence, Extracted	Borrowed Flames coded-svg	The concept is cultural and provenance-focused; coded nodes feel thin.	Image 2 Concept Card Image 2 can make human-created traces and rights/provenance questions feel concrete without fake mechanics.	P1 before human testing	Replace or supplement with a textless Image 2 lantern/source-traces concept card.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
Midnight Ledger	Costs We Must Count	Cost Ledger coded-svg	Cost ledgers risk fake dashboard language and false precision.	Image 2 Concept Card A static concept image can show hidden infrastructure and institutional costs without invented metrics.	P0 before human testing	Replace with a textless Image 2 infrastructure/ledger scene; keep cost categories in HTML.
Midnight Ledger	Risk vs Myth	Risk Ledger coded-svg	Risk visuals can easily become spooky or too ledger-like.	Image 2 Concept Card A polished concept image can separate real-world grounded risk from myth while callouts do the exact sorting.	P0 before human testing	Replace with textless Image 2 concept card showing a grounded path beside misty myth shapes; keep labels outside.
New Dawn	Benefits Worth Taking Seriously	Benefit Tiers coded-svg	Benefit chips are readable but feel utilitarian for a hope/bounds lesson.	Image 2 Concept Card A calm tool-garden image can convey useful bounded benefit without hype.	P1 before human testing	Replace with textless Image 2 tool-garden concept card and keep benefit tiers in HTML.
New Dawn	Human-Centered AI	Accountability Flow coded-svg	Accountability flow is accurate but visually administrative.	Image 2 Concept Card A humane concept image can put dignity, review, and accountable action at the center.	P1 before human testing	Replace with textless Image 2 human-centered decision-support scene; callouts carry governance specifics.
New Dawn	Better AI Is a Choice	Better-AI Control Panel coded-svg	Lever panels can feel like a fake control dashboard.	Image 2 Concept Card The lesson is about human choices and governance, so a concept image plus callouts is stronger.	P1 before human testing	Replace with Image 2 forked-path/control-choice scene; keep data, evaluation, policy, review, and incentives in HTML.
New Dawn	Effective Prompting from Model Literacy	Context Tray coded-svg	Prompting depends on context packing, evidence, format, and review in one run.	Coded Mechanism Mini-Diagram The context tray is exact and should remain coded.	P2 keep through testing	Keep coded tray/stack visual with short prompt-part chips.

STAGE	CARD	CURRENT VISUAL	CURRENT PROBLEM	RECOMMENDATION	PRIORITY	NEXT ACTION
New Dawn	Model Literate Synthesis	Model Literacy Board coded-html	The capstone board remains abstract and can feel like a summary dashboard.	Image 2 Concept Card A final concept image can integrate mechanics, evidence, and human responsibility while HTML callouts stay precise.	P0 before human testing	Replace with textless Image 2 compass/lantern/map concept card; keep three synthesis callouts below.

Image 2 Candidate List

1. **What Is an LLM?:** Keep or regenerate as a textless Image 2 concept card showing prompt input, learned model cloud, and one token emerging.
2. **Pretraining:** Use a textless Image 2 concept card showing many blank paper streams shaping a model horizon.
3. **Alignment:** Use a textless Image 2 concept card; keep alignment-versus-conscience language in HTML callouts.
4. **Multimodal AI:** Replace with textless Image 2 concept card showing text, image, audio, and video-like paper forms entering one shared representation field.
5. **The Perfect Storm:** Replace with Image 2 concept card; keep all ingredient labels in HTML callouts.
6. **Collective Intelligence, Extracted:** Replace or supplement with a textless Image 2 lantern/source-traces concept card.
7. **Costs We Must Count:** Replace with a textless Image 2 infrastructure/ledger scene; keep cost categories in HTML.
8. **Risk vs Myth:** Replace with textless Image 2 concept card showing a grounded path beside misty myth shapes; keep labels outside.
9. **Benefits Worth Taking Seriously:** Replace with textless Image 2 tool-garden concept card and keep benefit tiers in HTML.
10. **Human-Centered AI:** Replace with textless Image 2 human-centered decision-support scene; callouts carry governance specifics.
11. **Better AI Is a Choice:** Replace with Image 2 forked-path/control-choice scene; keep data, evaluation, policy, review, and incentives in HTML.
12. **Model Literate Synthesis:** Replace with textless Image 2 compass/lantern/map concept card; keep three synthesis callouts below.

Coded Mechanic List

1. **Where LLMs Fit:** Keep as a coded minimal branch/taxonomy visual with short labels and tap-to-reveal explanations.
2. **Training:** Keep a coded 4-5 step loop with one highlighted durable weight-update step.
3. **Inference:** Keep as a coded vertical mechanism strip with no paragraph text in the diagram.
4. **Prompt vs Response:** Keep the crisp stacked coded layout: prompt, response so far, next token, updated context.
5. **Tokenization:** Keep as coded token chips with short labels and wrapped rows.
6. **Token IDs:** Keep a coded lookup mini-diagram with chips and IDs only.
7. **Embeddings:** Keep coded lookup: token ID enters a learned table and returns a starting vector.
8. **Attention:** Keep a coded token-arc mini-diagram with 1-3 word labels and no long text.
9. **Layers:** Keep coded vertical strip; do not add internal layer math.
10. **Logits:** Keep coded raw-score bars with HTML callout saying scores are not probabilities.
11. **Softmax:** Keep coded transformation visual with the same token set as logits/sampling.
12. **Sampling:** Keep coded probability bars plus one selected token; no exact tiny numbers required.
13. **Autoregression:** Keep coded repeat loop with four short steps.
14. **Context Window:** Keep coded tray with visible limit and fall-out area.
15. **RAG and Retrieval:** Keep coded retrieval shelf/tray: user prompt, retriever, retrieved cards, context tray, generated response.
16. **Grounding:** Keep coded claim/evidence support map with sparse labels.
17. **Effective Prompting from Model Literacy:** Keep coded tray/stack visual with short prompt-part chips.

HTML Comparison Board List

1. **Rationalists vs Empiricists:** Keep as an HTML comparison board; keep loss explanation in callouts/glossary, not inside the board.
2. **Overfitting and Generalization:** Keep or convert to an HTML comparison board: memorizes old examples versus transfers to set-aside examples.
3. **Fine-Tuning:** Lock as an HTML comparison board with durable update on one side and current-run steering on the other.
4. **MLP:** Keep as an HTML comparison board: Attention connects positions; MLP reshapes each token.
5. **Hidden States:** Keep as HTML comparison board with short headings and detailed callouts below.
6. **Hallucinations:** Use/keep HTML comparison board: supported claim, unsupported claim, review.
7. **How AI Learns:** Use/keep HTML comparison board with durable change versus current-run support.
8. **Diffusion vs Autoregression:** Keep HTML comparison board: append tokens versus denoise pattern.

Removal / Simplification Candidates

1. **Vectors:** Remove or replace with a text callout only; if retained later, use one simple row of numbered chips with no axes.
2. **Tensors:** Remove or replace with a callout-only explanation; defer any coded tensor shape until after learner feedback.

Top 10 Visuals To Change Before Human Testing

1. **Vectors:** Remove or replace with a text callout only; if retained later, use one simple row of numbered chips with no axes.
2. **Tensors:** Remove or replace with a callout-only explanation; defer any coded tensor shape until after learner feedback.
3. **Multimodal AI:** Replace with textless Image 2 concept card showing text, image, audio, and video-like paper forms entering one shared representation field.
4. **The Perfect Storm:** Replace with Image 2 concept card; keep all ingredient labels in HTML callouts.
5. **Costs We Must Count:** Replace with a textless Image 2 infrastructure/ledger scene; keep cost categories in HTML.
6. **Risk vs Myth:** Replace with textless Image 2 concept card showing a grounded path beside misty myth shapes; keep labels outside.
7. **Model Literate Synthesis:** Replace with textless Image 2 compass/lantern/map concept card; keep three synthesis callouts below.
8. **What Is an LLM?:** Keep or regenerate as a textless Image 2 concept card showing prompt input, learned model cloud, and one token emerging.
9. **Attention:** Keep a coded token-arc mini-diagram with 1-3 word labels and no long text.
10. **Grounding:** Keep coded claim/evidence support map with sparse labels.

Image 2 Prompt Packet Summary

The companion prompt packet includes 12 production prompts with purpose, negative prompt, aspect ratio, style, embedded-text decision, HTML callouts, alt text, and acceptance criteria. Embedded text is disallowed for this batch unless a later human verification step approves a specific generated asset.