

## Visualización de las tablas:

```
mario_database=>
```

Schema	Name	Type	Owner
public	actions	table	freecodecamp
public	actions_action_id_seq	sequence	freecodecamp
public	character_actions	table	freecodecamp
public	characters	table	freecodecamp
public	characters_character_id_seq	sequence	freecodecamp
public	more_info	table	freecodecamp
public	more_info_more_info_id_seq	sequence	freecodecamp
public	sounds	table	freecodecamp
public	sounds_sound_id_seq	sequence	freecodecamp

(9 rows)

## Visualización de los datos:

```
select * from characters;
mario_database=>
```

character_id	name	homeland	favorite_color
2	Luigi	Mushroom Kingdom	Green
3	Peach	Mushroom Kingdom	Pink
7	Yoshi	Dinosaur Land	Green
6	Daisy	Sarasaland	Orange
1	Mario	Mushroom Kingdom	Red
4	Toad	Mushroom Kingdom	Blue
5	Bowser	Koopa Kingdom	Yellow

(7 rows)

```
select * from more_info;
```

more_info_id	birthday	height_in_cm	weight_in_kg	character_id
1	1981-07-09	155	64.5	1
2	1983-07-14	175	48.8	2
3	1985-10-18	173	52.2	3
4	1950-01-10	66	35.6	4
5	1990-10-29	258	300.0	5
6	1989-07-31			6
7	1990-04-13	162	59.1	7

(7 rows)

```
mario_database=> SELECT * FROM characters FULL JOIN more_info ON characters.character_id = more_info.character_id;
```

character_id	name	homeland	favorite_color	more_info_id	birthday	height_in_cm	weight_in_kg	character_id
2	Luigi	Mushroom Kingdom	Green	2	1983-07-14	175	48.8	2
3	Peach	Mushroom Kingdom	Pink	3	1985-10-18	173	52.2	3
7	Yoshi	Dinosaur Land	Green	7	1990-04-13	162	59.1	7
6	Daisy	Sarasaland	Orange	6	1989-07-31			6
1	Mario	Mushroom Kingdom	Red	1	1981-07-09	155	64.5	1
4	Toad	Mushroom Kingdom	Blue	4	1950-01-10	66	35.6	4
5	Bowser	Koopa Kingdom	Yellow	5	1990-10-29	258	300.0	5

(7 rows)

```
mario_database=> SELECT * FROM characters FULL JOIN sounds ON characters.character_id = sounds.character_id;
```

character_id	name	homeland	favorite_color	sound_id	filename	character_id
1	Mario	Mushroom Kingdom	Red	1	its-a-me.wav	1
1	Mario	Mushroom Kingdom	Red	2	yippee.wav	1
2	Luigi	Mushroom Kingdom	Green	3	ha-ha.wav	2
2	Luigi	Mushroom Kingdom	Green	4	oh-yeah.wav	2
3	Peach	Mushroom Kingdom	Pink	5	yay.wav	3
3	Peach	Mushroom Kingdom	Pink	6	woo-hoo.wav	3
3	Peach	Mushroom Kingdom	Pink	7	mm-hmm.wav	3
1	Mario	Mushroom Kingdom	Red	8	yahoo.wav	1
5	Bowser	Koopa Kingdom	Yellow			
6	Daisy	Sarasaland	Orange			
4	Toad	Mushroom Kingdom	Blue			
7	Yoshi	Dinosaur Land	Green			

(12 rows)

```
mario_database=> SELECT * FROM character_actions FULL JOIN characters ON character_actions.character_id = characters.character_id FULL JOIN actions ON character_actions.action_id = actions.action_id;
mario_database=>
```

character_id	action_id	character_id	name	homeland	favorite_color	action_id	action
7	1	7	Yoshi	Dinosaur Land	Green	1	run
7	2	7	Yoshi	Dinosaur Land	Green	2	jump
7	3	7	Yoshi	Dinosaur Land	Green	3	duck
6	1	6	Daisy	Sarasaland	Orange	1	run
6	2	6	Daisy	Sarasaland	Orange	2	jump
6	3	6	Daisy	Sarasaland	Orange	3	duck
5	1	5	Bowser	Koopa Kingdom	Yellow	1	run
5	2	5	Bowser	Koopa Kingdom	Yellow	2	jump
5	3	5	Bowser	Koopa Kingdom	Yellow	3	duck
4	1	4	Toad	Mushroom Kingdom	Blue	1	run
4	2	4	Toad	Mushroom Kingdom	Blue	2	jump
4	3	4	Toad	Mushroom Kingdom	Blue	3	duck
3	1	3	Peach	Mushroom Kingdom	Pink	1	run
3	2	3	Peach	Mushroom Kingdom	Pink	2	jump
3	3	3	Peach	Mushroom Kingdom	Pink	3	duck
2	1	2	Luigi	Mushroom Kingdom	Green	1	run
2	2	2	Luigi	Mushroom Kingdom	Green	2	jump
2	3	2	Luigi	Mushroom Kingdom	Green	3	duck
1	1	1	Mario	Mushroom Kingdom	Red	1	run
1	2	1	Mario	Mushroom Kingdom	Red	2	jump
1	3	1	Mario	Mushroom Kingdom	Red	3	duck

(21 rows)

## Tutorial completado:

Tutorial Complete! ✕



Congratulations!

Continue >

(ctrl + enter)

✓ Congratulations on completing "Learn Relational Databases by Building a Database of Video Game Characters"!

You've reached the end of the road...

To go down another path:

- open a new VSCode workspace
- relaunch the CodeRoad app
- select a new tutorial