Rajalakshmi Engineering College

Name: Kevin Joe S \checkmark

Email: 241501085@rajalakshmi.edu.in

Roll no: 241501085 Phone: 9894620565

Branch: REC

Department: I AIML AD

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 19

Section 1: MCQ

1. What will be the output?

a={'B':5,'A':9,'C':7} print(sorted(a))

Answer

['A', 'B', 'C'].

Status: Correct Marks: 1/1

2. What will be the output for the following code?

a=(1,2,3) b=('A','B','C') c=zip(a,b)

print(c) print(tuple(c))

Answer

(('A', 1), ('B', 2), ('C', 3))

Marks: 0/1 Status: Wrong

3. What is the output of the following code?

a={1:"A",2:"B",3:"C"} b=a.copy() b[2]="D" print(a)

Answer

{1: 'A', 2: 'B', 3: 'C'}

Status: Correct Marks: 1/1

4. Set s1 = {1, 2, 4, 3} and s2 = {1, 5, 4, 6}, find s1 & amp; s2, s1 - s2, s1 | s2 and s1 ^ s2.

Answer

 $s1\&s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$

Status: Correct Marks: 1/1

5. What is the output of the following?

 $set1 = \{10, 20, 30, 40, 50\}$ set2 = {60, 70, 10, 30, 40, 80, 20, 50} print(set1.issubset(set2)) print(set2.issuperset(set1))

Answer

TrueTrue

6. What will be the output for the following code? t1 = (1, 2, 4, 3)t2 = (1, 2, 3, 4)print(t1 < t2)**Answer** False Status: Correct Marks: 1/1 What is the output of the following code? a=(1,2,(4,5))b=(1,2,(3,4))print(a<b)</pre> Answer False Marks: 1/1 Status: Correct 8. Which of the following statements is used to create an empty tuple? **Answer** () Status: Correct Marks: 1/1 9. Which of the following isn't true about dictionary keys? Answer Keys must be integers Status: Correct

Marks : 1/1

Status: Correct

10. Predict the output of the following Python program

init_tuple_a = 1, 2, 8 init_tuple_b = (1, 2, 7) set1=set(init_tuple_b) set2=set(init_tuple_a) print (set1 | set2) print (init_tuple_a | init_tuple_b)

Answer

{1, 2, 7, 8}TypeError: unsupported operand type

Status: Correct Marks: 1/1

11. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

t[3] = 45

Status: Correct Marks: 1/1

12. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes an arbitrary element

Status: Correct Marks: 1/1

13. Fill in the code in order to get the following output.

Output:

Tuple: (1, 3, 4)

Max value: 4

t=(1,)

print("Tuple:" ,t) print("Max value:", Answer 1) t=t+(3,4)2) max(t) Status: Correct Marks: 1/1 14. What will be the output of the following code? a=(1,2,3,4)print(sum(a,3)) **Answer** 2473 Status: Correct 15. Which of the following is a Python tuple? **Answer** (1, 2, 3)Status: Correct Marks: 1/1 16. What is the output of the following code? a={"a":1,"b":2,"c":3} b=dict(zip(a.values(),a.keys())) print(b) Answer {1: 'a', 2: 'b', 3: 'c'} Status: Correct Marks: 1/1

17. What is the output of the below Python code?

```
list1 = [1, 2, 3]
list2 = [5, 6, 7]
list3 = [10, 11, 12]
set1 = set(list2)
set2 = set(list1)
set1.update(set2)
set1.update(list3)
print(set1)

Answer
{1, 2, 3, 5, 6, 7, 10, 11, 12}
```

18. Which of the statements about dictionary values is false?

Answer

Status: Correct

Values of a dictionary must be unique

Status: Correct Marks: 1/1

Marks: 1/1

19. What will be the output of the following program?

Answer

{1, 2, 3}

Status: Correct Marks: 1/1

20. What is the result of print(type({}) is set)?

Answer

False

Status: Correct Marks: 1/1