






工令: JS203-16-B01_03

電路/Layout: 范姜德 / 彭萬明 2020.06.08

版本: V3.0

改版原因: 修改電路,修改PCB尺寸










SPK_DECT << SPK_DECT
MIC_DECT << MIC_DECT
I2C_SDA << I2C_SDA
I2C_SCLK << I2C_SCLK
AMP_TEMP << AMP_TEMP
AMP_MUTE << AMP_MUTE
AMP_SHDN << AMP_SHDN
+5V << +5V
GND << GND





Kevin Harry Keith
R, C, L 未標示者皆為 0603

Title JS203-16-B01_03		
Size A4	Document Number JS203-16-B01_03	Rev 3
Date: Sunday, June 07, 2020	Sheet 1	of 3





Title		
JS203-16-B01_03		
Size	Document Number	Rev
A	JS203-16-B01_03	3
Date:	Sunday, June 07, 2020	Sheet 3 of 3



板材尺寸	板厚	單/雙/多層	材質	鍍金/鍍錫 (有鉛/無鉛)	單片/連片	顏色	數量	其它
65*68.5mm	2.0mm	4層	FR4	化金	單片	綠色	10	

JOSN

九晟電子股份有限公司
JOSN Electronic Co.,Ltd.

會
簽

Harry

Keith

