Use Case Tables

Table format used: Use Case ID, Use Case Name, Actors, Goal, Preconditions, Main Success Flow, Alternative / Exception Flow, and Postconditions.

Tenant

FR1 - Update Personal Information

Use Case Name	FR1 ➔ Update Personal Information
Actors	**Primary:** Tenant
Goal	Edit personal profile data such as name, phone number, or contact details.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The tenant logs in. 2. The tenant opens the profile settings page. 3. The tenant edits the required personal information. 4. The tenant saves the changes. 5. The tenant profile is updated and he reads the success message on screen.
Alternative / Exception Flow	1.If data is invalid, tenant reads error message on screen.
Postconditions	The tenant profile is updated.

FR2 - Search Properties

Use Case Name	FR2 ➔ Search Properties
Actors	**Primary:** Tenant
Goal	Search for rental properties that match general preferences.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The tenant opens the property search page. 2. The tenant enters search keywords or basic preferences. 3. The tenant starts the search. 4. The system retrieves matching properties. 5. The system displays the search results.
Alternative / Exception Flow	1. If no properties match the search, the system shows an empty-results message.
Postconditions	Matching properties are displayed or the tenant is informed that no results were found.

FR3 - Filter Properties

Use Case Name	FR3 ➔ Filter Properties
Actors	**Primary:** Tenant
Goal	Filter available properties by location, price, and property type to narrow search results.
Preconditions	The tenant is logged into the system and the property search page is accessible.
Main Success Flow	1. The tenant opens the property search page. 2. The tenant selects filter options such as location, price range, or property type. 3. The tenant applies the selected filters. 4. The system processes the selected criteria. 5. The system displays properties that match the selected filters.
Alternative / Exception Flow	1. If no properties match the selected filters, the system displays a message indicating that no results were found.
Postconditions	Filtered property results are displayed to the tenant or the tenant is informed that no matching properties were found.

FR4 - View Property Details and Booking History

Use Case Name	FR4 ➔ View Property Details and Booking History
Actors	**Primary:** Tenant
Goal	View detailed information about a property and the tenant's booking history.
Preconditions	The tenant is logged into the system and has access to property listings or booking history.
Main Success Flow	1. The tenant selects a property from the search results. 2. The Tenant sees property details 3. The tenant navigates to their booking history section. 4. If history exists, tenant reads the booking history
Alternative / Exception Flow	1. If the tenant has no booking history, he will read the no history message on screen
Postconditions	The tenant views property details and/or booking history successfully.

FR5 - Send Rental Request and Message to Property Owner

Use Case Name	FR5 ➔ Send Rental Request and Message to Property Owner
Actors	**Primary:** Tenant **Secondary:** Property Owner
Goal	Allow the tenant to send a rental request or message to a property owner regarding a property listing.
Preconditions	The tenant is logged into the system and viewing the details of a property listing.
Main Success Flow	1. The tenant selects a property listing. 2. The tenant chooses the option to send a rental request or message the property owner. 3. The tenant enters the request or message details. 4. The tenant submits the request or message. 5. If valid, tenant sends request to owner and then stores the request.
Alternative / Exception Flow	1. Tenant reads the error on screen. 2. If the message field is empty or invalid, the system prompts the tenant to correct the input before sending.
Postconditions	The rental request or message is successfully sent to the property owner and recorded in the system.

FR6 - Cancel Rental Request

Use Case Name	FR6 ➔ Cancel Rental Request
Actors	**Primary:** Tenant
Goal	Cancel a previously submitted rental request before it is finalized.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The tenant logs into the system. 2. The tenant opens the list of submitted rental requests. 3. The tenant selects a pending request. 4. The tenant chooses the cancel option. 5. The system updates the request status and confirms the cancellation.
Alternative / Exception Flow	1. If the request has already been approved, rejected, or processed, the system may deny cancellation and show the cant cancel message.
Postconditions	The selected request is canceled when cancellation is allowed.

FR7 - Receive Messages from Property Owner

Use Case Name	FR7 ➔ Receive Messages from Property Owner
Actors	**Primary:** Tenant **Secondary:** Property Owner
Goal	Read messages sent by property owners.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The tenant logs in. 2. The tenant opens inbox/notifications. 3. The tenant opens a conversation. 4. The tenant checks the received message content.
Alternative / Exception Flow	1. If there are no new messages, the tenant sees the current conversation history or an empty inbox message.
Postconditions	The tenant can view messages received from property owners.

FR8 - Submit Rental Payment

Use Case Name	FR8 ➔ Submit Rental Payment
Actors	**Primary:** Tenant
Goal	Pay for an approved rental booking through the system.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The tenant logs into the system. 2. The tenant opens an approved booking or payment page. 3. The tenant enters payment details or chooses a saved payment method. 4. The tenant confirms the payment. 5. The system sends the payment request to the payment service. 6. The system receives the payment result and displays confirmation.
Alternative / Exception Flow	1. If payment fails, the system displays the failure reason and asks the tenant to retry or choose another method.
Postconditions	The payment is recorded if successful, and the booking status is updated.

FR9 - Save favourite properties for later viewing

Use Case Name	FR9 ➔ Save Favorite Properties for later viewing
Actors	**Primary:** Tenant
Goal	Allow tenants to save properties they are interested in for later viewing.
Preconditions	The tenant is logged into the system and viewing a property listing.

Main Success Flow	1. The tenant browses available property listings. 2. The tenant selects a property they want to save. 3. The tenant clicks the "Save to Favorites" option. 4. The tenant stores the selected property. 5. The tenant saves the property.
Alternative / Exception Flow	1. If the property is already saved in favorites, the tenant sees that the property is already in the favorites list.
Postconditions	The property is successfully added to the tenant's favorites list.

FR10 - Review and Rate property

Use Case Name	FR10 ➔ Review and Rate Property
Actors	**Primary:** Tenant **Secondary:** Property Owner
Goal	Allow tenants to review and rate a property after completing a rental.
Preconditions	The tenant has completed a rental transaction for the property and is logged into the system.
Main Success Flow	1. The tenant opens their booking history. 2. The tenant selects a completed rental. 3. The tenant chooses the option to review the property. 4. The tenant enters a rating and optional review comment. 5. The tenant submits the review. 6. The tenant saves and publishes the review for other users to see.
Alternative / Exception Flow	1. If the tenant has not completed a rental for the property, he prevents the review from being submitted.
Postconditions	The property review and rating are stored in the system and visible to other users.

Property Owner

FR11 - Update Profile Information and availability of rental properties

Use Case Name	FR11 ➔ Update Profile Information and availability of rental properties
Actors	**Primary:** Property Owner
Goal	Allow property owners to update their personal profile information and manage the availability status of their rental properties.
Preconditions	The property owner is logged into the system and has an existing account and property listings.
Main Success Flow	1. The property owner logs into the system. 2. The property owner navigates to their profile or property management section. 3. The property owner selects the option to edit profile information or property availability.

	4. The property owner updates the necessary information (contact details, availability status, etc.). 5. The property owner saves the changes. 6. The system updates and stores the new information.
Alternative / Exception Flow	1. If the entered information is incomplete or invalid, the system displays an error message and asks the owner to correct the data.
Postconditions	The property owner's profile information and/or property availability status are successfully updated in the system.

FR12 - Add Property Listing

Use Case Name	FR12 ➔ Add Property Listing
Actors	**Primary:** Property Owner
Goal	Create a new rental property listing.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The property owner logs into the system. 2. The property owner opens the add-listing page. 3. The property owner enters property information such as title, description, price, location, and availability. 4. The property owner submits the listing. 5. The system validates and stores the listing.
Alternative / Exception Flow	1. If required listing information is missing, the system asks the owner to complete it before submission.
Postconditions	A new property listing is stored in the system.

FR13 - Upload Property Images

Use Case Name	FR13 ➔ Upload Property Images
Actors	**Primary:** Property Owner
Goal	Attach photos to a property listing.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The property owner logs in. 2. The property owner opens an existing or draft listing. 3. The property owner selects image files to upload. 4. The property owner uploads and attaches the images to the property listing.
Alternative / Exception Flow	1. If a file format is unsupported or upload fails, the system shows an error message.
Postconditions	Property images are linked to the listing.

FR14 - Edit Property Listing

Use Case Name	FR14 ➔ Edit Property Listing
Actors	**Primary:** Property Owner
Goal	Modify an existing property listing.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The property owner logs into the system. 2. The property owner opens one of their listings. 3. The property owner edits the listing details. 4. The property owner saves the changes. 5. The system validates and updates the listing.
Alternative / Exception Flow	1. If validation fails, the system shows an error and keeps the previous saved version until corrected.
Postconditions	The selected listing is updated.

FR15 - Delete Property Listing

Use Case Name	FR15 ➔ Delete Property Listing
Actors	**Primary:** Property Owner
Goal	Remove an existing property listing from the platform.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The property owner logs into the system. 2. The property owner opens one of their listings. 3. The property owner chooses the delete option. 4. The system asks for confirmation. 5. The property owner confirms deletion. 6. The system removes or deactivates the listing.
Alternative / Exception Flow	1. If the property is linked to an active booking, the system may block deletion and inform the owner.
Postconditions	The listing is removed or marked inactive.

FR16 - View Rental Requests

Use Case Name	FR16 ➔ View Rental Requests
Actors	**Primary:** Property Owner **Secondary:** Tenant
Goal	See rental requests sent by tenants.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.

Main Success Flow	1. The property owner logs into the system. 2. The property owner opens the rental requests section. 3. The property owner views pending request. 4. The system displays the request list.
Alternative / Exception Flow	1. If no requests exist, the system shows an empty list message.
Postconditions	The owner can view rental requests for their properties.

FR17 - Accept or Reject Rental Request

Use Case Name	FR17 ➔ Accept or Reject Rental Request
Actors	**Primary:** Property Owner **Secondary:**Tenant
Goal	Review a tenant request and decide whether to approve or reject it.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The property owner logs into the system. 2. The property owner opens a specific rental request. 3. The property owner reviews tenant and property request details. 4. The property owner chooses Accept or Reject. 5. The property owner updates the request status. 6. The property owner notifies the tenant about the decision.
Alternative / Exception Flow	1. If the property is no longer available, the system may block approval and ask the owner to resolve availability first.
Postconditions	The rental request is approved or rejected and the tenant is informed.

FR18 - Send Message to Tenant

Use Case Name	FR18 ➔ Send Message to Tenant
Actors	**Primary:** Property Owner **Secondary:** Tenant
Goal	Send a message to a tenant through the system.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The property owner logs into the system. 2. The property owner opens a conversation or request. 3. The property owner writes a message. 4. The property owner sends the message. 5. The property owner stores and delivers the message to the tenant.
Alternative / Exception Flow	1. If the message is empty, the system asks for message content before sending.
Postconditions	The message is stored and delivered to the tenant.

FR19 - View Booking History

Use Case Name	FR19 ➔ View Booking History
Actors	**Primary:** Property Owner **Secondary:** Tenant
Goal	Allow property owners to view the booking history of their listed properties.
Preconditions	The property owner is logged into the system and has at least one property listed in the system.
Main Success Flow	1. The property owner logs in. 2. The property owner opens the property management section. 3. The property owner selects one of their listed properties. 4. The property owner chooses the option to view booking history. 5. Current and past bookings are displayed
Alternative / Exception Flow	1. If the selected property has no booking history, a message no bookings found is shown
Postconditions	The booking history of the selected property is displayed to the property owner.

FR20 - Mark Property as Unavailable or Rented

Use Case Name	FR20 ➔ Mark Property as Unavailable or Rented
Actors	**Primary:** Property Owner
Goal	Allow property owners to update the status of a property as unavailable or rented.
Preconditions	The property owner is logged into the system and has an existing property listing.
Main Success Flow	1. The property owner logs in. 2. The property owner opens the property management section. 3. The property owner selects a listed property. 4. The property owner chooses the option to update the property status. 5. The property owner marks the property as unavailable or rented. 6. Status is saved and reflected in listing
Alternative / Exception Flow	1. If status cannot be updated, an error message is displayed and the change is not saved.
Postconditions	The selected property status is updated to unavailable or rented in the system.

Administrator

FR21 - Edit User Accounts

Use Case Name	FR21 ➔ Edit User Accounts
Actors	**Primary:** Administrator
Goal	Modify user account information when administrative action is required.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The administrator logs in. 2. The administrator opens user management. 3. The administrator selects a user account. 4. The administrator edits the account details or status. 5. The administrator saves the changes. 6. The system validates entered data. 7. If data valid, update user account.
Alternative / Exception Flow	1.If data is invalid, the system shows an error and requests account details.
Postconditions	The selected user account is updated.

FR22 - Delete User Accounts

Use Case Name	FR22 ➔ Delete User Accounts
Actors	**Primary:** Administrator
Goal	Remove a user account from the system.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The administrator logs in. 2. The administrator opens user management. 3. The administrator selects a user account. 4. The administrator chooses Delete. 5. The system asks for confirmation. 6. The administrator confirms the action. 7. The system deletes or deactivates the account.
Alternative / Exception Flow	1. If the account is linked to unresolved transactions or disputes, the system may block deletion and warn the administrator.
Postconditions	The user account is removed or deactivated.

FR23 - Monitor Rental Transactions

Use Case Name	FR23 ➔ Monitor Rental Transactions
Actors	**Primary:** Administrator
Goal	Track rental transactions for control and oversight.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The administrator logs in. 2. The administrator opens the transactions section. 3. The system retrieves transaction records. 4. Administrator displays transaction details and statuses.
Alternative / Exception Flow	1. If no transactions are found for the selected period,an empty-results message is shown.
Postconditions	The administrator can review rental transaction records.

FR24 - View System Reports and Property Listings

Use Case Name	FR24 ➔ View System Reports and property listings
Actors	**Primary:** Administrator **Secondary:** Property Owner
Goal	Allow the administrator to view system reports and monitor property listings available on the platform.
Preconditions	The administrator is logged into the system and has administrative access privileges.
Main Success Flow	1. The administrator logs in. 2. The administrator navigates to the admin dashboard. 3. The administrator selects the option to view system reports or property listings. 4. The administrator retrieves the relevant data from the database. 5. The administrator displays reports and property listings.
Alternative / Exception Flow	1. Error message is displayed.
Postconditions	The administrator successfully views system reports and property listings for monitoring and management purposes.

FR25 - Remove Inappropriate Listings

Use Case Name	FR25 ➔ Remove Inappropriate Listings
Actors	**Primary:** Administrator **Secondary:** Property Owner
Goal	Take down listings that violate rules or platform standards.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor. The administrator is logged into the system and has administrative privileges.
Main Success Flow	1. The administrator reviews flagged or reported listings. 2. The administrator selects a listing. 3. The administrator removes or disables the listing. 4. The system records the action.
Alternative / Exception Flow	1. If the listing is already inactive, the system informs the administrator.
Postconditions	The inappropriate listing is removed or disabled.

FR26 - Manage Disputes and System Settings

Use Case Name	FR26 ➔ Manage Disputes and System Settings
Actors	**Primary:** Administrator
Goal	Allow the administrator to manage user disputes and update system settings.
Preconditions	The administrator is logged into the system and has administrative privileges.
Main Success Flow	1. The administrator accesses the admin dashboard. 2. The administrator selects the dispute management or system settings option. 3. The administrator reviews disputes submitted by users or views current system settings. 4. The administrator updates dispute status or modifies the required system settings. 5. The system saves the changes made by the administrator.
Alternative / Exception Flow	1. If the selected dispute or system setting cannot be updated, the system displays an error message and does not save the changes.
Postconditions	The dispute information and/or system settings are updated successfully in the system.

FR27 - Restore User Accounts

Use Case Name	FR27 ➔ Restore User Accounts
Actors	**Primary:** Administrator
Goal	Reactivate a previously suspended or deactivated user account.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.

	The administrator is logged into the system and has administrative privileges.
Main Success Flow	1. The administrator opens user management. 2. The administrator selects a suspended or inactive account. 3. The administrator chooses Restore. 4. The system updates the account status and confirms the action.
Alternative / Exception Flow	1. If the account cannot be restored due to policy or unresolved issues, the system notifies the administrator.
Postconditions	The selected account is restored when restoration is allowed.

FR28 - Suspend User Accounts

Use Case Name	FR28 ➔ Suspend User Accounts
Actors	**Primary:** Administrator
Goal	Temporarily block a user account.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor. The administrator is logged into the system and has administrative privileges.
Main Success Flow	1. The administrator opens user management. 2. The administrator selects a user account. 3. The administrator chooses Suspend. 4. The system asks for confirmation or a reason. 5. The administrator confirms the suspension. 6. The system updates the account status.
Alternative / Exception Flow	1. If the user is already suspended, the system informs the administrator.
Postconditions	The selected account is suspended.

FR29 - Verify and Approve property listings

Use Case Name	FR29 ➔ Verify and approve property listings
Actors	**Primary:** Administrator **Secondary:** Property Owner
Goal	Allow the administrator to verify newly submitted property listings and approve them before publication.
Preconditions	The administrator is logged into the system and there are pending property listings awaiting approval. The administrator is logged into the system and has administrative privileges.
Main Success Flow	1. The administrator accesses the admin dashboard. 2. The administrator selects the pending property listings section. 3. The system displays newly submitted property listings awaiting verification. 4. The administrator reviews the property details and uploaded information.

	5. The administrator approves the listing. 6. The system publishes the approved property listing.
Alternative / Exception Flow	1. If the property listing contains missing, invalid, or inappropriate information, the administrator rejects it and the system keeps it unpublished.
Postconditions	The property listing is either approved and published or rejected and kept unpublished.

Manager

FR30 - Monitor Rental Requests

Use Case Name	FR30 ➔ Monitor Rental Requests
Actors	**Primary:** Manager **Secondary:** Tenant, Property Owner
Goal	Review rental requests and approval activity at an operational level.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The manager logs into the system. 2. The manager views the rental requests. 3. The manager reviews requests. 4. The manager approves or rejects the request
Alternative / Exception Flow	1. If there are no requests pending, the manager waits for new requests.
Postconditions	The manager can monitor rental requests and approvals.

FR31 - Generate Management Reports

Use Case Name	FR31 ➔ Generate Management Reports
Actors	**Primary:** Manager
Goal	Produce reports for operational oversight.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The manager logs in. 2. The manager opens the reports section. 3. The manager selects report criteria or period. 4. The manager generates the report. 5. The manager displays the report.
Alternative / Exception Flow	1. If no data exists for the selected criteria, a no data message is shown.
Postconditions	A management report is generated and displayed.

FR32 - Approve Large Discounts and Promotions

Use Case Name	FR32 ➔ Approve Large Discounts and Promotions
Actors	**Primary:** Manager **Secondary:** Property Owner
Goal	Authorize high-impact discounts or promotions.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The manager logs in. 2. The manager opens the pending discounts or promotions list. 3. The manager reviews the proposal details. 4. The manager approves or rejects the request and records his answer.
Alternative / Exception Flow	1. If required information is missing, the manager may return the proposal without approval.
Postconditions	The discount or promotion request is approved or rejected.

FR33 - Review Complaints and Forward Unresolved Issues

Use Case Name	FR33 ➔ Review Complaints and Forward Unresolved Issues
Actors	**Primary:** Manager **Secondary:** Administrator
Goal	Allow the manager to review user complaints and forward unresolved issues to the administrator.
Preconditions	The manager is logged into the system and there are complaints submitted by users in the system.
Main Success Flow	1. The manager logs in. 2. The manager navigates to the complaints management section. 3. The manager views submitted complaints. 4. The manager reviews the details of a complaint. 5. The manager attempts to resolve the issue. 6. If the issue cannot be resolved, the manager forwards the complaint to the administrator.
Alternative / Exception Flow	1. If the complaint can be resolved by the manager, the manager updates the complaint status as resolved and no escalation is needed.
Postconditions	The complaint is either resolved by the manager or forwarded to the administrator for further action.

Financier

FR34 - View Transaction History

Use Case Name	FR34 ➔ View Transaction History
Actors	**Primary:** Financier **Secondary:** Tenant, Property Owner
Goal	Review past payment and transaction records.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The financier logs in. 2. The financier opens transaction history. 3. The system retrieves transaction records. 4. The system displays the transaction history.
Alternative / Exception Flow	1. If no transactions are found, the system shows an empty-history message.
Postconditions	The financier can review transaction history.

FR35 - Monitor Payment Process and Security

Use Case Name	FR35 ➔ Monitor Payment Process and Security
Actors	**Primary:** Financier
Goal	Track payment processing activity and payment-related security status.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The financier logs in. 2. The financier opens payment monitoring tools or records. 3. The system displays payment statuses, failures, or suspicious events. 4. The system reviews normal payment processing information.
Alternative / Exception Flow	1. If a payment issue or security alert is detected, the system highlights it for follow-up.
Postconditions	The financier has reviewed payment processing and security information.

FR36 - Communicate Payment Issues with Tenants and Owners

Use Case Name	FR36 ➔ Communicate Payment Issues with Tenants and Owners
Actors	**Primary:** Financier **Secondary:** Tenant, Property Owner
Goal	Contact users about payment-related problems.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.

Main Success Flow	1. The financier logs in. 2. The financier identifies a payment issue. 3. The financier opens the communication interface. 4. The financier writes a message to the relevant tenant or owner. 5. The financier sends the message. 6. The financier stores and delivers the communication.
Alternative / Exception Flow	1. If the message is empty, content is asked before sending.
Postconditions	Users are informed about the payment issue and the communication is stored.

FR37 - Approve Refunds for cancelled Rental Transactions

Use Case Name	**FR37** ➔ Approve Refunds for cancelled Rental Transactions
Actors	**Primary:** Financier
Goal	Allow the financier to approve refunds for cancelled rental transactions.
Preconditions	The financier is logged into the system and there is at least one cancelled rental transaction with a pending refund request.
Main Success Flow	1. The financier logs in. 2. The financier accesses the transaction management section. 3. The system displays cancelled rental transactions with pending refund requests. 4. The financier selects a refund request for review. 5. The financier reviews the transaction details and cancellation information. 6. The financier approves the refund request. 7. The system updates the refund status and records the approval.
Alternative / Exception Flow	1. If the refund request does not meet the refund conditions, the request is rejected and the system records the rejection.
Postconditions	The refund request is either approved and recorded in the system or rejected and marked accordingly.

HR

FR38 - Manage Complaints

Use Case Name	FR38 ➔ Manage Complaints
Actors	**Primary:** HR
Goal	Review and process user complaints.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The HR user logs in. 2. The HR user opens the complaints section. 3. The system retrieves submitted complaints. 4. The HR user reviews a complaint and records a handling action or update. 5. The system saves the complaint status update.

Alternative / Exception Flow	1. If required complaint details are missing, the system requests more information before progressing the case.
Postconditions	The complaint record is updated.

FR39 - Send Notifications and Reminders

Use Case Name	FR39 ➔ Send Notifications and Reminders
Actors	**Primary:** HR
Goal	Notify users about deadlines, updates, or follow-up actions.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The HR user logs in. 2. The HR user opens the notifications interface. 3. The HR user selects recipients and writes the message. 4. The HR user sends the notification or reminder. 5. The HR delivers and records the notification.
Alternative / Exception Flow	1. If recipient or message data is missing, HR asks for completion before sending.
Postconditions	The notification or reminder is sent and recorded.

FR40 - Maintain Records of User Issues and Resolutions

Use Case Name	FR40 ➔ Maintain Records of User Issues and Resolutions
Actors	**Primary:** HR
Goal	Keep a record of issues reported by users and how they were resolved.
Preconditions	The actor is authenticated when the function requires account access, and the relevant page or module is available to the actor.
Main Success Flow	1. The HR user logs in. 2. The HR user opens the issues and resolutions records area. 3. The HR user creates or updates a record with issue details and status. 4. The HR user saves the record. 5. The HR stores the issue and resolution data.
Alternative / Exception Flow	1. If required information is missing, HR asks for correction before saving.
Postconditions	The user issue record is created or updated.

User (these 2 processes are the same for all 6 actors. All actors inherit from UCT of user)

FR41 - Register Account

Use Case Name	FR41 ➔ Register Account
Actors	**Primary:** User
Goal	Allow a user to create a new account in the system.
Preconditions	The user does not already have an account and has access to the registration page.
Main Success Flow	1. The user opens the registration page. 2. The user enters the required personal and account information. 3. The user submits the registration form. 4. The user validates the entered information. 5. If information is valid, if account doesn't exist already, then new account is created
Alternative / Exception Flow	1. If required fields are missing or invalid, user sees error message. 2. If an account with the same email or username already exists, user is informed
Postconditions	A new user account is created and stored in the system.

FR42 - Log In

Use Case Name	FR42 ➔ User Log In
Actors	**Primary:** User
Goal	Allow a user to log into the system using valid credentials.
Preconditions	The user already has a registered account in the system.
Main Success Flow	1. The user opens the login page. 2. The user enters username or email and password. 3. The user submits the login request. 4. The system validates the entered credentials. 5. The system grants access to the user.
Alternative / Exception Flow	1. If the entered credentials are incorrect, the system displays an error message.
Postconditions	The user is logged into the system successfully.

FR43 – Log Out

Use Case Name	FR43 ➔ User Log Out
Actors	**Primary:** User
Goal	Allow a user to securely log out of the system and terminate their active session.
Preconditions	The user is logged into the system. The system session is active.
Main Success Flow	1. The user selects the "Log Out" option from the system interface. 2. The system processes the logout request. 3. The system terminates the user session. 4. The system clears any session-related data. 5. The system redirects the user to the login page or home page.
Alternative / Exception Flow	1. If the session has already expired, the system redirects the user to the login page automatically. 2. If a system error occurs during logout, the system shows an error message but ensures the session is terminated.
Postconditions	The user is logged out successfully. The session is terminated and no longer accessible without re-authentication.