

Informe de escaneo de puertos y vulnerabilidades

- Escaneo básico del objetivo 192.168.1.10:

```
kali@kali: ~  
File Actions Edit View Help  
zsh: corrupt history file /home/kali/.zsh_history  
(kali@kali)-[~]  
$ sudo nmap 192.168.1.10  
[sudo] password for kali:  
Starting Nmap 7.95 ( https://nmap.org ) at 2025-05-02 20:04 EDT  
Nmap scan report for 192.168.1.10  
Host is up (0.00031s latency).  
Not shown: 998 closed tcp ports (reset)  
PORT      STATE SERVICE  
80/tcp    open  http  
443/tcp   open  https  
MAC Address: 08:00:27:6E:4D:57 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)  
  
Nmap done: 1 IP address (1 host up) scanned in 0.22 seconds
```

- Escaneo de puertos y servicios:

```
(kali@kali)-[~]  
$ sudo nmap -sV 192.168.1.10  
Starting Nmap 7.95 ( https://nmap.org ) at 2025-05-02 20:04 EDT  
Nmap scan report for 192.168.1.10  
Host is up (0.00018s latency).  
Not shown: 998 closed tcp ports (reset)  
PORT      STATE SERVICE VERSION  
80/tcp    open  http      Apache httpd 2.4.63 ((Debian))  
443/tcp   open  ssl/http  Apache httpd 2.4.63 ((Debian))  
MAC Address: 08:00:27:6E:4D:57 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 12.69 seconds
```

-Escaneo detallado y búsqueda de vulnerabilidades:

```
(kali@kali)-[~]
$ sudo nmap -sV --script=vuln 192.168.1.10
Starting Nmap 7.95 ( https://nmap.org ) at 2025-05-02 20:05 EDT
Pre-scan script results:
| broadcast-avahi-dos:
|   Discovered hosts:
|   224.0.0.251
|   After NULL UDP avahi packet DoS (CVE-2011-1002).
|_ Hosts are all up (not vulnerable).
Nmap scan report for 192.168.1.10
Host is up (0.00018s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
80/tcp    open  http      Apache httpd 2.4.63 ((Debian))
|_ http-csrf: Couldn't find any CSRF vulnerabilities.
|_ http-dombased-xss: Couldn't find any DOM based XSS.
|_ http-stored-xss: Couldn't find any stored XSS vulnerabilities.
|_ http-server-header: Apache/2.4.63 (Debian)
443/tcp   open  ssl/http  Apache httpd 2.4.63 ((Debian))
|_ http-stored-xss: Couldn't find any stored XSS vulnerabilities.
|_ http-server-header: Apache/2.4.63 (Debian)
|_ http-csrf: Couldn't find any CSRF vulnerabilities.
|_ http-dombased-xss: Couldn't find any DOM based XSS.
MAC Address: 08:00:27:6E:4D:57 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 83.43 seconds
```

Origen de búsqueda	Puerto	Servicio	Versión	CVE	Descripción	Severidad	Referencia
Nmap (Automático)	-	Avahi	-	CVE-2011-1002	DoS mediante paquetes UDP NULL <i>(no vulnerable, según escaneo).</i>	Media (CVSS 5.0)	NVD
Investigación Manual	80/tcp, 443/tcp	HTTP/HTTPS	Apache httpd 2.4.63	CVE-2023-25690	HTTP Request Smuggling por interpretación incorrecta de encabezados.	Crítica (CVSS 9.8)	NVD
Investigación Manual	80/tcp, 443/tcp	HTTP/HTTPS	Apache httpd 2.4.63	CVE-2023-27522	Ejecución remota de código (RCE) en el módulo mod_proxy.	Alta (CVSS 8.1)	CVE Details
Investigación Manual	80/tcp, 443/tcp	HTTP/HTTPS	Apache httpd 2.4.63	CVE-2022-36760	Denegación de servicio (DoS) en el módulo mod_md.	Media (CVSS 6.5)	Exploit DB