




Trial 1/46 — sinusoidal, width 0.01 (id 1)




Trial 2/46 — sinusoidal, width 0.02 (id 2)




Trial 3/46 — sinusoidal, width 0.03 (id 3)




Trial 4/46 — sinusoidal, width 0.04 (id 4)




Trial 5/46 — sinusoidal, width 0.05 (id 5)



Trial 6/46 — corner, width 0.01 (id 6)




Trial 7/46 — corner, width 0.02 (id 7)



Trial 8/46 — corner, width 0.03 (id 8)


signed gaze lead along centerline (task units)  
(+ gaze ahead / - cursor ahead)






Trial 9/46 — corner, width 0.04 (id 9)


signed gaze lead along centerline (task units)  
(+ gaze ahead / - cursor ahead)




Trial 10/46 — corner, width 0.05 (id 10)




Trial 11/46 — straight, width 0.01 (id 11)




Trial 12/46 — straight, width 0.02 (id 12)




Trial 13/46 — straight, width 0.03 (id 13)




Trial 14/46 — straight, width 0.04 (id 14)



Trial 15/46 — straight, width 0.05 (id 15)




Trial 16/46 — gentle\_sinusoidal, width 0.01 (id 26)







Trial 17/46 — gentle\_sinusoidal, width 0.02 (id 27)




Trial 18/46 — gentle\_sinusoidal, width 0.03 (id 28)




Trial 19/46 — gentle\_sinusoidal, width 0.04 (id 29)




Trial 20/46 — gentle\_sinusoidal, width 0.05 (id 30)




Trial 21/46 — sharp\_sinusoidal, width 0.01 (id 31)




Trial 22/46 — sharp\_sinusoidal, width 0.02 (id 32)



Trial 23/46 — sharp\_sinusoidal, width 0.03 (id 33)




Trial 24/46 — sharp\_sinusoidal, width 0.04 (id 34)







Trial 25/46 — sharp\_sinusoidal, width 0.05 (id 35)




Trial 26/46 — wide\_to\_narrow, 0.02->0.01 (id 36)




Trial 27/46 — wide\_to\_narrow, 0.03->0.01 (id 37)




Trial 28/46 — wide\_to\_narrow, 0.04->0.01 (id 38)




Trial 29/46 — narrow\_to\_wide, 0.01->0.05 (id 39)




Trial 30/46 — narrow\_to\_wide, 0.02->0.05 (id 40)



Trial 31/46 — narrow\_to\_wide, 0.03->0.05 (id 41)




Trial 32/46 — pointing, R=5mm, D=0.15 (id 42)







Trial 33/46 — pointing, R=10mm, D=0.15 (id 43)




Trial 34/46 — pointing, R=15mm, D=0.15 (id 44)




Trial 35/46 — pointing, R=20mm, D=0.15 (id 45)




Trial 36/46 — pointing, R=25mm, D=0.15 (id 46)




Trial 37/46 — pointing, R=5mm, D=0.31 (id 47)




Trial 38/46 — pointing, R=10mm, D=0.31 (id 48)



Trial 39/46 — pointing, R=15mm, D=0.31 (id 49)




Trial 40/46 — pointing, R=20mm, D=0.31 (id 50)







Trial 41/46 — pointing, R=25mm, D=0.31 (id 51)




Trial 42/46 — pointing, R=5mm, D=0.46 (id 52)




Trial 43/46 — pointing, R=10mm, D=0.46 (id 53)




Trial 44/46 — pointing, R=15mm, D=0.46 (id 54)



Trial 45/46 — pointing, R=20mm, D=0.46 (id 55)




Trial 46/46 — pointing, R=25mm, D=0.46 (id 56)



# participant B (P170114) — summary (steering trials; noise on)

## fixation/replan onset lead by width



## planning-event rate

