




Trial 1/46 round 1 — sinusoidal, width 0.01 (id 1)




Trial 2/46 round 1 — sinusoidal, width 0.02 (id 2)




Trial 3/46 round 1 — sinusoidal, width 0.03 (id 3)




Trial 4/46 round 1 — sinusoidal, width 0.04 (id 4)




Trial 5/46 round 1 — sinusoidal, width 0.05 (id 5)




Trial 6/46 round 1 — corner, width 0.01 (id 6)




Trial 7/46 round 1 — corner, width 0.02 (id 7)




Trial 8/46 round 1 — corner, width 0.03 (id 8)




Trial 9/46 round 1 — corner, width 0.04 (id 9)




Trial 10/46 round 1 — corner, width 0.05 (id 10)




Trial 11/46 round 1 — straight, width 0.01 (id 11)




Trial 12/46 round 1 — straight, width 0.02 (id 12)




Trial 13/46 round 1 — straight, width 0.03 (id 13)




Trial 14/46 round 1 — straight, width 0.04 (id 14)




Trial 15/46 round 1 — straight, width 0.05 (id 15)




Trial 16/46 round 1 — gentle_sinusoidal, width 0.01 (id 26)




Trial 17/46 round 1 — gentle_sinusoidal, width 0.02 (id 27)




Trial 18/46 round 1 — gentle_sinusoidal, width 0.03 (id 28)




Trial 19/46 round 1 — gentle_sinusoidal, width 0.04 (id 29)




Trial 20/46 round 1 — gentle_sinusoidal, width 0.05 (id 30)




Trial 21/46 round 1 — sharp_sinusoidal, width 0.01 (id 31)




Trial 22/46 round 1 — sharp_sinusoidal, width 0.02 (id 32)




Trial 23/46 round 1 — sharp_sinusoidal, width 0.03 (id 33)




Trial 24/46 round 1 — sharp_sinusoidal, width 0.04 (id 34)




Trial 25/46 round 1 — sharp_sinusoidal, width 0.05 (id 35)




Trial 26/46 round 1 — wide_to_narrow, 0.02->0.01 (id 36)




Trial 27/46 round 1 — wide_to_narrow, 0.03->0.01 (id 37)




Trial 28/46 round 1 — wide_to_narrow, 0.04->0.01 (id 38)




Trial 29/46 round 1 — narrow_to_wide, 0.01->0.05 (id 39)




Trial 30/46 round 1 — narrow_to_wide, 0.02->0.05 (id 40)




Trial 31/46 round 1 — narrow_to_wide, 0.03->0.05 (id 41)




Trial 32/46 round 1 — pointing, R=5mm, D=0.15 (id 42)




Trial 33/46 round 1 — pointing, R=10mm, D=0.15 (id 43)




Trial 34/46 round 1 — pointing, R=15mm, D=0.15 (id 44)




Trial 35/46 round 1 — pointing, R=20mm, D=0.15 (id 45)




Trial 36/46 round 1 — pointing, R=25mm, D=0.15 (id 46)




Trial 37/46 round 1 — pointing, R=5mm, D=0.31 (id 47)




Trial 38/46 round 1 — pointing, R=10mm, D=0.31 (id 48)




Trial 39/46 round 1 — pointing, R=15mm, D=0.31 (id 49)




Trial 40/46 round 1 — pointing, R=20mm, D=0.31 (id 50)




Trial 41/46 round 1 — pointing, R=25mm, D=0.31 (id 51)




Trial 42/46 round 1 — pointing, R=5mm, D=0.46 (id 52)




Trial 43/46 round 1 — pointing, R=10mm, D=0.46 (id 53)




Trial 44/46 round 1 — pointing, R=15mm, D=0.46 (id 54)



Trial 45/46 round 1 — pointing, R=20mm, D=0.46 (id 55)




Trial 46/46 round 1 — pointing, R=25mm, D=0.46 (id 56)



participant C (P160254) — summary (steering trials; noise on)

fixation/replan onset lead by width



planning-event rate

