
AERIAL REPORTS
MEASUREMENTS • VISUALIZATION • ESTIMATES • CRM

WALL STANDARD REPORT

ORDER: **AR261012405056** | DATE: **OCTOBER 12, 2026** | **MEDIUM**
Ordered by: virgil stone • Your Insurance Claims Network, LLC
216-331-8323 yourinsuranceclaimsnetwork@gmail.com
2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419



TOTAL WALL SF	TOTAL SQUARES	WALL FACADES	WALL HEIGHT
3,276 SF	32.8 SQ	40	30.6' +1

LINE TOTALS & MATERIALS

Wall Top	371' (51)
Wall Bottom	327' (50)
Wall Corners	380' (92)
Wall Length	327'
Windows	0
Doors	1
Wall Height	30.6', 32.3'
Garage Door Height	7.0'

Gross Squares	32.8 SQ

No deductions. Contractor determines waste factor.

TABLE OF CONTENTS

Oblique Property Views	3
Wall Summary	3
Wall Lengths / Isometric	4
Wall Facet Labels — Elev 1	5
Wall Facet Labels — Elev 2	6
Building Codes & Climate Data	7
Bill of Materials	*Not Requested*
Gutter Report	*Not Included*

WALL AREA REFERENCE — 3,276 SF (32.8 SQ)

5%	8%	10%	12%	15%	17%	20%	22%	25%
34.4	35.4	36.0	36.7	37.7	38.3	39.3	40.0	41.0

**Gross SF shown. No deductions. Contractor determines waste factor.*


© 2026 AerialReports — All rights reserved. Report provided "as is" for reference only. Verify all dimensions on-site. No warranties or guarantees of accuracy or code compliance.


OBLIQUE PROPERTY VIEWS


DIRECTIONAL SATELLITE PERSPECTIVES


2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419

AR261012405056 · October 12, 2026









⚠ **PROPERTY IDENTIFICATION ONLY** — Aerial imagery is provided for property identification purposes only. All measurements require field verification prior to bidding or ordering materials.


© 2026 AerialReports — All rights reserved. Report provided “as is” for reference only. Verify all dimensions on-site. No warranties or guarantees of accuracy or code compliance.

WALL OVERVIEW

PROPERTY IMAGE · WALL SUMMARY · BUILDING CODES

2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419

AR261012405056 · October 12, 2026



WASTE FACTOR REFERENCE							32.8 SQ gross — Complex complexity
WASTE %	5%	8%	10%	12%	15%	17%	20%
Adj. SQ	34.4	35.4	36.0	36.7	37.7	38.3	39.3
Add SF	+164	+262	+328	+393	+491	+557	+655

★ *Recommended: 18% (Complex) — Dense openings and corners*

WALL SUMMARY	
Total Wall Area	**3,276 SF**
Wall Squares	32.76 SQ
Number of Facades	**40**
Wall Top (FT)	371.34
Wall Bottom (FT)	**327.17**
Total Corners (FT)	379.58
Corner Count	**92**
Wall Height	30.6', 32.3'
Garage Door Height	7.0'
Wall Complexity	**Complex**

BUILDING CODE REQUIREMENTS * SOURCE: TEXTMECODE.COM +1 (775) 510 CODE (2633)

· OH (ZIP 44112)

Climate Zone: 5A · 2019 State Code (Based on 2017 OBC (based on 2015 IRC))


WEATHER RESISTIVE BARRIER (WRB)		
Required	✅ Yes	IRC R703.1.1
Requirement	Weather-resistive barrier required behind all exterior wall coverings	
Installation	Lapped minimum 2" horizontally, 6" vertically. Upper course over lower.	
INSULATION — IECC ZONE 5		
Wall Cavity	R-20	IECC 2021 Table R402.1.2
Continuous Option	OR R-13 + R-5 continuous	
VAPOR RETARDER		
Required	✅ Yes	IRC R702.7
Class / Location	Class I or II	Interior (warm-in-winter) side of wall insulation
FLASHING REQUIREMENTS		
Kick-out Flashing	Kick-out (diverter) flashing REQUIRED where roof-to-wall intersections terminate at eave per IRC R703.4	IRC R703.4, R703.8
Materials	Corrosion-resistant metal, self-adhering membrane, or approved flashing material	

© 2026 AerialReports — All rights reserved. Report provided “as is” for reference only. Verify all dimensions on-site. No warranties or guarantees of accuracy or code compliance.

WALL LENGTHS

PLAN VIEW — WALL DIMENSIONS BY ELEVATION

2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419
AR261012405056 · October 12, 2026



** Labels shown for wall runs ≥ 0'. Shorter runs included in all totals.*

371'	327'	380'	0'	18'	38
WALL TOP LF	WALL BASE LF	CORNERS LF	WINDOW HEAD LF	DOOR HEAD LF	WALL RUNS


© 2026 AerialReports — All rights reserved. Report provided "as is" for reference only. Verify all dimensions on-site.

ELEVATION 1 — FACET LABELS

WALL FACET LABELS — ISOMETRIC VIEW — ALL FACES ON THIS ELEVATION

2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419

AR261012405056 · October 12, 2026



FACET	AREA
B	344
E	169
H	123
K	96
N	66
O	63
P	62
S	36
T	33
U	31
V	31
W	27
AC	15
AD	15
AE	9
AI	8
AH	8
AG	8
AF	8
AN	3

Wall face Sloped end


— © 2026 AerialReports — All rights reserved. Verify all dimensions on-site.

ELEVATION 1 — WALL HEIGHTS

WALL HEIGHT DIMENSIONS — ISOMETRIC VIEW — ALL FACES

2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419

AR261012405056 · October 12, 2026



Wall height Peak Garage door — Drag to reposition • Dbl-click to edit • Right-click to hide —


© 2026 AerialReports — All rights reserved. Verify all dimensions on-site.

ELEVATION 2 — FACET LABELS

WALL FACET LABELS — ISOMETRIC VIEW — ALL FACES ON THIS ELEVATION

2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419

AR261012405056 · October 12, 2026



FACET	AREA
A	823
C	228
D	180
F	143
G	134
I	117
J	116
L	82
M	77
Q	53
R	50
X	23
Y	23
Z	22
AB	17
AA	17
AJ	5
AL	4
AK	4
AM	3

Wall face Sloped end


— © 2026 AerialReports — All rights reserved. Verify all dimensions on-site.

ELEVATION 2 — WALL HEIGHTS

WALL HEIGHT DIMENSIONS — ISOMETRIC VIEW — ALL FACES

2051 Hanover Dr, Cleveland Heights, OH 44112, USA Coordinates: 41.535233,-81.565419

AR261012405056 · October 12, 2026



Wall height Peak Garage door — Drag to reposition • Dbl-click to edit • Right-click to hide — © 2026 AerialReports — All rights reserved. Verify all dimensions on-site.

WALL & SIDING BUILDING CODES + CLIMATE DATA

Building Code Requirements • NOAA Climate Data • AR261012405056

CLIMATE ZONE	GROUND SNOW	DESIGN WIND
5A	20 psf	115 mph (3-sec gust, Risk Cat. II)

EXTREME RAIN	ANNUAL PRECIP	FREEZE-THAW
1.2–2.0 in/hr	36–42 in/yr	40–70 cycles/yr

HAIL ZONE
Moderate — Storm Corridor — 2–5 events/yr

NOAA CLIMATE REFERENCE DATA

Climate Zone:	**5A**
Ground Snow Load:	**20 psf**
Design Wind Speed:	**115 mph (3-sec gust, Risk Cat. II)**
Extreme Rainfall:	**1.2–2.0 in/hr**
Annual Precipitation:	**36–42 in/yr**
Freeze-Thaw Cycles:	**40–70 cycles/yr**

Source: TextMeCode.com

Data also sourced from NOAA National Weather Service • U.S. Climate Normals • ICC Building Codes database

⚠ Disclaimer

Reference only — IRC defaults & state amendments shown. Always verify with the **Authority Having Jurisdiction (AHJ)** before installation. Building codes vary by municipality and are subject to local amendments. Data provided for general reference and estimating purposes only. AerialReports.com and TextMeCode.com make no warranty as to the accuracy, completeness, or applicability of code data shown. Contractor assumes full responsibility for code compliance.

BUILDING CODE REQUIREMENTS — SIDING & EXTERIOR CLADDING

SOURCE: TEXTMECODE.COM

Jurisdiction	OH (Zip 44112)	
Current Code	2019 State Code (Based on 2017 OBC (based on 2015 IRC))	
Based On	International Residential Code — Chapter 7	
WRB / Underlayment	✓ Weather-resistive barrier required behind all exterior wall coverings	IRC R703.1.1
Flashing	✓ Required at all openings, penetrations & roof-wall intersections	IRC R703.4, R703.8
Fastening	Exterior wall coverings must be securely fastened to framing or approved sheathing.	IRC R703.3
Clearance	Min 6" above grade; 2" above hard surfaces	IRC R703.1.1
Drip Edge	✓ Drip edge at base of wall required	IRC R703.8
Vapor Retarder	✓ Climate-zone required — Zone 5: Vapor retarder required on interior side of framed walls.	IRC R702.7
Wall Insulation	R-20 / OR R-13 + R-5 continuous (Zone 5)	IECC 2021 Table R402.1.2
Window U-Factor	0.3 max	IECC 2021 Table R402.1.2
Window SHGC	No requirement (heating-dominated climate)	IECC 2021 Table R402.1.2
Ventilation	Rainscreen gap recommended in high-moisture zones	IRC R703.1
Foam Sheathing	If used: max R-value per Table R702.7.1	IRC R702.7.1
Fire Separation	Exterior walls within fire separation distance require fire-resistance rating	IRC R302.1

ⓘ Verify local amendments. Most-restrictive code governs per IRC R102.1.

© 2026 AerialReports — All rights reserved. Report provided "as is" for reference only. Verify all dimensions on-site. No warranties or guarantees of accuracy or code compliance.

Your report is just the beginning.

From measurement to CRM, estimates, proposals, and operations — all in one connected platform.

CRM Built for contractors.

Powered by AerialReports.com


Win more jobs. Close faster. Run your business with confidence.

Leads & CRM
Capture every lead. Track every touch. Close more jobs. ›

Estimates
Fast, accurate estimates in minutes.

Proposals
Branded proposals that win more jobs.

Operations
Manage jobs, track progress, and keep your business moving.



ORDERING — Materials

Materials List

Professional quantities organized for ordering, estimating, and purchase planning.

Quantities · Ordering · Takeoff

View options → — Less manual counting

NEW CONSTRUCTION — From plans

Blueprint Measurements Report

Technician-measured takeoffs straight from your uploaded blueprints or plans — no aerial imagery required.

PDF/DWG · New Builds · Verified

View Blueprint Reports → — No imagery needed

ROOF MEASUREMENTS — Core report

Premium Roof Report

Roof area, pitches, facets, ridges, hips, valleys, eaves, rakes, and waste planning.

Area · Pitch · Line LF · Waste

View Roof Report → — Detailed 3D measurements

COMPLETE EXTERIOR — Full envelope

Complete Exterior Report

Walls, siding, windows, doors, openings, trim, soffit/fascia, and exterior geometry.

Walls · Windows · Doors · Trim

Explore Complete Exterior → — One report. Full exterior.

ESTIMATING — ESX + XML

Xactimate + Symbility

Convert report measurements into ready-to-use estimating deliverables.

Xactimate ESX · Symbility XML · Estimate PDF

View Estimating → — Measured to estimated

Xactimate® and Symbility® are trademarks of their respective owners. AerialReports is not affiliated with or endorsed by Xactware, Verisk, CoreLogic/Cotality, or Symbility Solutions.

SPECIALTY ROOFING — Metal

Standing Seam Metal Report

Panel lengths, trim, eave-to-ridge runs, clip schedules, fasteners, and metal-specific takeoffs.

Panels · Trim · Clips · BOM

View Metal Report → — Built for metal roofing

See what your report can become.

Explore the complete Contractor OS — leads through close, in one place.

crm.aerialreports.com