

COMPTE RENDU VEEAM BACKUP & REPLICATION

De CIRILLO Kevin


Date : 03/12/2025

Prof : M.Roth

(tous les screens de ce tp proviennent de votre vidéo)

Dans ce compte rendu nous allons voir en détail l'installation et la configuration de Veeam Backup & Replication. Le but est de mettre en sécurité les données les plus importantes en utilisant un partage réseau SMB, le tout en respectant les bonnes pratiques de sécurité et d'administration système.

Tout d'abord , on commence par installer Veeam.



Les points importants sur l'installation sont les suivants :

- Il ne faut pas ajouter la machine au domaine.

- Il faut se connecter avec le compte admin du serveur.

Ensuite, on configure le dépôt de sauvegarde.

Dans "Backup Repository", on sélectionne le dépôt de sauvegarde (partage SMB).

On ajoute un dépôt.

On crée un dossier « Sauvegarde » dans le partage.



On donne les droits d'accès, idéalement à un utilisateur dédié à Veeam.

Dans notre cas, on utilise l'administrateur du domaine, en vérifiant bien les droits.

The screenshot shows the 'New Backup Repository' wizard in Veeam Backup & Replication, specifically the 'Share' step. The wizard has a sidebar on the left with steps: Name, Share (selected), Repository, Mount Server, Review, Apply, and Summary. The main area is titled 'Share' and contains the following fields and options:

- Shared folder:** A text box containing '\\srv-v-fs1-ga\Sauvegarde' and a 'Browse...' button.
- Use \\server\folder format:** A checkbox that is checked.
- This share requires access credentials:** A checkbox that is checked, followed by a dropdown menu showing 'GEEK-ADVISOR\Administrateur (GEEK-ADVISOR\Administrateur, last edited: less)' and an 'Add...' button.
- Gateway server:** A text box containing 'Automatic selection' and a 'Choose...' button.

At the bottom of the wizard, there are four buttons: '< Previous', 'Next >' (highlighted with a mouse cursor), 'Finish', and 'Cancel'.



(au moment ou j'ai pris le screen l'option est coché mais juste après vous l'enlever car il est déconseillé de l'utiliser, sauf pour faire des tests)

Name	Type	Host	Path	Capac...	Free	Used Sp...	Description
Default Backup Repository	Windows	SRV-V-VEEAM-...	C:\Backup	50,3 GB	22,1...	0 B	Created by Veeam Backup
SRV-V-FS1-GA	SMB	Gateway (auto)	\\srv-v-fs1-ga\S...	50,3 GB	29,8...	0 B	Created by SRV-V-VEEAM-GA\Administrateur at 08...

Veeam Backup and Replication

Change the configuration backup location to the newly created repository?

Yes No

on coche “yes”*

Backup Infrastructure

- Backup Proxies
- Backup Repositories
- External Repositories
- WAN Accelerators
- Service Providers
- SendBackup
- Application Groups
- Virtual Labs
- Managed Servers
 - Microsoft Windows

Add Server

Before using hypervisor file management functionality, you must register your virtual infrastructure. To start this process, click the Add Server button in the ribbon (or just click this link).

For VMware vSphere, add one or more vCenter Servers. You can also add ESXi hosts individually. Adding vCenter Server is preferred, because it makes Veeam Backup & Replication installation easier.

For Microsoft Hyper-V, add one or more System Center Virtual Machine Manager (SCVMM) Servers, Hyper-V clusters, or standalone Hyper-V hosts.

Based on your needs, also consider adding Microsoft Windows and Linux servers to use for testing various backup infrastructure roles.

Select the type of a server you want to add to your backup infrastructure. All already registered servers can be found under the Managed Servers node on the Backup Infrastructure tab.

- VMware vSphere
Add VMware private cloud infrastructure servers to the inventory.
- Microsoft Hyper-V
Add Microsoft private cloud infrastructure servers to the inventory.
- Microsoft Windows
Add a Microsoft Windows server to the inventory.
- Linux
Add a Linux server to the inventory.
- Veeam Backup for GCP
Connects to an existing appliance, or deploys a new Veeam Backup for GCP appliance.
- Kasten K10 backup for Kubernetes
Connects to an existing Kasten K10 instance.

Cancel

Toujours dans Backup Infrastructure, on fait Add Server et on va ajouter un job , pour qu'il sauvegarde notre AD.

**Job Mode**

Specify protected computer type and backup agent management mode.

Job Mode

Name

Computers

Backup Mode

Storage

Guest Processing

Schedule

Summary

Type:☐ Workstation☐ Server☒ Failover cluster**Mode:**☒ **Managed by backup server**

Veeam backup server schedules and executes backups on the protected computers. This mode is recommended for always-on workloads with a permanent connection to the backup server, such as servers or clusters located in the same data center.

☐ **Managed by agent**

Veeam backup server deploys the protection policy to all agents, however the job is managed by the agent itself. This mode is recommended for workstations and servers located in remote sites with poor connectivity to the main data center.

< Previous

Next >

Finish

Cancel

New Agent Backup Job

Backup Mode
Choose what data you want to back up from selected computers.

Job Mode
Name
Computers
Backup Mode
Objects
Storage
Guest Processing
Schedule
Summary

☐ **Entire computer**
Back up entire computer image for fast recovery on any level. Deleted, temporary and page files are automatically excluded from the image to reduce the backup size.
☐ Include external USB drives

☐ **Volume level backup**
Back up images of specified volumes, for example only data volumes. Deleted, temporary and page files are automatically excluded from the image to reduce the backup size.

☒ **File level backup (slower)**
Back up selected files and directories only. This mode still produces an image-based backup, but only with protected file system objects included in the image.

< Previous Next > Finish Cancel

On choisit l'option permettant de backup les fichiers et répertoire choisies seulement.

New Agent Backup Job

Storage
Specify a backup repository to store the backup files produced by the backup job and customize advanced job settings if required.

Job Mode

Name

Computers

Backup Mode

Objects

Storage

Guest Processing

Schedule

Summary

Backup repository:
SRV-V-FS1-GA (Created by SRV-V-VEEAM-GA\Administrateur at 08/03/2023 14:07.)
29,8 GB free of 50,3 GB [Map backup](#)

Retention policy: 7 days

☐ Keep certain full backups longer for archival purposes
GFS retention policy is not configured [Configure...](#)

☐ Configure secondary destinations for this job
Copy backups produced by this job to another backup repository, or tape. We recommend to make at least one copy of your backups to a different storage device that is located off-site.

Advanced job settings include backup mode, compression and deduplication, block size, notification settings, automated post-job activity and other settings. [Advanced...](#)

< Previous Next > Finish Cancel

On choisit la fréquence de sauvegarde et sur quel machine on veut notre backup, en l'occurrence ça sera le serveur de fichier.

	Nom	Modifié le	Type	Taille
Accès rapide				
Bureau				
Téléchargements				
Documents				
Images				
Ce PC				
Réseau				
	SRV-A-SAUVEGARDER.643b1cd5-3e19-4...	08/03/2023 18:04	Fichier Vbk	2 264 Ko
	SRV-A-SAUVEGARDER_8EB5B.vbm	08/03/2023 18:04	Fichier VBM	14 Ko

Après avoir lancé la sauvegarde on peut voir qu'il y a bien des fichiers qui correspondent dans le dossier de sauvegarde.

Ce TP nous a permis de découvrir et de comprendre le fonctionnement de Veeam Backup & Replication à travers la configuration d'un dépôt de sauvegarde et la création d'un job de sauvegarde ciblant l'Active Directory. Grâce à cette solution, on peut garantir la protection et la restauration rapide des données critiques en cas de défaillance du système.

Cette TP met en évidence l'importance des solutions de sauvegarde dans une infrastructure informatique et confirme que Veeam constitue un outil fiable et adapté aux besoins des entreprises en matière de continuité de service et de sécurité des informations.