
TCL Claude App体验配置和联调对接使用说明

Claude Connectors for TCL


Claude
配置与使用说明

1. Claude 配置


打开自己的Claude客户端（Web/桌面均可），选择Settings



在settings页面中，选择connectors




选择Add custom connector



配置参数：
Name：FluxInk

Remote MCP server URL(请复制粘贴，一定要填写正确)：
https://mcp.fluxink.ai/servers/6965831f46d14407beb5fec0d1dbd350/mcp

配置成功后，在新的对话中，点击加号，可以看到如下：




2. Claude使用

HWR能力

可用Prompt：

handwriting a math problem to discuss




在打开的Canvas上书写：

请画出函数图：

f(x)= (sinx+cosx) / tanx



在书写的同时，Canvas会把书写内容传给我们的HWR识别模型，并在画布的显示区域直接显示结果。点击Send后，会把识别之后的内容，发送到对话框中，进行跟AI的进一步对话：




需要注意：

1. 画布支持全屏，在小屏幕设备上，可以使用全屏优化体验
2. 画布支持手势删除功能。但是如果在手势删除功能没有正确删除时，可以使用画布右上角的橡皮擦按钮进行擦除
3. 当启用橡皮擦时，识别功能会被屏蔽，需要重新点击小铅笔图标，才能启动识别


NTI

可用Prompt：


Help me generate a handwriting style letter for my friend Lucy to celebrate her birthday. I missed her so much and wish to visit her in the coming month. My name is Cindy



在Canvas上会展示LLM帮我们按照要求生成的文案内容。现在需要在Canvas上书写我们的一个手写文字，提供给模型进行笔迹风格学习：



点击Generate后，就能生成和下载手写信件。同样也可以生成手写贺卡等内容。并把生成的内容，进行后续的更多艺术处理。



Dear Lucy,

Happy Birthday!

I can't believe another year has gone by - I just wanted to take a moment to tell you how much you mean to me and how incredibly special you are.

I've been missing you so, so much lately. Distance is hard, but it only makes me treasure our friendship even more. I've been thinking about you constantly and smiling at all the wonderful memories we've made together.

Here's some exciting news - I'm planning to come visit you next month! I cannot wait to finally wrap you in a big hug, laugh until our stomachs hurt, and make brand new memories together. It feels like it's been way too long.

Wishing you the most magical birthday filled with joy, laughter, and everything your heart desires. You deserve all the happiness in the world, my dear friend.


With all my love,
Cindy

补充：


1. **请注意，在配置完成后首次使用 Claude 时，画布（canvas）加载时会出现一个提示。请点击“Always allow”（总是允许）按钮，以确保我们的前端画布资源能够正常加载。请放心操作，这是保证界面正常运行的必要步骤。**

2. **如果是Claude Team账号，需要Team管理员进行配置。配置成功后，Team里面的所有成员就可以直接添加Fluxink Connector了。配置步骤如下：**


   第一步，管理员在客户端，进入Organization Settings：



第二步： 点击Connectors，右上角+Add,选择Custom-Web



第三步：填入MCP server URL(请复制粘贴，一定要填写正确）：
https://mcp.fluxink.ai/servers/6965831f46d14407beb5fec0d1dbd350/mcp



MCP server for TCL Integration

URL:

https://mcp.fluxink.ai/servers/d706699b03524ba6aa84423954c43f3f/mcp

Tools

1. User-Facing Tools

1.1 show_handwriting_canvas

Opens the FluxInk handwriting recognition canvas. The user draws freehand strokes with a stylus, finger, or mouse. The widget can recognize natural language text, math, chemical formulas, or molecular structures.

Use this when the user asks to handwrite, draw, sketch, ink, capture handwriting, draw math, draw chemistry, or draw a molecular structure.

Input schema:

{

"mode": "general | structure",

"language": "optional language hint",

"prompt": "the user's original chat message, verbatim",

"force_new": false

}

Output schema:

{

"type": "hwr_init | hwr_reuse",

"reuse": false,

"mode": "general",

"language": "",

"prompt": "original user request",

"apiBaseUrl":
"https://mcp.fluxink.ai/servers/d706699b03524ba6aa84423954c43f3f/mcp",

"message": "Draw on the canvas below"

}

1.2 show_style_canvas

Opens the FluxInk natural texture ink style capture canvas. The user draws a few sample characters in their personal handwriting style, then the widget renders target text as a PNG image in that style.

Use this when the user wants a handwritten note, card, letter, journal entry, or image asset that looks like their own handwriting.

Input schema:

{

"text": "complete text to render in the captured handwriting style",

"force_new": false

}

Output schema:

{

"type": "nti_init | nti_reuse",

"reuse": false,

"text": "complete target text",

"apiBaseUrl":

"https://mcp.fluxink.ai/servers/d706699b03524ba6aa84423954c43f3f/mcp",

"message": "Draw sample characters, then click Generate"

}

2. App-Internal Tools:

2.1. recognize_handwriting

Internal execution endpoint used by the handwriting canvas when the user clicks recognize.

Input schema:

{

"strokes": "JSON stroke payload captured by the widget",

"mode": "general | structure",

"language": "optional language hint"

}

Output schema:

{

"success": true,

"result": {

"text": "recognized text, LaTeX, or SMILES depending on mode"

}

}

2.2 synthesize_handwriting_style

Internal execution endpoint used by the style canvas when the user clicks generate.

Input schema:

{
"text": "text to render",
"style_strokes": "JSON style strokes captured by the widget",
"style_text": "optional sample text paired with the style strokes",
"legibility": 1.0,
"stroke_width": 3.5,
"cell_size": 128
}

Output schema:

{
"success": true,
"imageBase64": "base64 encoded PNG image",
"charCount": 24,
"inferenceTimeMs": 1200
}

3. MCP App Resources:

3.1 fluxink-hwr-widget

Interactive handwriting recognition canvas

3.2 fluxink-nti-widget

Personal handwriting style capture and PNG generation canvas