



CONFIDENTIAL. This document, including the information it bears, is the property of Fisher Controls and must be held in strict confidence and properly safeguarded by the recipient at all times. It may not be copied or reproduced, or provided or revealed to any other party, except with the prior written authorization of Fisher Controls, and any authorized copy or reproduction must include this legend. The recipient may use the same only for the purpose for which Fisher Controls has provided it to the recipient, and it must be returned to Fisher Controls, along with all copies and reproductions, upon request. By accepting this document, the recipient agrees to the forgoing. The original controlled version of this document resides in the Electronic Document Control System (EDOCS) accessible on the Fisher FishWeb. Copies of this document are uncontrolled. Engineering Standard DS40 controls the creation and maintenance of this document.

EZX2 - A B C D E F G J K 9B 9C 9D 9E 9Z

EZ-OVT trim selection string: EZX2-A F J K 9B & EZOVTX2-A B C D 9A 9B

Item	Parts contained in Item	Find Number
A	Valve Body	1
	Pipe Plug	17
B	Seat Ring Retainer	3
C	Seat Ring	9
D	Valve Plug	2
	Groove Pin	8, 31
	Plug Guide	27
	Disc Retainer	28
	Disc or Disc Seat	29
	Plug Tip	30
E	Bonnet Gasket	10
	Spiral Gasket	12
	Seat Ring Gasket or Seal Ring	13
	Shim	25
F	Cap Screw or Stud Bolt	15
	Hex Nut	16
G	Stem	7
J	Drive Screw	19
	Nameplate	33
	Wire	34
K	Flow Arrow	18
	Drive Screw	19
9B	Class/Hydro	
9C	Seat Leak per FGS 4L5	
9D	Nameplate Data	
9E	Flow Direction	
9Z	Partial Assembly	

**ITEM A - VALVE BODY (WITHOUT DRAIN TAPPING=N/TAP) (WITH DRAIN TAPPING=TAP)**

ASME

BODY	TEMP ° F	CLASS	CWP (PSI)
CI	-100+406	250	400
CI CLASS B	-100+450	125	200
		250	500
WCC	-20+800	150	290
		300	750
		600	1500
		PN40	580
LCC	-50+650	150	290
		300	750
		600	1500
		PN40	580
C5	-20+1100	150	290
		300	750
		600	1500
CF8M	-325+1000	150	275
		300	720
		600	1440
		PN40	580
ALLOY 20	-325+800	150	230
		300	600
		600	1200
HAST C	-325+1000	150	290
		300	750
		600	1500
MONEL	-325+800	150	230
		300	600
		600	1200

EN1092-1

BODY	TEMP ° F	TEMP°C	PN EN	CWP(BAR)
CI CLASS B	-100+450	-73+842	PN10	16
WCC	-20+800	-29 + 425	PN10/16/25/40	40
			PN63/100	100
LCC	-50+650	-46 +343	PN10/16/25/40	40
			PN63/100	100
CF8M	-325+1000	-198 +538	PN10/16/25/40	40
			PN63/100	100



ITEM A - VALVE BODY (CONT)

BODIES	SWE		SCH 40 BWE		SCH 80 BWE		NPT		125 LB FF		250 LB RF	
	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP
	A	A	A	A	A	A	A	A	A	A	A	A
CAST IRON	M	M	M	M	M	M	1	45	2	46	3	47
WCC	9	53	11	55	13	57	4	48	M	M	M	M
CF8M	10	54	12	56	14	58	5	49	M	M	M	M
ALLOY 20	M	M	M	M	M	M	6	50	M	M	M	M
HAST C	M	M	M	M	M	M	7	51	M	M	M	M
MONEL	M	M	M	M	M	M	8	52	M	M	M	M
C5	95	105	96	106	97	107	94	104	M	M	M	M

BODY	CL150RF		CL300 RF		CL600 RF		CL150 RTJ		CL300 RTJ		CL600 RTJ	
	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP	N/TAP	TAP
	A	A	A	A	A	A	A	A	A	A	A	A
WCC	15	59	20	64	25	69	30	74	35	79	40	84
LCC	127	-	128	-	129	-	-	-	-	-	133	-
CF8M	16	60	21	65	26	70	31	75	36	80	41	85
ALLOY 20	17	61	22	66	27	71	32	76	37	81	42	86
HAST C	18	62	23	67	28	72	33	77	38	82	43	87
MONEL	19	63	24	68	29	73	34	78	39	83	44	88
C5	98	108	99	109	100	110	101	111	102	112	103	113

DN40, EN1092-1

WITHOUT DRAIN TAPPING

BODY	RF (Type B)			Spigot (Type E)			
	PN 10/16	PN 10/16/25/40		PN 63/100	PN 16/25/40	PN 10/16/25/40	PN 63/100
	A	A	A	A	A	A	A
CI	120	-	-	-	-	-	-
WCC	-	121	291	-	294	297	
CF8M	-	122	292	134	295	298	
LCC	-	290	293	130	296	299	

**ITEM B - SEAT RING RETAINER, BUSHING****ITEM C - SEAT RING****ITEM D - VALVE PLUG****ITEM G - STEM**

METAL SEAT - ALL EXCEPT MICRO-FLUTE & MICRO-FLOW

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	NON LUBR FLUID TEMP ° F	LUBR FLUID TEMP ° F	THERMAL EXPANSION LIMIT TRIM/BODY COMB WHERE APPLICABLE	
							BODY	TEMP ° F
CB7CU-1	17-4PH	316	316	316	-150+300	-150+800	CF8M	-150+700 (LUBR)
316	COCR-A	316	316	316	-325+300	-325+500		
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	-325+300	-325+300		
HAST C	HAST C	HAST C	HAST C	HAST C	-325+400	-325+400		
MONEL	K-MONEL	K-MONEL	K-MONEL	K-MONEL	-325+500	-325+500		
CB7CU-1	17-4PH	416	416	316	-20+800	-20+800	CF8M	-20+670
HARD FACED SEAT RING								
HARD FACED SEAT PLUG								
CB7CU-1	17-4PH	316	316	316	-150+300	-150+800	CF8M	-150+700
316	COCR-A	316	316	316	-325+300	-325+500		(LUBR)
HARD FACED SEAT RING								
HARD FACED SEAT & GUIDE PLUG								
CB7CU-1	17-4PH	316	316	316	-150+800	-150+800	CF8M	-150+700
316	COCR-A	316	316	316	-325+500	-325+500		
HARD FACED SEAT RING								
HARD FACED SEAT & GUIDE PLUG								
SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY								
316	COCR-A	316 HFS	316 HFSG	316	-325+800	-325+1100	WCC	-20+800
HARD FACED SEAT & BORE RING								
HARD FACED SEAT, GUIDE & CONTOUR PLUG								
316	COCR-A	316	316	316	-325+500	-325+500		

METAL SEAT - ALL EXCEPT MICRO FLUTE & FLOW

					(SEAT LOAD NOT CONSIDERED) MAX PRESS DROP PSI (CANNOT EXCEED C.W.P.)				
SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	SHUT-OFF		FLOWING		
					PORT SIZE		PORT SIZE		PORT SIZE
					ALL OTHERS		1 1/2"		ALL
					STEM SIZE		STEM SIZE		STEM SIZE
					3/8"	1/2"	3/8"	1/2"	ALL
CB7CU-1	17-4PH	316	316	316	300	300	300	300	1500
316	COCR-A	316	316	316	300	300	300	300	1500
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	300	300	300	300	1500
HAST C	HAST C	HAST C	HAST C	HAST C	300	300	300	300	1500
MONEL	K-MONEL	K-MONEL	K-MONEL	K-MONEL	800	800	800	800	1500
CB7CU-1	17-4PH	416	416	316	1500	1500	1500	1500	1500
HARD FACED SEAT RING									
HARD FACED SEAT PLUG									
CB7CU-1	17-4PH	316	316	316	1500	1500	1500	1500	1500
316	COCR-A	316	316	316	1500	1500	1500	1500	1500
HARD FACED SEAT RING									
HARD FACED SEAT & GUIDE PLUG									
CB7CU-1	17-4PH	316	316	316	1500	1500	1500	1500	1500
316	COCR-A	316	316	316	1500	1500	1500	1500	1500
HARD FACED SEAT & BORE									
HARD FACED SEAT, GUIDE & CONTOUR PLUG									
316	COCR-A	316	316	316	1500	1500	1500	1500	1500

**ITEM B - SEAT RING RETAINER, BUSHING****ITEM C - SEAT RING****ITEM D - VALVE PLUG****ITEM G - STEM**

METAL SEAT - MICRO-FLUTE & MICRO-FLOW

SEAT RING RETAINER	SEAT RING	VALVE PLUG	STEM	NON LUBR FLUID	LUBR FLUID	THERMAL EXPANSION LIMIT TRIM/BODY COMB WHERE APPLICABLE	
				TEMP °F	TEMP °F	BODY	TEMP °F
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	-325+300	-325+300	CF8M, WCC	-20+600
HAST C	HAST C	HAST C	HAST C	-325+300	-325+300		
MONEL	K-MONEL	K-MONEL	K-MONEL	-325+600	-325+600		
CB7CU-1	416	416	316	-20+800	-20+800		
CB7CU-1	316	ALLOY 6	316	-150+300	-150+300		
316	316	ALLOY 6	316	-325+300	-325+300		

HARD FACED SEAT & BORE RING

HARD FACED SEAT & GUIDE PLUG

CB7CU-1	316	316	316	-150+800	-150+800	CF8M	-150+700
316	316	316	316	-325+1100	-325+1100		

HARD FACED SEAT & BORE RING

CB7CU-1	316	ALLOY 6	316	-150+800	-150+800	CF8M	-150+700
316	316	ALLOY 6	316	-325+1100	-325+1100		

HARD FACED SEAT RING

HARD FACED SEAT & GUIDE PLUG

CB7CU-1	316	316	316	-150+300	-150+800	CF8M	-150+700 (LUBR)
316	316	316	316	-325+300	-325+1100		

HARD FACED SEAT RING

CB7CU-1	316	ALLOY 6	316	-150+300	-150+800	CF8M	-150+700 (LUBR)
316	316	ALLOY 6	316	-325+300	-325+1100		

HARD FACED SEAT & GUIDE PLUG

CB7CU-1	316	316	316	-150+300	-150+300		
316	316	316	316	-325+300	-325+300		

SEAT RING RETAINER	SEAT RING	VALVE PLUG	STEM	(SEAT LOAD NOT CONSIDERED) MAX PRESS DROP PSI/100 ° F (CANNOT EXCEED C.W.P.)	
				SHUT OFF	FLOWING
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	300	1500
HAST C	HAST C	HAST C	HAST C	300	1500
MONEL	K-MONEL	K-MONEL	K-MONEL	800	1500
CB7CU-1	416	416	316	1500	1500
CB7CU-1	316	ALLOY 6	316	300	1500
316	316	ALLOY 6	316	300	1500

HARD FACED SEAT & BORE RING

HARD FACED SEAT & GUIDE PLUG

CB7CU-1	316	316	316	1500	1500
316	316	316	316	1500	1500

HARD FACED SEAT & BORE RING

CB7CU-1	316	ALLOY 6	316	1500	1500
316	316	ALLOY 6	316	1500	1500

HARD FACED SEAT RING

HARD FACED SEAT & GUIDE PLUG

CB7CU-1	316	316	316	1500	1500
316	316	316	316	1500	1500

HARD FACED SEAT RING

CB7CU-1	316	ALLOY 6	316	1500	1500
316	316	ALLOY 6	316	1500	1500

HARD FACED SEAT & GUIDE PLUG

CB7CU-1	316	316	316	300	1500
316	316	316	316	300	1500

**ITEM B - SEAT RING RETAINER, BUSHING****ITEM C - SEAT RING****ITEM D - VALVE PLUG****ITEM G - STEM**

COMPOSITION SEAT - ALL EXCEPT M-FLUTE

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	NON LUBR	LUBR
					FLUID	FLUID
					TEMP ° F	TEMP ° F
CB7CU-1	17-4PH	316	316	316	-100+300	-100+400
316	COCR-A	316	316	316	-100+300	-100+400
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	-100+300	-100+300
HAST C	HAST C	HAST C	HAST C	HAST C	-100+400	-100+400
MONEL	K-MONEL	K-MONEL	K-MONEL	K-MONEL	-100+400	-100+400
CB7CU-1	17-4PH	416	416	316	-20+400	-20+400

(SEAT LOAD NOT CONSIDERED)
MAX PRESS DROP PSI
(CANNOT EXCEED C.W.P.)

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	SHUT-OFF		FLOWING	
					PORT SIZE	PORT SIZE	PORT SIZE	PORT SIZE
					ALL OTHERS	1 1/2"	ALL	
					STEM SIZE	STEM SIZE	STEM SIZE	
CB7CU-1	17-4PH	316	316	316	1500	1500	1500	1500
316	COCR-A	316	316	316	1500	1500	1500	1500
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	1500	1062	1500	1500
HAST C	HAST C	HAST C	HAST C	HAST C	1500	1087	1500	1500
MONEL	K-MONEL	K-MONEL	K-MONEL	K-MONEL	1500	1500	1500	1500
CB7CU-1	17-4PH	416	416	316	1500	1500	1500	1500

MICRO-FLUTE

SEAT RING RETAINER	SEAT RING	VALVE PLUG	STEM	NON LUBR	LUBR	(SEAT LOAD NOT CONSIDERED) MAX PRESS DROP PSI (CANNOT EXCEED C.W.P.)	
				FLUID	FLUID		
				TEMP ° F	TEMP ° F	SHUT-OFF	FLOWING
CB7CU-1	316	316	316	-100+300	-100+300	1000	1500
316	316	316	316	-100+300	-100+300	1000	1500
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	-100+300	-100+300	1000	1500
HAST C	HAST C	HAST C	HAST C	-100+300	-100+300	1000	1500
MONEL	K-MONEL	K-MONEL	K-MONEL	-100+400	-100+400	1000	1500

**ITEM B - SEAT RING RETAINER, BUSHING****ITEM C - SEAT RING****ITEM D - VALVE PLUG**

METAL SEAT - MICRO FLOW VALVE PLUG, 3/16" PORT, 3/4" TVL

SEAT RING RETAINER	SEAT RING	VALVE PLUG	STEM	1L3750, 1L5001 VSC			
				.075 Cv		.181 Cv	
MATERIAL				B	C	D	D
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	3	2	3	259
HAST C	HAST C	HAST C	HAST C	4	3	4	260
MONEL M35-1	K-MONEL	K-MONEL	K-MONEL	5	4	5	261
CB7CU-1 H1150	416 SST	416 SST	316 SST	1	47	200	262
HARD FACED SEAT & BORE RING							
HARD FACED SEAT & GUIDE PLUG							
CB7CU-1 H1150	316 SST	316 SST	316 SST	1	5	2	258
316 SST	316 SST	316 SST	316 SST	2	5	2	258
HARD FACED SEAT RING							
HARD FACED SEAT & GUIDE PLUG							
CB7CU-1 H1150	316 SST	316 SST	316 SST	1	27	2	258
316 SST	316 SST	316 SST	316 SST	2	27	2	258
HARD FACED SEAT & GUIDE PLUG							
CB7CU-1 H1150	316 SST	316 SST	316 SST	1	1	2	258
316 SST	316 SST	316 SST	316 SST	2	1	2	258

M-FLUTE VALVE PLUG, 3/4" TRAVEL

SEAT RING RETAINER	SEAT RING	VALVE PLUG	STEM	1L3750 OR 1L5001 VSC				
				1/4 PORT				
				1 FLUTE		2 FLUTE		3 FLUTE
MATERIAL				B	C	D	D	D
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	3	7	8	13	205
HAST C	HAST C	HAST C	HAST C	4	8	9	14	206
MONEL M35-1	K-MONEL	K-MONEL	K-MONEL	5	9	10	15	207
CB7CU-1 H1150	416 SST	416 SST	316 SST	1	28	201	202	208
CB7CU-1 H1150	316 SST	ALLOY 6	316 SST	1	6	267	268	269
316 SST	316 SST	ALLOY 6	316 SST	2	6	267	268	269
HARD FACED SEAT & BORE RING								
HARD FACED SEAT & GUIDE PLUG								
CB7CU-1 H1150	316 SST	316 SST	316 SST	1	11	7	12	204
316 SST	316 SST	316 SST	316 SST	2	11	7	12	204
HARD FACED SEAT & BORE RING								
CB7CU-1 H1150	316 SST	ALLOY 6	316 SST	1	11	267	268	269
316 SST	316 SST	ALLOY 6	316 SST	2	11	267	268	269
HARD FACED SEAT RING								
HARD FACED SEAT & GUIDE PLUG								
CB7CU-1 H1150	316 SST	316 SST	316 SST	1	10	7	12	204
316 SST	316 SST	316 SST	316 SST	2	10	7	12	204
HARD FACED SEAT RING								
CB7CU-1 H1150	316 SST	ALLOY 6	316 SST	1	10	267	268	269
316 SST	316 SST	ALLOY 6	316 SST	2	10	267	268	269
HARD FACED SEAT & GUIDE PLUG								
CB7CU-1 H1150	316 SST	316 SST	316 SST	1	6	7	12	204
316 SST	316 SST	316 SST	316 SST	2	6	7	12	204

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING (CONT)****ITEM D - VALVE PLUG (CONT)****METAL SEAT - MICRO FORM VALVE PLUG - 3/4" TRAVEL**

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM		1/4" PORT				3/8" PORT			
						1L3750 VSC		1L5000 VSC		1L3750 VSC		1L5000 VSC	
MATERIAL					B	C	D	C	D	C	D	C	D
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	6	16	6	28	48	209	48	217
316 SST ALLOY 20	COCR-A ALLOY 20	316 SST ALLOY 20	316 SST ALLOY 20	316 SST ALLOY 20	8 9	6 7	16 19	6 7	28 29	48 49	209 212	48 49	217 220
HAST C	HAST C	HAST C	HAST C	HAST C	10	8	20	8	30	50	213	50	221
MONEL M-35W	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	9	21	9	31	51	214	51	222
CB7CU-1 H1150	17-4PH H900	416 SST	416 SST	316 SST	6	28	110	28	113	54	215	54	223
HARD FACED SEAT RING, HARD FACED SEAT PLUG													
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	10	17	M	M	52	210	52	218
316 SST	COCR-A	316 SST	316 SST	316 SST	8	10	17	M	M	52	210	52	218
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG													
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	10	18	M	M	52	211	52	219
316 SST	COCR-A	316 SST	316 SST	316 SST	8	10	18	M	M	52	211	52	219
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY													
316 SST	COCR-A	316 SST	316 SST	316 SST	18	10	8	M	M	52	211	52	219
HARD FACED SEAT & BORE RING, HARD FACED SEAT, GUIDE & CONTOUR PLUG													
316 SST	COCR-A	316 SST	316 SST	316 SST	8	11	18	M	M	53	216	53	224

METAL SEAT (CONT)**MICRO FORM VALVE PLUG (CONT) - 3/4" TRAVEL**

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM		1/2" PORT				3/4" PORT			
						1L3750 VSC		1L5000 VSC		1L3750 VSC		1L5000 VSC	
MATERIAL					B	C	D	C	D	C	D	C	D
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	12	22	12	32	35	136	35	144
316 SST ALLOY 20	COCR-A ALLOY 20	316 SST ALLOY 20	316 SST ALLOY 20	316 SST ALLOY 20	8 9	12 13	22 25	12 13	32 35	35 36	136 139	35 36	144 147
HAST C	HAST C	HAST C	HAST C	HAST C	10	14	26	14	36	37	140	37	148
MONEL M-35W	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	15	27	15	37	38	141	38	149
CB7CU-1 H1150	17-4PH H900	416 SST	416 SST	316 SST	6	29	111	29	114	41	142	41	150
HARD FACED SEAT RING, HARD FACED SEAT PLUG													
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	16	23	16	33	39	137	39	145
316 SST	COCR-A	316 SST	316 SST	316 SST	8	16	23	16	33	39	137	39	145
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG													
CB7CU-1	17-4PH	316 SST	316 SST	316 SST	6	16	24	16	34	39	138	39	146
316 SST	COCR-A	316 SST	316 SST	316 SST	8	16	24	16	34	39	138	39	146
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY													
316 SST	COCR-A	316 SST	316 SST	316 SST	18	16	24	16	34	39	138	39	146
HARD FACED SEAT & BORE RING, HARD FACED SEAT, GUIDE & CONTOUR PLUG													
316 SST	COCR-A	316 SST	316 SST	316 SST	8	32	112	32	115	40	143	40	151

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING (CONT)****ITEM D - VALVE PLUG (CONT)****METAL SEAT (CONT)****RESTRICTED VALVE PLUG 1" PORT - 3/4" TRAVEL**

SEAT RING RETAINER							BUSHING		SEAT RING	VALVE PLUG	STEM		LINEAR	
													1L3750 VSC	1L5000 VSC
MATERIAL							B	C	D		D			
CB7CU-1 H1150		17-4 H900	316 SST	316 SST	316 SST	6	17	38		50				
316 SST		COCR-A	316 SST	316 SST	316 SST	8	17	38		50				
ALLOY 20		ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	18	41		53				
HAST C		HAST C	HAST C	HAST C	HAST C	10	19	42		54				
MONEL M-35W		K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	20	43		55				
CB7CU-1 H1150		17-4 H900	416 SST	416 SST	316 SST	6	30	116		121				
HARD FACED SEAT RING, HARD FACED SEAT PLUG														
CB7CU-1 H1150		17-4 H900	316 SST	316 SST	316 SST	6	21	39		51				
316 SST		COCR-A	316 SST	316 SST	316 SST	8	21	39		51				
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG														
CB7CU-1 H1150		17-4 H900	316 SST	316 SST	316 SST	6	21	40		52				
316 SST		COCR-A	316 SST	316 SST	316 SST	8	21	40		52				
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG														
SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY														
316 SST		COCR-A	316 SST	316 SST	316 SST	18	21	40		52				
HARD FACED SEAT & BORE RING, HARD FACED SEAT, GUIDE & CONTOUR PLUG														
316 SST		COCR-A	316 SST	316 SST	316 SST	8	33	119		124				

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM			EQ %		QUICK OPEN		
							1L3750 VSC	1L5000 VSC	1L3750 VSC	1L5000 VSC	
MATERIAL						B	C	D	D	D	D
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	17	44	56	98	104	
316 SST	COCR-A	316SST	316SST	316SST	8	17	44	56	98	104	
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	18	47	59	101	107	
HAST C	HAST C	HAST C	HAST C	HAST C	10	19	48	60	102	108	
MONEL M-35W	K-MONEL	KMONEL	KMONEL	KMONEL	11	20	49	61	103	109	
CB7CU-1 H1150	17-4 H900	416SST	416SST	316SST	6	30	117	122	118	123	
HARD FACED SEAT RING, HARD FACED SEAT PLUG											
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	21	45	57	99	105	
316 SST	COCR-A	316SST	316SST	316SST	8	21	45	57	99	105	
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG											
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	21	46	58	100	106	
316 SST	COCR-A	316SST	316SST	316SST	8	21	46	58	100	106	
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY											
316 SST	COCR-A	316 SST	316 SST	316 SST	18	21	46	58	100	106	
HARD FACED SEAT & BORE RING, HARD FACED SEAT, GUIDE & CONTOUR PLUG											
316 SST	COCR-A	316SST	316SST	316SST	8	33	120	125	--	--	

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING (CONT)****ITEM D - VALVE PLUG (CONT)**

METAL SEAT (CONT)

FULL CAPACITY VALVE PLUG - 3/4" TRAVEL

SEAT RING RETAINER MATERIAL	BUSHING	SEAT RING	VALVE PLUG	STEM	B	C	QUICK OPEN	
							1L3750 VSC	1L5000 VSC
							D	D
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	22	62	80
316 SST	COCR-A	316 SST	316 SST	316 SST	8	22	62	80
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	23	65	83
HAST C	HAST C	HAST C	HAST C	HAST C	10	24	66	84
MONEL M-35W	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	25	67	85
CB7CU-1 H1150	17-4 H900	416 SST	416 SST	316 SST	6	31	126	131

HARD FACED SEAT RING, HARD FACED SEAT PLUG

CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	26	63	81
316 SST	COCR-A	316 SST	316 SST	316 SST	8	26	63	81

HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG

CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	26	64	82
316 SST	COCR-A	316 SST	316 SST	316 SST	8	26	64	82

HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG

SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY

316 SST	COCR-A	316 SST	316 SST	316 SST	18	26	64	82
---------	--------	---------	---------	---------	----	----	----	----

HARD FACED SEAT & BORE RING, HARD FACED SEAT, GUIDE & CONTOUR PLUG

316 SST	COCR-A	316 SST	316 SST	316 SST	8	34	--	--
---------	--------	---------	---------	---------	---	----	----	----

SEAT RING RETAINER MATERIAL	BUSHING	SEAT RING	VALVE PLUG	STEM	B	C	LINEAR		EQ%	
							1L3750 VSC	1L5000 VSC	1L3750 VSC	1L5000 VSC
							D	D	D	D
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	22	68	86	74	92
316 SST	COCR-A	316SST	316SST	316SST	8	22	68	86	74	92
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	23	71	89	77	95
HAST C	HAST C	HAST C	HAST C	HAST C	10	24	72	90	78	96
MONEL M-35W	K-MONEL	KMONEL	KMONEL	KMONEL	11	25	73	91	79	97
CB7CU-1 H1150	17-4 H900	416SST	416SST	316SST	6	31	127	132	128	133

HARD FACED SEAT RING, HARD FACED SEAT PLUG

CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	26	69	87	75	93
316 SST	COCR-A	316SST	316SST	316SST	8	26	69	87	75	93

HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG

CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	26	70	88	76	94
316 SST	COCR-A	316SST	316SST	316SST	8	26	70	88	76	94

HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG

SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY

316 SST	COCR-A	316 SST	316 SST	316 SST	18	26	70	88	76	94
---------	--------	---------	---------	---------	----	----	----	----	----	----

HARD FACED SEAT & BORE RING, HARD FACED SEAT, GUIDE & CONTOUR PLUG

316 SST	COCR-A	316SST	316SST	316SST	8	34	129	134	130	135
---------	--------	--------	--------	--------	---	----	-----	-----	-----	-----

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING (CONT)****ITEM D - VALVE PLUG (CONT)**

COMPOSITION SEAT - MICRO FLUTE VALVE PLUGS - TFE DISC 3/4" TRAVEL - 1L3750 OR 1L5001 VSC

SEAT RING RETAINER	SEAT RING	VALVE PLUG	STEM		1/4” PORT	1-FLUTE	1/4” PORT	2-FLUTE	1/4” PORT	3-FLUTE	
MATERIAL					B	C	D	C	D	C	D
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	3	43	153	43	157	43	226	
HAST C	HAST C	HAST C	HAST C	4	44	154	44	158	44	227	
MONEL M-35W	K-MONEL	K-MONEL	K-MONEL	5	45	155	45	159	45	228	
HARD FACED PLUG TIP											
CB7CU-1	316 SST	316 SST	316 SST	1	42	252	42	253	42	254	
H1150											
316 SST	316 SST	316 SST	316 SST	2	42	252	42	253	42	254	
HARD FACED PLUG GUIDE & TIP											
316 SST	316 SST	316/COCR-A	316 SST	2	42	255	42	256	42	257	

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING (CONT)****ITEM D - VALVE PLUG (CONT)**

COMPOSITION SEAT (CONT)

MICRO FORM VALVE PLUGS - TFE DISC 3/4" TRAVEL

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM		1/4" PORT	3/8" PORT	1/2" PORT	3/4 PORT					
1L3750 OR 1L5001 VSC						B	C	D	C	D	C	D	C	D
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	42	160	55	229	12	165	35	170	
316 SST	COCR-A	316 SST	316 SST	316 SST	8	42	160	55	229	12	165	35	170	
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	43	161	56	230	13	166	36	171	
HAST C	HAST C	HAST C	HAST C	HAST C	10	44	162	57	231	14	167	37	172	
MONEL	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	45	163	58	232	15	168	38	173	
CB7CU-1 H1150	17-4 H900	416 SST	416 SST	316 SST	6	46	164	59	233	29	169	41	174	
1L5000 VSC														
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	-	-	55	234	12	180	35	185	
316 SST	COCR-A	316 SST	316 SST	316 SST	8	-	-	55	234	12	180	35	185	
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	-	-	56	235	13	181	36	186	
HAST C	HAST C	HAST C	HAST C	HAST C	10	-	-	57	236	14	182	37	187	
MONEL	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	-	-	58	237	15	183	38	188	
CB7CU-1 H1150	17-4 H900	416 SST	416 SST	316 SST	6	-	-	59	238	29	184	41	189	

FULL CAPACITY VALVE PLUG - EQUAL PERCENTAGE CHARACTERISTIC - 3/4" TRAVEL

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	EQ %		
MATERIAL					B	C	D
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	22	195
316 SST	COCR-A	316 SST	316 SST	316 SST	8	22	195
			316 SST/COCR-A	316 SST	8	22	249
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	23	196
HAST C	HAST C	HAST C	HAST C	HAST C	10	24	197
MONEL M-35W	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	25	198
CB7CU-1 H1150	17-4PH H900	416 SST	416 SST	316 SST	6	31	199

LINEAR CHARACTERISTIC

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	LINEAR			
MATERIAL					B	C	D	D
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	22	263	264

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING (CONT)****ITEM D - VALVE PLUG (CONT)**

COMPOSITION SEAT (CONT)

QUICK OPENING CHARACTERISTIC

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	QUICK OPENING			
MATERIAL					B	C	D	D
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	22	265	266

RESTRICTED 1" PORT - EQUAL PERCENTAGE CHARACTERISTIC (MICRO FORM TIP) - 3/4" TRAVEL

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM		1L3750 VSC		1L5000 VSC	
MATERIAL					B	C	D	C	D
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	17	175	17	190
316 SST	COCR-A	316 SST	316 SST	316 SST	8	17	175	17	190
ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	ALLOY 20	9	18	176	18	191
HAST C	HAST C	HAST C	HAST C	HAST C	10	19	177	19	192
MONEL M-35W	K-MONEL	K-MONEL	K-MONEL	K-MONEL	11	20	178	20	193
CB7CU-1 H1150	17-4 H900	416 SST	416 SST	316 SST	6	30	179	30	194

MICRO FORM VALVE PLUGS - TFE DISC 3/4" TRAVEL

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	1/4" PORT				3/8" PORT				1/2" PORT				3/4" PORT			
IL3750 OR IL5001 VSC					B	C	D		C	D			C	D			C	D		
316 SST	COCR-A	316 SST	316 SST	316 SST	8	42	160		55	229			12	165			35	170		
HARD FACED PLUG GUIDE																				
316 SST	COCR-A	316 SST	316/ COCR-A	316 SST	8	42	242		55	245			12	243			35	244		
IL5000 VSC																				
316 SST	COCR-A	316 SST	316 SST	316 SST	8	--	---		55	234			12	180			35	185		
HARD FACED PLUG GUIDE																				
316 SST	COCR-A	316 SST	316/ COCR-A	316 SST	8	--	---		55	248			12	246			35	247		

RESTRICTED 1" PORT - EQUAL PERCENT CHARACTERISTIC (MICRO FORM TIP) - 3/4" TRAVEL

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	1L3750 VSC				1L5000 VSC			
MATERIAL					B	C	D		C	D		
316 SST	COCR-A	316 SST	316 SST	316 SST	8	17	175		17	190		
HARD FACED PLUG GUIDE												
316 SST	COCR-A	316 SST	316/COCR-A	316 SST	8	17	250		17	251		

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING, VANED****ITEM D - VALVE PLUG (CONT)**

METAL SEAT (CONT)

RESTRICTED VALVE PLUG 1" PORT - VANED SEAT RING - 3/4" TRAVEL

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM	LINEAR			
					VSC			
					1L3750		1L5000	
MATERIAL					B	C	D	D
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	60	38	50
316 SST	COCR-A	316 SST	316 SST	316 SST	8	60	38	50
CB7CU-1 H1150	17-4 H900	416 SST	416 SST	316 SST	6	61	116	121
HARD FACED SEAT RING, HARD FACED SEAT PLUG								
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	62	39	51
316 SST	COCR-A	316 SST	316 SST	316 SST	8	62	39	51
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG								
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	62	40	52
316 SST	COCR-A	316 SST	316 SST	316 SST	8	62	40	52
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG								
SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY								
316 SST	COCR-A	316 SST	316 SST	316 SST	18	62	40	52

SEAT RING RETAINER	BUSHING	SEAT RING	VALVE PLUG	STEM			EQUAL %		QUICK OPEN		
							VSC				
							1L3750	1L5000	1L3750	1L5000	
MATERIAL						B	C	D	D	D	D
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	60	44	56	98	104	
316 SST	COCR-A	316SST	316SST	316SST	8	60	44	56	98	104	
CB7CU-1 H1150	17-4 H900	416SST	416SST	316SST	6	61	117	122	118	123	
HARD FACED SEAT RING, HARD FACED SEAT PLUG											
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	62	45	57	99	105	
316 SST	COCR-A	316SST	316SST	316SST	8	62	45	57	99	105	
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG											
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	62	46	58	100	106	
316 SST	COCR-A	316SST	316SST	316SST	8	62	46	58	100	106	
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG											
SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY											
316 SST	COCR-A	316 SST	316 SST	316 SST	18	62	46	58	100	106	

**ITEM B - SEAT RING RETAINER, BUSHING (CONT)****ITEM C - SEAT RING, VANED (CONT)****ITEM D - VALVE PLUG (CONT)****METAL SEAT (CONT)****FULL CAPACITY VALVE PLUG - VANED SEAT RING - 3/4" TRAVEL**

SEAT RING RETAINER MATERIAL	BUSHING	SEAT RING	VALVE PLUG	STEM	B	C	QUICK OPEN	
							VSC	
							1L3750	1L5000
							D	D
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	63	62	80
316 SST	COCR-A	316 SST	316 SST	316 SST	8	63	62	80
CB7CU-1 H1150	17-4 H900	416 SST	416 SST	316 SST	6	64	126	131
HARD FACED SEAT RING, HARD FACED SEAT PLUG								
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	65	63	81
316 SST	COCR-A	316 SST	316 SST	316 SST	8	65	63	81
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG								
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	65	64	82
316 SST	COCR-A	316 SST	316 SST	316 SST	8	65	64	82
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG								
SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY								
316 SST	COCR-A	316 SST	316 SST	316 SST	18	65	64	82

SEAT RING RETAINER MATERIAL	BUSHING	SEAT RING	VALVE PLUG	STEM	B	C	LINEAR		EQUAL %	
							VSC		VSC	
							1L3750	1L5000	1L3750	1L5000
							D	D	D	D
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	63	68	86	74	92
316 SST	COCR-A	316SST	316SST	316SST	8	63	68	86	74	92
CB7CU-1 H1150	17-4 H900	416SST	416SST	316SST	6	64	127	132	128	133
HARD FACED SEAT RING, HARD FACED SEAT PLUG										
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	65	69	87	75	93
316 SST	COCR-A	316SST	316SST	316SST	8	65	69	87	75	93
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG										
CB7CU-1 H1150	17-4 H900	316SST	316SST	316SST	6	65	70	88	76	94
316 SST	COCR-A	316SST	316SST	316SST	8	65	70	88	76	94
HARD FACED SEAT RING, HARD FACED SEAT & GUIDE PLUG										
SPECIAL TACK WELDED SEAT RING RETAINER/BUSHING ASSEMBLY										
316 SST	COCR-A	316 SST	316 SST	316 SST	18	65	70	88	76	94

COMPOSITION SEAT (CONT)**FULL CAPACITY VALVE PLUG - VANED SEAT RING - 3/4" TRAVEL**

SEAT RING RETAINER MATERIAL	BUSHING	SEAT RING	VALVE PLUG	STEM	B	C	EQUAL %	
							1L3750 OR 1L5001 VSC	
							D	D
CB7CU-1 H1150	17-4PH H900	316 SST	316 SST	316 SST	6	63	195	
		416 SST	416 SST	316 SST	6	64	199	
316 SST	COCR-A	316 SST	316 SST	316 SST	8	63	195	
			316/COCR-A	316 SST	8	63	249	
RESTRICTED 1" PORT - EQUAL PERCENTAGE CHARACTERISTIC (MICRO FORM TIP) - VANED SEAT RING 3/4" TRAVEL								
SEAT RING RETAINER MATERIAL	BUSHING	SEAT RING	VALVE PLUG	STEM	B	C	1L3750 VSC	1L5000 VSC
							D	D
CB7CU-1 H1150	17-4 H900	316 SST	316 SST	316 SST	6	60	175	60
		416 SST	416 SST	316 SST	6	61	179	61
316 SST	COCR-A	316 SST	316 SST	316 SST	8	60	175	60
			316/COCR-A	316 SST	8	60	250	60

**ITEM E - GASKETS**

SPIRAL WOUND	FLAT SHEET	TEMP ° F	MAXIMUM ΔP (PSI) SHUT-OFF (SEAT LOAD NOT CONSIDERED) (CANNOT EXCEED C.W.P.) PORT SIZE					E
			3/16 & 1/4	1/2	3/4	1	1 1/2	
MONEL & PTFE	MONEL/PTFE	-100+300	1130	1160	1200	1270	1520	6
HAST C & GRAPHITE	GRAPH/SST	-100+1100	850	860	890	920	1050	9
MONEL & GRAPHITE	GRAPH/SST	-100+900	850	860	890	920	1050	10
INCONEL & GRAPHITE	GRAPH/SST	-325+1100	1130	1160	1200	1270	1520	8

ITEM F - BOLTING

BOLTING	NUT	TEMP ° F	CWP (PSI)	HYDRO (PSI/MIN)	BODY	TEMP ° F
SAE GRADE 5	--	-20+650	BODY	BODY		
B7	2H	-50+800	BODY	BODY		
B8	GREAD 8	-425+100	1325	2000/1		
B7M	2HM	-50+800	1480	2225/1		
B8M CLASS 2	8M	-325+800	BODY	BODY	HAST C MONEL	-325+225 -325+450

BODY	TEMP ° F	BOLT	NUT	BONNET	BELLOWS SEAL	ENVIRO-SEAL BELLOWS SEAL
				PLAIN & EXT F	F	F
CAST IRON	-20+450	SAE GR5	-	1	M	M
WCC	-20+450	B7	2H	2	9	14
	450+800	B7	2H LUB	6	12	17
	-20+800	B7M	2HM	5	-	-
LCC	-50+450	B7	2H	2	9	14
	450+650	B7	2H LUB	6	12	17
	-50+650	B7M	2HM	5	-	-
CF8M	-325+100	SA320-B8	GR8	4	11	16
	-325+450	B8M CL2	8M	3	10	15
	-50+450	B7	2H	2	9	14
	450+800	B7	2H LUB	6	12	17
		B8M CL2	8M LUB	7	13	18
	-50+800	B7M	2HM	5	-	--
ALLOY 20	-325+400	B8M CL2	8M	3	10	15
	-50+450	B7	2H	2	9	14
	450+800	B7	2H LUB	6	12	17
	-50+800	B7M	2HM	5	-	--
HAST C	-50+450	B7	2H	2	9	14
	-325+225	B8M CL2	8M LUB	7	13	18
	450+800	B7	2H LUB	6	12	17
	450+800	B7M	2HM LUB	5	-	--
MONEL	-325+450	B8M CL2	8M	3	10	15
	-50+450	B7	2H	2	9	14
	450+800	B7	2H LUB	6	12	17
	450+800	B7M	2HM LUB	5	-	--

**ITEM G - STEM****ITEM 9D - NAMEPLATE DATA FOR ENVIRO-SEAL BELLOW SEAL BONNET**

ACTR	BONNET STYLE	STEM VSC	STEM	G	9D
GROUP 1	PLAIN	1L3750	316SST	1	N
			ALLOY 20	2	N
			HAST C	3	N
			K-MONEL	4	N
			NIT 50	42	N
		1L5000	316SST	5	N
			ALLOY 20	6	N
			HAST C	7	N
			K-MONEL	8	N
			NIT 50	43	N
		1L5001	316SST	9	N
			ALLOY 20	10	N
			HAST C	11	N
			K-MONEL	12	N
			NIT 50	44	N
	EXT STYLE 1	1L3750	316SST	25	N
		1L5000	316SST	27	N
		1L5001	316SST	29	N
	EXT STYLE 2	1L3750	316SST	26	N
		1L5000	316SST	28	N
		1L5001	316SST	30	N
	BELLOWS SEAL	1L3750	316SST	37	N
		1L5000	316SST	38	N
	ENVIRO-SEAL BELLOWS SEAL	ALL	316LSST	N	1
			HAST C	N	2
607-617	PLAIN	1L3750	316SST	13	N
			ALLOY 20	14	N
			HAST C	15	N
			K-MONEL	16	N
		1L5000	316SST	17	N
			ALLOY 20	18	N
			HAST C	19	N
			K-MONEL	20	N
		1L5001	316SST	21	N
			ALLOY 20	22	N
			HAST C	23	N
			K-MONEL	24	N
	EXT STYLE 1	1L3750	316SST	31	N
		1L5000	316SST	33	N
		1L5001	316SST	35	N
	EXT STYLE 2	1L3750	316SST	32	N
		1L5000	316SST	34	N
		1L5001	316SST	36	N
	ENVIRO-SEAL BELLOWS SEAL	ALL	316LSST	N	1
			HAST C	N	2

**ITEM J - NAMEPLATE**

NAMEPLATE	J
FISHER	1
PICK HEATERS	2

ITEM K - FLOW ARROW

K
1

ITEM 9B - CLASS/HYDRO

STYLE	BODY	CLASS	HYDRO	9B
ASME	CAST IRON	125B	300 PSI/1 MIN	1
		250B	750 PSI/1 MIN	2
	WCC, C5, LCC & CF8M	150	450 PSI/1 MIN	3
		300	1125 PSI/1 MIN	4
		600	2250 PSI/1 MIN	5
	ALLOY 20	150	350 PSI/1 MIN	6
		300	900 PSI/1 MIN	7
		600	1800 PSI/1 MIN	8
	MONEL	150	350 PSI/1 MIN	9
		300	900 PSI/1 MIN	10
		600	1800 PSI/1 MIN	11
	HAST C	150	450 PSI/1 MIN	12
		300	1125 PSI/1 MIN	13
		600	2250 PSI/1 MIN	14
EN	CAST IRON	PN 10/16	350 PSI (24 BAR)/1 MIN	16
	WCC, CF8M & LCC	PN 10/16/25/40	875 PSI (60 BAR)/1 MIN	17
		PN 63/100	2175 PSI (150 NAR)/1 MIN	18

**ITEM 9C - SEAT LEAK TEST PER FGS 4L5**

SEAT	SEAT LEAK CLASS	CHARACTERISTIC	TRAVEL	PORT	VALUE	9C
METAL	IV (SCFH)	QUICK OPENING	3/4	1	4.70	1
				1 1/2	8.15	2
		LINEAR	3/4	1	3.85	3
				1 1/2	7.46	4
		EQUAL PERCENT	3/4	1	4.15	5
				1 1/2	6.66	6
		M-FORM	3/4	1/4	0.313	7
				3/8	0.672	8
				1/2	1.15	9
				3/4	2.47	10
		M-FLUTE	3/4	1/4	1 FLUTE 0.060	13
					2 FLUTE 0.118	14
					3 FLUTE 0.181	15
		M-FLOW	3/4	3/16	0.075 Cv 0.019	16
					0.181 Cv 0.039	17
	V AIR TEST (BUBBLES/MINUTE)	ALL	3/4	3/16	6	18
				1/4	8	19
				3/8	12	20
				1/2	16	21
				3/4	24	22
				1	32	23
				1 1/2	48	24
COMPOSITION	VI (BUBBLES/MINUTE)	EQUAL PERCENT	3/4	1	1	11
				1 1/2	2	12
		M-FORM	3/4	1/4-3/4	1	11
		M-FLUTE	3/4	1/4	1	11
		M-FLOW	3/4	3/16	1	11

ITEM 9E – FLOW DIRECTION

FLOW DIRECTION	9E
UP	1
DOWN	2

ITEM 9Z - PARTIAL ASSEMBLY FOR NAMEPLATE PAD VALUES

ASSEMBLY INCLUDED ITEMS	INDEX CODES	9Z
A, F, J, 9B	10004,10005,10006,10008	1

COMPOSITION SEAT ASSEMBLY DRAWING	46A1842
ASSEMBLY DRAWING	35A5717
GASKET ASSEMBLY DRAWING	16A1943



Revision Change Record Section for the present Revision

ECRN: 20181361

On page 5, add Alloy6 plug trim combination to trim material table.

Matrix Section:

Item	Module	Changes
D	267	New-Create "solid Alloy 6 M-Flute 1F plug".
D	268	New-Create "solid Alloy 6 M-Flute 2F plug".
D	269	New-Create "solid Alloy 6 M-Flute 3F plug".