

BTO CV team setup

One-time installation | Windows-first instructions | Ask Keyan FEILI for help

Use **local chats in the Codex desktop app**. After setup, attach an original CV and receive an editable BTO Word document in the D.P. format.

1. Get your access

Create your own account at github.com/signup if you do not have one. Send Keyan your username. Accept the repository invitation, then open [BTO-CV](#). You should see the files and the Start here instructions. A 404 page usually means you are signed in with the wrong account or have not accepted the invitation.

2. Open the right app

Open the Codex desktop app and sign in with your own ChatGPT account. Start a local chat with access to your computer. If you cannot find a local Codex chat or Plugins, ask Keyan before continuing. You do not need to create a GitHub organisation.

3. Let the agent check your tools

You do not need to install every tool yourself. The agent should reuse available tools and guide you if one is missing.

Required: Codex CLI with plugin commands; Git; Python 3. On Windows the hook calls **python**; on macOS/Linux it calls **python3**. Git must be signed in to access the private repository.

Optional: GitHub CLI (gh) is a convenient sign-in tool if Git authentication is not already working. Node.js/npm are only needed if that installation method is chosen for Codex, not for the BTO plugin itself.

For the finished CV: Microsoft Word is recommended, with Century Gothic and Tw Cen MT fonts. A renderer is also needed for visual checking. No extra Python packages are required by the BTO generator or updater.

What is a CLI?

A command-line tool lets the agent run setup commands on your computer. You will normally work through the chat, not type these commands yourself. Your passwords and sign-in codes belong in the official sign-in window, never in the chat.

Install and enable updates

Paste the message below into your local Codex chat

Install BTO CV from <https://github.com/KeyanFEILI/BTO-CV.git> as a Git-backed plugin marketplace tracking main. Reuse an existing installation. Check Python 3, Git and a Codex CLI with plugin commands; reuse available tools and guide me through any missing installation. Configure my GitHub browser sign-in for Git if needed. Install and enable BTO CV version 3.1.0 or later. Check that Python and Codex are accessible to the session hook; use `BTO_CODEX_BIN` if an explicit Codex path is necessary. Help me review and trust the BTO update hook without bypassing trust. Run its `--force --check` diagnostic, then verify it runs at the next local session start. Tell me when to start a new chat.

4. Complete sign-in if asked

Follow the GitHub browser sign-in on your own computer. Use the account Keyan invited. Accept only the expected GitHub authentication flow. Being signed in on the GitHub website does not always give the command-line tools access.

5. Review the update hook

The hook checks for BTO updates when a local session starts or resumes. Installing the plugin does not automatically approve this hook. Use the hook-review control if the app offers it; otherwise open Codex CLI and enter `/hooks`. Select the BTO hook, review its command, and trust it.

The command runs `hooks/update.py` inside the installed BTO plugin. It refreshes only BTO CV's marketplace and installs a changed BTO version. It does not process your CV. Ask Keyan if the command or source looks different.

6. Confirm setup is complete

The agent should report: BTO installed and enabled, version 3.1.0 or later, updater result current or updated, and a successful trusted session-start check. Restart the app if required, then begin a new local chat. If the hook needs review again after an update, review it before relying on automatic checks.

No routine terminal work: once these checks pass, the hook handles future update checks. It may ask you to start a new chat after a package update.

Test it and use it

Generate a sample before working with real candidate information

7. Run the first test

Start a new local chat and select BTO CV from the plugin menu. Use [the fictional sample CV](#) first. Download or copy that sample into the chat, then send:

Convert this original CV into an editable BTO Word document using the D.P. template and real Word bullet points. Tell me the template revision used.

Open the resulting .docx in Word. Confirm the banner, section spacing and square bullets. Edit some text. Press Enter at the end of a bullet to confirm it creates another list item. Send Keyan the result of this test.

Everyday use

Start a local Codex chat, select BTO CV, attach the original CV and use the same request. Review the final document before sharing. Edit your own output as needed; contact Keyan for changes to the shared template, rules or plugin.

How updates work

The hook checks at session startup/resume, at most once every 24 hours. It is quiet if you are current. After a successful update, open a new chat before generating a CV. It does not run continuously while the app is closed and does not change documents already generated.

If an update check fails, your installed plugin is not uninstalled. The hook retries at a later session start after one hour. Contact Keyan if the warning persists. The latest Word-template download is separate and may ask before using an older bundled copy.

Quick fixes

Repository unavailable: check the invited GitHub account and invitation.

Plugin missing: restart the app, check it is enabled, and start a new local chat.

Hook skipped: open /hooks and review it; ask Keyan if unavailable.

Tool not found: ask the setup agent to check paths in the hook environment.

Unexpected layout: verify fonts, open in Word Print Layout and send Keyan the output.

Do not upload source CVs or generated candidate documents into the GitHub repository. Ask Keyan which candidate documents and accounts are approved for use.

Assisted setup commands

Fallback reference for Keyan, IT or your Codex agent

Skip this page if assisted setup succeeded. On Windows, open PowerShell only if your helper asks. Run one command at a time; stop at an error. Do not change PowerShell security settings to force an installation.

A. Check tools and install only missing ones

```
codex --version
codex plugin --help
git --version
python --version
```

Official downloads: [Codex CLI](#) | [Git for Windows](#) | [Python](#) | [GitHub CLI \(optional\)](#). Restart the app after installing tools so it sees their updated paths. An app-bundled executable may need an explicit path rather than another installation.

B. Sign in to GitHub for Git

If Git is already authenticated, skip this. Otherwise install GitHub CLI and use its browser flow:

```
gh auth login --hostname github.com --git-protocol https --web
gh auth setup-git --hostname github.com
git ls-remote https://github.com/KeyanFEILI/BTO-CV.git HEAD
```

Success: the last command displays a commit identifier and HEAD. Browser sign-in instructions are documented by [GitHub CLI](#).

C. Register once, install and verify

```
codex plugin marketplace add KeyanFEILI/BTO-CV --ref main
codex plugin add bto-cv@bto-cv-marketplace
codex plugin list --marketplace bto-cv-marketplace --json
```

If already registered, use marketplace upgrade bto-cv-marketplace instead of adding another source. Check the result shows enabled and version 3.1.0 or later.

D. Trust and test the hook

Run **codex**, sign in if needed, then enter **/hooks** and review the BTO hook. Ask the agent to run the installed hooks/update.py with **--force --check**, then verify actual startup execution in a new local session. If codex is not on PATH, the helper may set **BTO_CODEX_BIN** to its full executable path for the app environment.

References: [OpenAI marketplace setup](#) | [OpenAI hook trust](#) | [Git credential setup](#)