

MULTIDISCIPLINARY TEAM DISCUSSION FOR CARDIAC DISEASE IN PREGNANCY

Date : _____
Time : _____
Location : _____

Patient identifiable factors

EDD : _____
Parity : Gravida ☐ Para ☐ Abortion ☐
Diagnosis : _____

Person in attendance

WHO CVS Risk I II III IV V

NO	TEAM	DOCTOR'S NAME	
1	CARDIAC TEAM IN PREGNANCY	a.	
		b.	
2	OBSTETRICIAN	a.	
		b.	
		c.	
3	CARDIOLOGIST	a.	
		b.	
4	CARDIAC ANAESTHETIST	a.	
5	OBSTETRIC ANAESTHETIST	a.	
6	PAEDIATRICIAN	a.	
7	CARDIAC INTENSIVIST	a.	
8	CARDIOTHORACIC SURGEON	a.	
9	OT TEAM	a.	
		b.	
10	ICU TEAM	a.	
		b.	
11	WARD MANAGER	a.	
		b.	
12	PHARMACIST	a.	
13	OTHERS	a.	
		b.	

Issues / Problem

Relevant, Clinical History & Finding

Date of Delivery : _____
Place of delivery : ☐ Maternal HKL ☐ IJN
Mode of delivery : ☐ LSCS ☐ Vaginal
Date of admission : _____ ☐ Elective
☐ Emergency

Pre Delivery Plan

- (1) Fetus
a) Steroid Dose : _____
Mode : _____
When : _____
b) Fetal monitoring : _____
- (2) Investigations : ☐ Echo ☐ Bloods ☐ 6 MWT
☐ Others _____
- (3) VTE Score + prophylaxis :
Enoxaparin : _____ (dose)
: _____ (date to stop)
- (4) Transf Transfer to ICU - pre delivery
☐ No ☐ Yes : Date _____
: Plan _____
- (5) Medications : _____
- (6) Monitoring : ☐ Cardiac monitor
☐ O₂ suppliment
☐ I/O Chart : Balance _____ l/day
- (7) Anticoagulation :
☐ Warfarin convert to Heparin Infusin at _____ week
☐ Others _____
- (8) Neonatologist : _____
Bed Standby ☐ IJN (PICU) ☐ HKL (Neonatal)

Contingency plan (in the event of an emergency)

Intrapartum Plan

- (1) Mode of anaesthesia : ☐ CSE ☐ GA ☐ Spinal ☐ Epidural
(How dose sequential CSE)
- (2) Mode of delivery : ☐ Elective cesarean section
☐ Vaginal delivery
- (3) Labour analgesia : ☐ Epidural
☐ PCA Fentanyl
- (4) SBE Prophylaxis : ☐ Yes ☐ No Antibiotics : _____
- (5) Delivery set : Person Incharge : _____
- (6) Monitoring : ☐ PA Line
☐ CVP
☐ Arterial
☐ Oxygen suppliment if SPO₂ _____
- (7) Medication : IV Oxytocin
: Bolus 2lu IV after delivery of baby
: Infusion 5lu/hr after deliver placenta (to titrated accordingly)
- (8) Risk : ☐ Heart Failure ☐ Pulmonary Embolism ☐ Pre eclampsia
☐ Arrhythmia ☐ Bleeding
☐ PHT Crisis ☐ TE/VTE

Post Delivery Plan

- (1) Extubation : _____
- (2) Post of care : ☐ ICU _____ day
☐ HDU _____ day
☐ Ward _____ day
☐ Transfer HKL _____
- (3) Obstetric analgesia service : ☐ Epidural 3mg morphine
(OAS) Post - op analgesic ☐ Post fentanyl
- (4) PPH Prophylaxis : _____
- (5) VTE Prophylaxis : S/C clexane _____
: DVT stoking _____
- (6) Monitoring Plan : PPH ☐ Pad Chart
☐ Early warning sign
☐ S/C clexane
☐ Heparin Infusion
☐ Warfarin start on day _____
- (7) Anticoagulation drug : _____
- (8) Post Natal Care (Nursing) ☐ Counseling ☐ Education
- (9) Contraception : ☐ Bilateral Tubal Ligation ☐ Implanon
☐ Intra Uterine Catether Device ☐ IM depo provera
- (10) Post Delivery Care Plan :

- (11) TCA : _____

Completed by :**Doctor's Name** : _____**Doctor's Signature** : _____**Date** : _____**Time** : _____