

Cucumber Report

Apr 28, 2023, 3:30:04 PM

Start : Apr 28, 3:19:23.727 PM

End : Apr 28, 3:30:03.643 PM

Duration : 10 m 39.916 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 2

SKIPPED - 0

PASSED - 4


FAILED - 2


SKIPPED - 0

PASSED - 22


FAILED - 2

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Home Page feature	1	0	1	0	10.096 s
2	Login page feature	2	2	0	0	10.226 s
3	Products detail	1	1	0	0	3.498 s
4	Checking Details	2	1	1	0	10 m 16.064 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Home Page feature</u>	<u>Checking title of Home Page</u>	6	5	1	0	10.094 s
2	<u>Login page feature</u>	<u>Title of your scenario</u>	3	3	0	0	3.504 s
3	<u>Login page feature</u>	<u>Login with correct credential</u>	6	6	0	0	6.716 s
4	<u>Products detail</u>	<u>Title of your scenario</u>	4	4	0	0	3.498 s
5	<u>Checking Details</u>	<u>Review an item</u>	4	0	1	3	10 m 6.370 s
6	<u>Checking Details</u>	<u>Review an item</u>	4	4	0	0	9.672 s


(F)- Home Page feature

FAILED	DURATION - 10.096 s	Scenarios		Steps	
/ 3:19:23.727 PM // 3:19:33.823 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



(S)- Checking title of Home Page

<div>FAILED</div> <div>DURATION - 10.094 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:19:23.729 PM // 3:19:33.823 PM /				
Home Page feature				



#	Step / Hook Details	Status	Duration	
1	Given - Given user has already logged in to application	PASSED	4.722 s	
	username			password
	AutomationPractice@gmail.com			givePassword1122
2	Given - Given user is on Home Page	PASSED	0.006 s	
3	When - When user checks title of the page	PASSED	0.004 s	
4	Then - Then page title should be "Automation Exercise"	PASSED	0.005 s	
5	And - And check username of an account	PASSED	0.033 s	
6	Then - Then username should be "Logged in as Yash1"	FAILED	0.005 s	
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.HomePageSteps.username_should_be(HomePageSteps.java:44) at ?.username should be "Logged in as Yash1"(file:///D:/Selenium_Workspace/BDD-POM-master/src/test/resources/AppFeatures/HomePage.feature:17) * Not displayable characters are replaced by '?'. 			
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.524 s	

#	Step / Hook Details	Status	Duration
	<u>Checking title of Home Page</u>		
			

(F)- Login page feature



PASSED	DURATION - 10.226 s	Scenarios		Steps	
/ 3:19:33.839 PM // 3:19:44.065 PM /		Total - 2		Total - 9	
		Pass - 2		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Title of your scenario

PASSED	DURATION - 3.504 s		Steps	
/ 3:19:33.839 PM // 3:19:37.343 PM /			Total - 3	
Login page feature			Pass - 3	
@Smoke @Regression			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	1.418 s
2	When - When user checks title of the page	PASSED	0.025 s
3	Then - Then page title should be "Automation Exercise - Signup / Login"	PASSED	0.001 s

(S)- Login with correct credential



<div>PASSED</div> <div>DURATION - 6.716 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:19:37.349 PM // 3:19:44.065 PM /</div>			
<div>Login page feature</div>			
<div>@Smoke @Regression</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	1.682 s
2	When - When user enters username "AutomationPractice@gmail.com"	PASSED	0.083 s
3	And - And user enters password "givePassword1122"	PASSED	0.139 s
4	And - And user clicks on login button	PASSED	2.832 s
5	Then - Then user gets title of the page	PASSED	0.006 s
6	And - And login page title should be "Automation Exercise"	PASSED	0.000 s

(F)- Products detail



<div>PASSED</div>	<div>DURATION - 3.498 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:19:44.072 PM // 3:19:47.570 PM /					

(S)- Title of your scenario



PASSED <i>DURATION - 3.498 s</i>			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:19:44.072 PM // 3:19:47.570 PM /				
Products detail				

#	Step / Hook Details	Status	Duration
1	Given - Given user is navigated to Products Page	PASSED	1.484 s
2	When - When user checks title of the page	PASSED	0.046 s
3	Then - Then page title should be "Automation Exercise - All Products"	PASSED	0.001 s
4	And - And Product list is available	PASSED	0.019 s

(F)- Checking Details

FAILED	DURATION - 10 m 16.064 s	Scenarios		Steps	
/ 3:19:47.579 PM // 3:30:03.643 PM /		Total - 2		Total - 8	
		Pass - 1		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Review an item



<div>FAILED</div> <div>DURATION - 10 m 6.370 s</div>			Steps	
/ 3:19:47.579 PM // 3:29:53.949 PM /			Total - 4	
Checking Details			Pass - 0	
			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration				
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>AutomationPractice@gmail.com</td><td>givePassword1122</td></tr></table> <div>org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=112.0.5615.138) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-47V8HSKJ', ip: '192.168.2.25', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\Keyur\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:43412}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:</div>	username	password	AutomationPractice@gmail.com	givePassword1122	FAILED	10 m 4.308 s
username	password						
AutomationPractice@gmail.com	givePassword1122						

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: 9271bc17e485e7683369ac772fbb7d14 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at com.pages.LoginPage.loginMethod(LoginPage.java:40) at stepdefinitions.HomePageSteps.user_has_already_logged_in_to_application(HomePageSteps.java:28) at ?.user has already logged in to application(file:///D:/Selenium_Workspace/BDD-POM-master/src/test/resources/AppFeatures/ProductsdetailPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given - Given user is on products detail page	SKIPPED	0.004 s
3	Then - Then user enters "Keyur" ,gives "keyurbhavsar555@gmail.com" and describes "I really liked this product, thank you seller."	SKIPPED	0.000 s
4	Then - Then user click on submit	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=112.0.5615.138) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-47V8HSKJ', ip: '192.168.2.25', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\Keyur\AppData\Local\goog:chromeOptions: {debuggerAddress: localhost:43412}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9271bc17e485e7683369ac772fbb7d14 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45) </pre>		

(S)- Review an item

<div>PASSED</div> <div>DURATION - 9.672 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:29:53.971 PM // 3:30:03.643 PM /</div>			
<div>Checking Details</div>			

#	Step / Hook Details		Status	Duration
1	Given - Given user has already logged in to application		PASSED	5.333 s
	username	password		
	AutomationPractice@gmail.com	givePassword1122		
2	Given - Given user is on products detail page		PASSED	1.504 s
3	Then - Then user enters "Hrithik" ,gives "hrithikroshan555@gmail.com" and describes "Best price, and color is good."		PASSED	0.334 s
4	Then - Then user click on submit		PASSED	0.046 s

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Checking title of Home Page

(F) Home Page feature



- [Home](#)
- [Products](#)
- [Cart](#)
- [Logout](#)
- [Delete Account](#)
- [Test Cases](#)
- [API Testing](#)
- [Video Tutorials](#)
- [Contact us](#)
- [Logged in as Yash](#)

AutomationExercise

Full-Fledged practice website for Automation Engineers

All QA engineers can use this website for automation practice and API testing either they are at beginner or advance level. This is for everybody to help them brush up their automation skills.

- Test Cases
- APIs list for practice



CATEGORY



FEATURES ITEMS

