

Part 1:

$$WTS: \exp\left[-\frac{1}{2}\left(\left(\sum_{i=1}^n \phi(x_i - \theta)\right)^2 + \tau(\theta - \theta_0)^2\right)\right] \propto \exp\left[-\frac{1}{2}(\tau + n\phi)\left(\theta - \frac{1}{\tau + n\phi}(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\right)^2\right]$$

$$\exp\left[-\frac{1}{2}\left(\left(\sum_{i=1}^n \phi(x_i - \theta)\right)^2 + \tau(\theta - \theta_0)^2\right)\right]$$

$$= \exp\left[-\frac{1}{2}\left(\left(\sum_{i=1}^n \phi(x_i - \theta)\right)^2 + \tau\theta^2 - 2\tau\theta\theta_0 + \tau\theta_0^2\right)\right]$$

$$= \exp\left[-\frac{1}{2}\left(\left(\phi\sum_{i=1}^n (x_i^2 - 2x_i\theta + \theta^2)\right) + \tau\theta^2 - 2\tau\theta\theta_0 + \tau\theta_0^2\right)\right]$$

$$= \exp\left[-\frac{1}{2}\left(\left(\phi\left(\sum_{i=1}^n x_i^2 - 2\theta\sum_{i=1}^n x_i + n\theta^2\right)\right) + \tau\theta^2 - 2\tau\theta\theta_0 + \tau\theta_0^2\right)\right]$$

$$= \exp\left[-\frac{1}{2}\left(\phi\sum_{i=1}^n x_i^2 - 2\left(\phi\sum_{i=1}^n x_i + \tau\theta_0\right)\theta + (\phi n + \tau)\theta^2 + \tau\theta_0^2\right)\right]$$

$$= \exp\left[-\frac{1}{2}\left((\tau + n\phi)\theta^2 - 2\left(\phi\sum_{i=1}^n x_i + \tau\theta_0\right)\theta + (\tau\theta_0^2 + \phi\sum_{i=1}^n x_i^2)\right)\right]$$

$$= \exp\left[-\frac{1}{2}\left((\tau + n\phi)\theta^2 - 2(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\theta + (\tau\theta_0^2 + \phi\sum_{i=1}^n x_i^2)\right)\right]$$

$$= \exp\left[-\frac{1}{2}(\tau + n\phi)\left(\theta^2 - 2\frac{1}{\tau + n\phi}(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\theta + \frac{1}{\tau + n\phi}(\tau\theta_0^2 + \phi\sum_{i=1}^n x_i^2)\right)\right]$$

Since we are treating all other variables as constant except θ , so we can multiply/drop constants.
Note: $\exp[a+b] = \exp(a)\exp(b)$, so we add/mul term in $\exp()$ as multiplication

$$\propto \exp\left[-\frac{1}{2}(\tau + n\phi)\left(\theta^2 - 2\frac{1}{\tau + n\phi}(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\theta + \frac{1}{\tau + n\phi}(\tau\theta_0^2 + \phi\sum_{i=1}^n x_i^2)\right)\right]$$

$$= \exp\left[-\frac{1}{2}(\tau + n\phi)\left(\theta^2 - 2\frac{1}{\tau + n\phi}(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\theta\right)\right]$$

dropping this term because it has no θ , so it is just constant.

$$\propto \exp\left[-\frac{1}{2}(\tau + n\phi)\left(\theta^2 - 2\frac{1}{\tau + n\phi}(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\theta + \underbrace{\frac{1}{\tau + n\phi}(\tau\theta_0^2 + \phi\sum_{i=1}^n x_i^2)}_{\text{multiplying this term because it also have no } \theta}\right)\right]$$

$$= \exp\left[-\frac{1}{2}(\tau + n\phi)\left(\theta - \frac{1}{\tau + n\phi}(\tau\theta_0 + \phi\sum_{i=1}^n x_i)\right)^2\right]$$

it also have no θ .

as we needed.