

VOYAGEWRIGHT

PROJECT WAKEBOOK

The Living Journey Archive

Governing Architecture and Product Requirements
Document

Chronicle Passport, Personal Journey History, Memories,
Keepsakes, Private Statistics, Edition Awareness, and Long-
Term Remembrance

Governing Principle

A Voyage must remain worth returning to after it ends. Wakebook preserves each person's journey as a private, version-pinned, consent-aware historical experience derived from canonical Voyage truth and presented as a living archive rather than a database report.

Version 1.0 • August 2026
Prepared for the Voyagewright platform

Document Control

Field	Value
Program	Project Wakebook
Subsystem	The Living Journey Archive
Document type	Governing architecture and product requirements
Version	1.0
Date	August 2026
Status	Governing baseline
Primary product surfaces	Personal Harbor, Chronicle Passport, Voyage history, Memories, Keepsakes, Artifact Cabinet integration
Core implementation rule	One Voyage owns what happened; Wayfarer owns durable personal facts; Wakebook owns the private human archive experience over those facts.
Development rule	Each phase is independently mainline-safe and must merge before the next Wakebook phase begins.

Source and authority basis

This document is grounded in accepted Wayfarer personal-history and artifact architecture, Homeport product-reality governance, the Global Product Governance Standard, Sounding Line verification governance, and the newly adopted continuous-mainline development standard. Implementation must always revalidate the current fetched repository before coding; historical source documents define invariants, not stale file paths.

Contents

1. Executive Summary	32. Service and API Architecture
2. Project Identity and Product Vision	33. Data Model and Read-Model Strategy
3. Why Wakebook Exists	34. Reconciliation, Rebuild, and Historical Stability
4. Non-Negotiable Design Principles	35. Visual Design and Interaction Language
5. Scope and Explicit Non-Goals	36. Responsive, Mobile, and Accessibility Requirements
6. Canonical Ownership and Cross-Project Boundaries	37. Required Page and Data States
7. Canonical Historical Truth Model	38. Security Threat Model
8. Personal Journey Archive Information Architecture	39. Performance and Operational Architecture
9. Archive Home and Voyage Cards	40. Failure and Recovery Behavior
10. Voyage Detail Experience	41. Testing and Acceptance Matrix
11. Historical Lifecycle and Invitation History	42. Sounding Line Contracts and Evidence
12. Version Pinning and Historical Snapshot Policy	43. Continuous Development and Mainline Integration
13. Timing Semantics and Data Quality	44. Implementation Phases
14. Outcomes, Endings, Chapters, and Optional Objectives	45. Phase 1: Open the Wake
15. Choices, Hints, Attempts, and Captain Interventions	46. Phase 2: Bind the Voyages
16. Crew History and People Model	47. Phase 3: Read the Wake
17. Captain and Creator Historical Attribution	48. Phase 4: Return to the Journey
18. Artifact Cabinet and Achievement Integration	49. Phase 5: Chart a Life in Voyages
19. Reflections and Chronicle Memories	50. Phase 6: Preserve the Story
20. Keepsakes and Participant Consent	51. Migration and Adoption Strategy
21. Private Media and Sealed Hold Integration	52. Observability and Support
22. Search, Filtering, Sorting, and Archive Scale	53. Final Acceptance Criteria
23. Personal Statistics and Derived Insights	54. Recommended Technical Baseline
24. Timeline View	55. Governance and Change Control
25. People View	56. Glossary
26. Map View and Landfall Integration	Appendix A. Mainline Safety Contract for Wakebook phases
27. Tideglass Integration and Edition Awareness	Appendix B. Historical Data Quality Matrix
28. Replay, Revisit, and Lanternwake Integration	Appendix C. Privacy Projection Matrix
29. New Edition Awareness and Notifications	Appendix D. Required Screen State Matrix
30. Privacy, Visibility, and Projection Model	Appendix E. Suggested Sounding Line Contract Catalog
31. Data Minimization and Anti-Surveillance Rules	References

1. Executive Summary

Project Wakebook transforms the Chronicle Passport from a technically capable history surface into Voyagewright's living personal journey archive. The platform already preserves powerful ingredients: version-pinned Voyage records, invitation and membership history, timing quality, historical participant snapshots, reflections, Memories, Keepsakes, artifact provenance, achievements, and privacy controls. Wakebook does not replace those foundations. It turns them into a coherent experience people will actually want to revisit.

The governing product objective is emotional as well as technical: a completed Voyage should remain meaningful after the finale. A person should be able to return months or years later and understand what they played, which exact edition they experienced, who traveled with them, what happened, what they kept, what they wrote down, and how that journey fits among the rest of their life in Voyagewright.

Wakebook is deliberately private by default. It is not a social feed, leaderboard, surveillance dashboard, or second source of progression truth. One Voyage owns what happened. Wayfarer owns canonical personal records and privacy. Wakebook owns the rich archive presentation, historical organization, derived private summaries, and remembrance workflows over those accepted facts.

The project is structured for continuous mainline integration. Each phase must produce a complete, independently useful plateau that can be merged immediately. Later phases may enrich the archive, but no phase may leave main dependent on unfinished future Wakebook work.

Core Product Outcome

Opening Wakebook should feel like opening a shelf of journeys you actually lived, not inspecting an array of database records.

2. Project Identity and Product Vision

The subsystem is named Project Wakebook. A wake is the trail a voyage leaves behind; a book is the place that trail becomes durable memory. The name intentionally describes what happens after motion has passed: the journey is over, but its shape remains readable.

The formal subtitle is The Living Journey Archive. "Living" does not mean history mutates. Canonical historical facts remain version-pinned and stable. Living means the archive can gain owner-authored Memories, reflections, organization, safe derived statistics, new-edition awareness, and new presentation modes without rewriting what occurred.

Wakebook should reward returning. The archive must work equally well when a person has one Voyage and when they have hundreds. It should be immediately understandable, visually rich, respectful of privacy, and dense with detail only when the person chooses to open it.

- Primary emotional goal: preserve the feeling and context of past journeys.
- Primary product goal: make private Chronicle history a first-class destination rather than a settings subsection.
- Primary technical goal: project accepted history safely without creating another runtime authority.
- Primary information-architecture goal: support archive, timeline, people, statistics, artifacts, Memories, and future geography as coordinated views of the same records.

3. Why Wakebook Exists

Wayfarer Phase 3 already established a substantial personal-history architecture: one personal Chronicle record per person and Voyage, exact published-version identity and checksum, lifecycle history, historical Chronicle and crew snapshots, timing classifications, outcomes, reflections, private Memories, private Keepsakes, consent, and privacy-aware projections. Wayfarer Phase 4 added person-level artifact provenance, display cases, assemblies, and versioned achievements.

Homeport then exposed the product gap: Chronicle Passport contained meaningful data but the screen contract described it as skeletal, with a large engineering-form composition and incomplete state treatment. The governing recovery work correctly required Passport to remain a distinctive Voyagewright product area with history, Memories, Keepsakes, artifacts, filters, visual hierarchy, intentional empty states, and clear separation between public identity and private records.

Wakebook exists to finish that last mile. It is a realization and expansion program, not a database rescue operation. The backend should not be rewritten merely because the frontend was underwhelming. Where accepted personal-history data already exists, Wakebook must consume it. New persistence is justified only when a genuinely new durable concept cannot be reconstructed safely from existing canonical facts.

Problem Statement

Voyagewright already remembers far more than the current Passport emotionally communicates. Wakebook closes that gap without duplicating the systems that already own the facts.

4. Non-Negotiable Design Principles

Every Wakebook implementation decision must satisfy the following principles. They are product invariants, not optional design aspirations.

Principle	Requirement
History, not reconstruction fiction	Never guess a historical fact merely because it would make a prettier archive. Exact, estimated, unavailable, and user-authored information must remain distinguishable.
Version-pinned truth	A Voyage Record remains tied to the exact immutable published Chronicle version and historical participant snapshots involved at the time.
One Voyage remains authoritative	Wakebook never advances progression, repairs session events directly, changes inventory, rewrites membership, or becomes a second event source.
Private by default	Personal history, Memories, timing, crew context, notes, and detailed statistics are owner-private unless a separate governed projection explicitly allows more.
No social competition	Wakebook may summarize a person's own patterns. It must not create rankings, streak pressure, competitive speed scores, or public comparison by default.
Human-readable first	Historical meaning is presented as journeys, chapters, people, places, artifacts, moments, and stories rather than raw event logs or database terminology.
Unknown is legitimate	Unavailable and estimated values are represented honestly. Zero is not a substitute for unknown.
Consent follows people	Another participant's name, avatar, quote, image, audio, or media use remains governed by the relevant consent scope.
Mainline-safe phases	Every phase leaves main coherent and useful if all later Wakebook phases are cancelled.
No orphan destination	Every ordinary Wakebook surface is reachable through visible Personal Harbor/Passport navigation on desktop and mobile.

5. Scope and Explicit Non-Goals

Wakebook owns the personal archive experience around accepted personal history. It may add read models, private derived aggregates, archive-specific preferences, safe user annotations, and presentation exports. It must not absorb responsibilities merely because historical pages happen to display their output.

- In scope: personal archive information architecture; archive list and detail experiences; history search/filter/sort; chronological grouping; historical crew presentation; private statistics; Memories/reflections/Keepsake curation; artifact and achievement integration; edition awareness; replay entry points; timeline and people views; future privacy-safe map view; archive-specific accessibility and performance.
- Not in scope: a second TaleSession/progression engine; raw event debugging UI for ordinary users; account authentication; public Community Voyage Logs; Community reviews/comments/follows; artifact ownership truth; semantic edition diff computation; Captain operations; Creator authoring; location-tracking truth; private media storage; generic account export; global leaderboards; behavioral advertising; competitive ranking.

- Wakebook may link to Harborlight sharing, Tideglass comparison, Landfall geography, Helm Captain history, and Sealed Hold media, but those systems remain canonical owners of their domains.

6. Canonical Ownership and Cross-Project Boundaries

Wakebook is intentionally a projection-rich subsystem sitting on top of several specialist owners. Correct boundaries are more important than reducing file count.


Domain	Canonical owner	Wakebook responsibility
Voyage runtime truth	One Voyage	Read accepted completion, membership, event, and version facts; never mutate runtime truth.
Account, privacy, canonical history records	Wayfarer	Use canonical account/profile/history records; add archive presentation and private derived summaries only.
Personal artifact provenance and achievements	Wayfarer Artifact Cabinet	Display and contextualize; never infer ownership from shared Voyage inventory.
Semantic edition comparison	Tideglass	Launch comparison and display returned safe summaries; do not create a second diff engine.
Captain runtime participation and operations	Helm / One Voyage	Record historical role snapshots and accepted facts only.
Public Community sharing and Voyage Logs	Harborlight	Offer governed handoff; keep Wakebook private by default.
Private media storage and delivery	Sealed Hold	Reference authorized media; never expose raw storage keys.
Geospatial truth	Landfall	Display privacy-safe historical geography only through a declared Landfall projection.
Presentation/replay authority	Lanternwake	Use canonical replay/scene contracts where historical replay is supported.
Verification/release evidence	Sounding Line	Register contracts, run affected tests, and accept only source-bound evidence.

7. Canonical Historical Truth Model

The central architecture is a one-way derivation pipeline. Runtime and authoring systems create facts. Wayfarer projects those facts into durable per-person records. Wakebook reads those records, joins approved adjacent data, computes explicitly derived private summaries, and renders archive views.

Wakebook must never create an ambiguous “history event” that can later be mistaken for One Voyage truth. Owner-authored reflections and Memories are annotations attached to history, not evidence that the underlying Voyage did something different.

Historical correctness requires provenance. Every archive detail should be traceable to one of: immutable published-version snapshot; canonical TaleSession/Invitation/Membership facts; Wayfarer materialized projection; artifact grant receipt; achievement evidence; owner-authored annotation; consent record; or an explicitly versioned derived metric definition.



8. Personal Journey Archive Information Architecture

The primary archive experience should support progressive disclosure. The first view emphasizes recognition and memory: cover art, Chronicle title, date, crew, completion state, duration, edition, favorite markers, and a short outcome summary. Deeper technical provenance remains available but does not dominate the card.

The recommended default destination is a chronological “Your Voyages” shelf with year grouping and strong visual hierarchy. Alternate views may reorganize the same records without creating separate truth stores.

Surface	Purpose
Archive Home	Chronological journey shelf, year summaries, recent Memories, filters, and quick return to meaningful records.
Voyage Detail	Complete private historical narrative for one person’s participation in one exact Voyage.
Timeline View	Chronological sequence across years and journeys.
People View	Private relationship lens showing shared Voyages and historical snapshots without creating a public social graph.
Statistics View	Private derived patterns with provenance and quality labels.
Artifacts & Achievements	Contextual portal into Wayfarer Artifact Cabinet and achievements from historical journeys.

Surface	Purpose
Memories & Keepsakes	Owner-authored and consent-governed remembrance layer.
Edition Awareness	Tideglass-powered “what changed since I played?” and revisit entry points.
Map View	Future Landfall-powered privacy-safe historical geography.

9. Archive Home and Voyage Cards

The Archive Home must work with one Voyage, ten Voyages, or thousands. New accounts receive a deliberate empty experience explaining what will appear after participation, with direct routes to discover or join a Chronicle. Returning users receive meaningful content before searching.

Voyage cards should prioritize recognition: cover image or governed fallback; historical Chronicle title; exact edition badge; start or completion date; completion/lifecycle status; crew preview; role; duration quality; ending or outcome where safe; favorite marker; artifact/Memory/Keepsake indicators; and “what changed” status when Tideglass data is available.

Cards must not expose secret narrative text, private notes, raw event payloads, hidden answers, or other participants’ non-consented media.

- Year grouping should include concise private summary metrics such as Voyages completed, total active time where exact enough, unique crew count, and artifacts discovered where authoritative.
- Filters should remain compact by default: status, year, Chronicle, people, Creator, Captain, favorite, has Memories, has Keepsake, and replay/revisit availability.
- Sorting should include newest, oldest, recently revisited, longest/shortest only where timing quality permits, and custom favorites. “Fastest” must never be framed competitively.

10. Voyage Detail Experience

Voyage Detail is the central Wakebook page. It should tell the story of participation without pretending to replay the live runtime itself. The page must be built from stable historical sections so users can scan quickly or dive deeply.

The recommended header contains historical cover, Chronicle title, exact edition, Creator attribution, date range, participation role, Captain role snapshot, lifecycle status, safe ending/outcome, crew, and primary actions such as Replay Ceremony, Compare Editions, Add Memory, Edit Reflection, or Revisit Chronicle when supported.

Detail sections should use historical snapshots whenever current profile or Chronicle metadata has changed. A rename today must not silently rewrite the label shown for a Voyage years ago unless the product deliberately offers an additional “current identity” hint separate from the historical snapshot.

Detail section	Typical contents
Journey Summary	Start/join/completion times, lifecycle, role, duration quality, ending, completion percentage where meaningful.
Path Through the Chronicle	Completed chapters, optional objectives, side quests, safe branch summaries, unresolved or unavailable details.
Crew	Historical participant snapshots, roles, consent-aware media, join/remove timing where appropriate.
Artifacts & Achievements	Artifacts witnessed/owned through canonical projections, assemblies, achievements earned during or because of the Voyage.
Memories & Reflection	Owner-authored text, favorite moments, linked media, private notes, soft-deleted state where applicable.
Keepsake	Private generated/crafted remembrance with participant consent state.
Edition & Revisit	Exact version identity, current edition relationship, Tideglass comparison, replay/revisit actions.
Technical provenance	Optional advanced panel: record source, timing version, checksum, data-quality labels, reconciliation state.

11. Historical Lifecycle and Invitation History

Wakebook must preserve more than completed Voyages. Invitations and membership history are part of a person’s journey through the platform, but they should not overwhelm the archive.

The system may show invited, accepted, active, paused, completed, declined, expired, revoked, removed, cancelled, abandoned, hidden, archived, and pinned states where accepted records support them. Labels must use Voyagewright language and explain ambiguous terminal states without implying blame.

Invitation-only records should remain distinguishable from played Voyage Records. A declined or expired invitation is not equivalent to a failed Voyage and should not distort completion statistics.

12. Version Pinning and Historical Snapshot Policy

Every played Voyage must remain tied to the exact immutable PublishedTaleVersion or canonical equivalent, including its stable identifier and checksum. The archive must never silently “upgrade” an old record to the current Chronicle edition.

Historical snapshots should preserve the minimum human context required to understand the past even when source objects later change or disappear: title, cover/reference fallback, Creator attribution, participant display name/avatar snapshot when governed, crew role, artifact label/representation snapshot, and relevant edition metadata.

Current metadata may be shown as an additional contemporary layer, but it must be visually distinguished. Historical truth and present-day identity are different concepts and must not collapse into one field.

13. Timing Semantics and Data Quality

Wayfarer already established that time can be exact, estimated, or unavailable. Wakebook must make this legible rather than burying it in a backend flag.

Potential metrics include wall-clock duration, active runtime, paused time, connected time, interactive time, Captain-wait time, join delay, and completion span. A metric is shown only when its calculation version and source evidence are valid for that record.

Unknown values must not become zero. Estimated values must not be styled as exact. Calculations should retain a versioned definition so historical numbers do not drift when metric formulas improve.

Quality	UI treatment	Allowed use
EXACT	Normal value with optional provenance tooltip	Primary detail and statistics.
ESTIMATED	Value plus explicit approximation marker	Detail and statistics with quality note.
UNAVAILABLE	Human-readable “Not available” explanation	No numeric aggregation.
NOT_APPLICABLE	Omit or explain why the metric does not apply	Never coerced into zero.

14. Outcomes, Endings, Chapters, and Optional Objectives

Wakebook should summarize meaningful progress using canonical evidence rather than reconstructing story logic. Completed chapters, optional objectives, side quests, ending identifiers, and finale outcomes may be presented when the published version and runtime evidence permit safe historical interpretation.

An ending should retain its historical label or safe snapshot from the played edition. If the Creator later renames or removes that ending, the archive remains stable.

Completion percentage should be used carefully. Branching Chronicles may intentionally leave large portions unseen. “42% complete” can be misleading when a valid ending was reached. Prefer “Completed,” “Completed with 3 of 5 optional objectives,” or branch-aware summaries over naive graph percentages.

15. Choices, Hints, Attempts, and Captain Interventions

Not every runtime fact belongs in a personal archive. Choice summaries must be explicitly whitelisted and spoiler-safe. Raw answer text, secret variables, Captain notes, and hidden future content must never be copied into Wakebook merely because an event payload contains them.

Hint use, attempts, retries, reconnects, and Player-affecting Captain overrides may be summarized when the meaning is stable and useful. These summaries should feel like personal history, not performance grading.

Unsafe or insufficiently interpretable choices must be marked unavailable rather than guessed. The archive may say “Detailed choice history was not preserved for this edition” instead of fabricating a branch narrative.

16. Crew History and People Model

People View is a private historical lens, not a new social graph. It answers questions such as “Which journeys did I share with this person?” using accepted participant snapshots and current authorized identity connections where available.

Historical crew entries should preserve display name, avatar snapshot where governed, participation role, crew role, join/remove state, and consent status relevant to Memories or Keepsakes. The UI may optionally show the current profile identity separately when it can be resolved safely.

Counts such as “12 Voyages together” are private derived statistics. Wakebook must not publicly rank friends, infer relationship importance, or create social conclusions from frequency. Humans are already capable of overinterpreting read receipts without software assistance.

17. Captain and Creator Historical Attribution

A person should be able to remember who created a Chronicle and who Captained a Voyage without those facts becoming coupled to current privileges.

Creator attribution should be pinned to the played edition or accepted historical attribution record. Captain history should reflect the actual role at the time, including future Helm support for a Captain who also participated as a Player.

Wakebook must not assume that “Captain” means “not a Player.” Participation and authority are orthogonal. Historical presentation should be ready to consume Helm’s accepted dual-role contract when it reaches main.

18. Artifact Cabinet and Achievement Integration

Wakebook displays artifact and achievement context but does not own provenance. Wayfarer ArtifactGrantReceipt and personal artifact records remain authoritative.

Voyage Detail may show artifacts witnessed, discovered, collected, entrusted, used as assembly components, or assembled, but state labels must come from canonical personal records. Shared Voyage inventory alone is never sufficient to assert personal ownership.

Achievements may appear in the journey in which they were earned or first recognized, provided deterministic evidence exists. The archive can link into display cases and collections without duplicating those records.

19. Reflections and Chronicle Memories

Reflections and Memories are the owner-authored layer that makes Wakebook personal. They are not canonical runtime truth and must remain clearly editable without rewriting the underlying Voyage Record.

Users should be able to record a general reflection, favorite chapter, clue, artifact, moment, private note, and linked Memories/media where accepted systems support them. Autosave or explicit save behavior must be clear, revision-safe, and recoverable.


Memory deletion should preserve the accepted Wayfarer soft-delete/tombstone semantics where needed for integrity and consent. The UI should explain what removal means rather than presenting a destructive action with no recovery context.

20. Keepsakes and Participant Consent

Private Keepsakes are a distinct remembrance artifact assembled from accepted Voyage facts plus owner-selected content. Wakebook may improve their presentation and curation but must not redefine consent semantics established by Wayfarer.

When another participant's name, avatar, quote, photo, audio, or other media appears, the relevant consent scope must be satisfied. Consent can be denied or revoked; Wakebook must then regenerate, redact, or degrade the Keepsake safely without corrupting the underlying Voyage Record.

A Keepsake remains private unless a separate Harborlight sharing flow creates a governed public Voyage Log or equivalent. Wakebook itself must not expose "Share publicly" as a shortcut around Harborlight privacy and moderation.



21. Private Media and Sealed Hold Integration

Wakebook may display protected photos, audio, or other media only through authorized delivery contracts owned by Sealed Hold or the accepted media authority. It must store identifiers and safe metadata, not raw object-storage keys or public URLs to private originals.

Unavailable, quarantined, withdrawn, expired, or consent-revoked media must degrade gracefully. A broken image icon is not a privacy strategy. The archive should retain the Memory's textual context and explain why media is unavailable when doing so does not leak sensitive operational state.

Generated thumbnails or derivatives must inherit the correct authorization and retention policy. Public derivatives must never be silently substituted for private originals in an owner archive if that changes privacy meaning.

22. Search, Filtering, Sorting, and Archive Scale

Wakebook must remain usable as records grow. Search should be privacy-safe and scoped to the owner’s archive. It may index safe historical titles, Creator/Captain names, participant snapshots, Memory text when the owner opts in, artifact names, and tags derived from canonical data.

Filters should be composable but not overwhelming. The default interface should expose the few controls most people need; advanced filters can expand progressively.

Cursor pagination or virtualized presentation should be used when needed, but the UX must preserve year grouping and accessible navigation. Search results should explain active filters and allow clearing them in one action.

Filter family	Examples
Time	Year, date range, recently revisited.
Lifecycle	Completed, active historical record, invitation-only, abandoned, archived.
People	Crew member, Captain, Creator.
Content	Chronicle, edition, theme/tag where accepted.
Remembrance	Has Reflection, Memory, Keepsake, favorite.
Progress	Ending, optional objective state, repeat Voyage.
Artifacts	Contains personally owned artifact, assembly, collection milestone.

23. Personal Statistics and Derived Insights

Wakebook may compute private statistics that help a person understand their own archive. The feature is intentionally noncompetitive: no public ranks, percentile scores, “best player” labels, or social pressure.

Derived statistics must declare source requirements and quality behavior. A statistic built from mixed exact and estimated values should either degrade its quality or exclude unsupported records. Every metric should have a stable definition version.

Useful examples include Voyages completed, active time, unique Chronicles, repeat Voyages, unique crew, frequent crew, Creators experienced, Captains traveled with, endings reached, optional objectives, side quests, artifacts discovered/collected, assemblies completed, achievement milestones, Memories created, Keepsakes curated, and future privacy-safe places visited.

Theme preferences may be shown only when the source Chronicle has explicit governed tags. Wakebook must not infer sensitive interests from prose, location, or participant behavior.

24. Timeline View

Timeline View organizes personal history across months and years. It should emphasize memorable milestones rather than dumping every event.

Eligible timeline items include invitations accepted, Voyage starts/completions, major artifacts, assemblies, Keepsakes, owner-authored Memories, and significant edition revisits. Ordinary low-level runtime events remain hidden.

The timeline should support keyboard navigation, stable deep links to Voyage Detail, year/month jump controls, and reduced-motion behavior. It must not depend on animated scrolling to convey chronology.

25. People View

People View is generated from historical participation and consent-safe identity projections. It allows the owner to select a person and see shared Voyages, first/most recent journey, roles, and private aggregate counts.

Where current accounts can no longer be resolved, historical snapshots remain sufficient to preserve the record. Account deletion, profile renames, or revoked public visibility must not erase the owner's legitimate historical fact that they traveled with someone, subject to applicable privacy/deletion policy.

People View must avoid relationship labels not explicitly supplied by users. "Most frequent crew member" may be a private numeric summary; "best friend" is not an algorithmic conclusion Wakebook should invent.

26. Map View and Landfall Integration

Map View is a future-aware Wakebook surface and should remain dormant until Landfall exposes a canonical privacy-safe historical geography contract. Wakebook must never synthesize continuous location history from raw device samples.

The intended model is place-level remembrance: approved waypoints/regions that were part of an authored Chronicle and canonical arrival/completion evidence. Exact coordinates may be generalized or hidden according to Landfall privacy classification.

Possible experiences include a private "places your journeys have taken you" map, route snapshots for a particular Voyage, and location-linked Memories. All must respect creator/participant privacy, sensitive-location redaction, and data-minimization rules.

27. Tideglass Integration and Edition Awareness

Wakebook should make immutable versioning useful to ordinary users. When Tideglass provides a semantic comparison contract, a Voyage Record can answer "What changed since I played?" without exposing raw JSON diffs.

The default comparison is the exact played edition versus the current recommended/latest edition. The user may choose another version when the Chronicle allows historical editions. Wakebook only supplies the version identities and context; Tideglass owns the semantic difference computation.

Archive cards or detail pages may show a concise status such as "A newer edition is available" or "Major story changes since your Voyage." Such labels must come from Tideglass's stable classification, not from comparing version strings alone.

Dependency Rule

Wakebook edition-comparison UI may not become authoritative until Tideglass Phase 1's semantic diff contract is accepted into main.

28. Replay, Revisit, and Lanternwake Integration

Historical replay is presentation-only. Wakebook may launch supported Lanternwake ceremony replay, Journal presentation replay, artifact reveal replay, or other declared scenes only when the canonical replay contract guarantees no progression mutation.

Replay actions must never create TaleSession events, duplicate artifact grants, mark a new completion, or change viewed acknowledgments unless the canonical presentation system explicitly defines a non-business presentation record.

Revisit is different from replay. A user may choose to start a new Voyage of a Chronicle edition. That creates new runtime truth through One Voyage; Wakebook only provides the entry point and contextual warning that a new journey will be distinct from the archived one.

29. New Edition Awareness and Notifications

Wakebook may support opt-in notifications when a Chronicle previously played receives a meaningful new edition. This is useful only when tied to Tideglass semantics and the platform notification system.

Notification policy should be conservative: avoid notifying for every metadata patch; respect notification preferences; avoid spoilers; provide an immediate route to “What Changed?”; and allow muting a Chronicle or Creator without affecting the historical record.

Wakebook must not invent its own email/push delivery engine. It publishes safe notification intents to the canonical notification infrastructure when available.

30. Privacy, Visibility, and Projection Model

Wakebook is owner-private by default. Where existing Wayfarer records support crew-safe or public-safe summaries, Wakebook may render those explicit projections, but it must never broaden visibility because a screen happens to be shareable.

Privacy should be resolved at the service/projection layer, not by sending private fields to the browser and hiding them. DTOs must be explicit and purpose-specific.

History privacy is granular: a Voyage Record, reflection, Memory, artifact display, achievement showcase, and Keepsake may have different visibility policies. Wakebook must not collapse them into one global “profile public/private” switch.



31. Data Minimization and Anti-Surveillance Rules

Wakebook is a remembrance system, not behavioral telemetry. It must not begin collecting continuous location, mouse movement, dwell time, biometric data, raw camera footage, or secret answer content merely to enrich history.

Historical statistics should be derived from facts already needed to operate the Chronicle or explicitly authored by the owner. New collection requires a separate product justification, privacy review, retention policy, and consent where applicable.

Timing metrics are particularly sensitive to misinterpretation. They exist to help someone remember the shape of a journey, not measure productivity, speed, or “performance.”

32. Service and API Architecture

Wakebook should use a cohesive service layer rather than assembling history inside React components or route handlers. Existing Wayfarer services should be reused or extended before creating new equivalents.

Recommended conceptual services include JourneyArchiveQueryService, VoyageDetailProjectionService, ArchiveSearchService, PersonalJourneyStatisticsService, PeopleHistoryService, TimelineProjectionService, EditionAwarenessAdapter, HistoricalReplayAdapter, and ArchivePrivacyService.

Routes must authenticate through the canonical AccountSession, validate input with strict schemas, authorize owner access, call services, emit explicit DTOs, and map typed errors. Raw Prisma records and raw TaleSession events must not be serialized to clients.

API family	Purpose
GET /api/passport/voyages	Archive list with cursor, filters, year grouping summaries.
GET /api/passport/voyages/:id	Full owner-safe Voyage detail.
GET /api/passport/timeline	Private milestone timeline projection.
GET /api/passport/people	Private crew/people history summary.
GET /api/passport/stats	Versioned private aggregate statistics.
GET /api/passport/voyages/:id/edition-status	Tideglass-aware edition relationship when provider exists.
POST replay/revisit adapters	Launch presentation replay or governed new-Voyage flow; never mutate history directly.

33. Data Model and Read-Model Strategy

Wakebook should begin by auditing existing Wayfarer Phase 3/4 models and projections. New schema is not automatically desirable. Many archive experiences can be produced through indexed read models or derived views over already durable records.

Persistent additions are justified for archive-specific concepts that cannot be reproduced safely or efficiently, such as versioned aggregate snapshots, user archive preferences, manually curated archive collections, or durable statistics caches with explicit rebuild semantics.

Any derived persistence must be rebuildable and must carry source version, calculation version, generatedAt, and reconciliation state. It must never become the only source of a fact owned elsewhere.

34. Reconciliation, Rebuild, and Historical Stability

Wakebook must support deterministic rebuild of derived archive data. Reconciliation reads canonical source records, recalculates projections, compares expected and stored state, and reports drift before mutation.

Reconciliation is dry-run by default for administrative/repair operations. Automatic ordinary projection may remain event-driven where Wayfarer already supports it, but repair must never alter One Voyage business rows.

Historical stability tests should prove that changing a current display name, avatar, Chronicle title, cover, current edition, artifact metadata, or Community visibility does not rewrite stored historical snapshots incorrectly.

35. Visual Design and Interaction Language

Wakebook should inherit Voyagewright's polished, modern-but-aged visual system while feeling quieter and more reflective than the live Voyage runtime. The archive is a place to browse memories, not a command center.

Use strong cover imagery, layered cards, subtle paper/archive metaphors, restrained brass accents, clean typography, and generous white/negative space. Avoid turning every statistic into a dashboard tile. Dense data should sit behind deliberate details, not compete with the emotional hierarchy.

Motion should support continuity: shelf-to-detail shared transitions, year-group reveals, Memory expansion, and gentle timeline movement. Reduced motion must remain complete and readable. Lanternwake owns substantial cinematic replay; ordinary Wakebook UI should use the accepted platform motion system.

36. Responsive, Mobile, and Accessibility Requirements

Mobile is a primary Wakebook surface. Archive cards, filters, people view, timeline, Memories, and detail sections must remain complete at narrow widths without hiding controls or creating horizontal scrolling.

Desktop should use a persistent Personal Harbor/Passport section structure where governed by Homeport. Wakebook may provide local view controls inside the Chronicle History area, but it must not create a competing global sidebar.

Accessibility requirements include semantic headings, meaningful card names, keyboard navigation, focus restoration after dialogs/filters, 200% zoom, touch target sizing, non-color status meaning, reduced motion, text alternatives for historical media, and screen-reader announcements for filter/result changes.

37. Required Page and Data States

Every Wakebook screen must define states explicitly. A polished archive with only the happy populated path is incomplete.

Required families include loading, populated, first-use empty, filtered no-results, record unavailable, unauthorized/expired session, dependency unavailable, media unavailable, Tideglass unavailable, Landfall unavailable, replay unsupported, consent pending/revoked, mutation pending/success/failure, stale-revision conflict, offline where meaningful, and partial-history/data-quality states.

Empty states should invite useful action without pressure. A person with no completed Voyages should understand how the archive works and where to discover or join a Chronicle.

38. Security Threat Model

Wakebook concentrates sensitive historical information, so authorization and privacy defects are high severity even though the subsystem is mostly read-oriented.

Primary threats include IDOR against another person's Voyage Record; public projection accidentally including private notes or timing; raw event payload leakage; consent bypass; historical media URL leakage; stale authorization after account/session changes; mass-assignment of visibility; search indexing private Memory text outside the owner scope; replay endpoints mutating runtime state; and derived caches being served after privacy policy changes.

All owner routes require canonical account authentication and account-state checks. Mutation routes require CSRF and bounded input where current platform policy requires. Audit metadata must remain sanitized.

39. Performance and Operational Architecture

Archive performance should scale with personal history volume. The default home view should not hydrate every detail for every Voyage. Use summary projections, cursor pagination, lazy detail loading, image derivatives, and bounded aggregate computation.

Expensive private statistics should be cached only when rebuild semantics and invalidation are clear. Reconciliation and large archive recomputation may run as durable background jobs through the accepted job infrastructure rather than blocking requests.

Operational metrics should measure request latency, projection/reconciliation failures, cache freshness, media delivery failures, Tideglass/Landfall adapter health, and privacy-denial paths without logging private content.

40. Failure and Recovery Behavior

Wakebook must remain useful when adjacent systems are unavailable. A Tideglass outage should hide or degrade “What Changed?” without preventing ordinary history. Landfall unavailability should not block Voyage Detail. Missing media should not erase text. Replay failure should not alter the record.

If a derived projection fails, the system should preserve the last accepted historical record and indicate that supplementary data could not be refreshed. It must not silently fall back to raw runtime data that violates the projection boundary.

Repair tooling belongs behind administrative/support authorization and should produce deterministic reports. Ordinary users should receive clear recovery actions, not database diagnostics.

41. Testing and Acceptance Matrix

Wakebook requires layered proof because many failures are privacy or historical-consistency defects rather than visual defects. Sounding Line remains the final verification authority.

At minimum, tests must cover exact/estimated/unavailable timing, version pinning, current-profile changes, Chronicle updates, late join/removal, invitation-only records, owner/crew/foreign projections, Memories, Keepsake consent grant/denial/revocation, artifact state integration, achievement integration, filter/search behavior, large archives, empty states, mobile/desktop, keyboard, 200% zoom, reduced motion, media failure, Tideglass absence, replay non-mutation, and One Voyage read-only invariance.

Browser acceptance must begin from ordinary visible Personal Harbor/Passport navigation rather than direct URL-only entry. Major product-facing phases stop at READY FOR OWNER WALKTHROUGH until owner acceptance.

Layer	Required proof
Unit/contract	Projection rules, metric formulas, privacy policy, sort/filter semantics, stable snapshots.
Service/API	Authorization, pagination, DTO redaction, CSRF, reconciliation, adapters.
Component	Cards, filters, states, timeline, people, Memories, details.
Browser journey	Gateway/account → Personal Harbor → Passport → History → Voyage Detail; desktop/mobile.
Cross-project	One Voyage invariance, Wayfarer artifact facts, Tideglass handoff, Sealed Hold media authorization, Lanternwake replay.
Compatibility	Historical fixtures, changed current profiles/Chronicles, reduced motion, zoom, offline/dependency failure.

42. Sounding Line Contracts and Evidence

Wakebook should register stable verification contracts rather than rely on one giant end-to-end test. Suggested contract families include `wakebook.history.version-pinning`, `wakebook.history.owner-privacy`, `wakebook.history.historical-stability`, `wakebook.timing.quality`, `wakebook.consent.projection`, `wakebook.artifact-context`, `wakebook.stats.derivation`, `wakebook.tideglass.handoff`, `wakebook.replay.nonmutation`, and `wakebook.navigation.reachability`.

Evidence must be tied to the exact source SHA, policy version, fixtures, and environment. A prior Wayfarer test may be reused only when the new Wakebook change cannot invalidate its contract under Sounding Line policy.

Raw diagnostic test commands do not authorize PRODUCT ACCEPTED. User-facing phases require Global Product Governance evidence and owner walkthrough where specified.

43. Continuous Development and Mainline Integration

Wakebook follows the Voyagewright Continuous Development and Mainline Integration Standard. The phase, not the whole project, is the integration unit.

Only one Wakebook phase should normally be active and unmerged at a time. Once a phase reaches accepted main, the next Wakebook phase starts from that integrated mainline, not from the prior feature branch. Other projects may remain active concurrently.

Every Wakebook phase declares its Mainline Safety Contract, dependency class, schema impact, migration reservation, shared contracts, activation state, rollback path, and permanent-stop safety. If main advances while a Wakebook phase is active, the phase reconciles semantically before acceptance.

Mainline Safety Rule

If all future Wakebook phases disappeared tomorrow, the capabilities already merged must still form a coherent product.

44. Implementation Phases

Wakebook is divided into six phases. Each phase is intentionally useful on its own and may merge immediately after acceptance.

Phase	Name	Primary outcome
1	Open the Wake	Personal Journey Archive Foundation: canonical archive read models, visual journey shelf, year grouping, Voyage Detail baseline, filters, exact version/crew/timing/outcome presentation, Personal Harbor integration.
2	Bind the Voyages	Rich Voyage Detail and Remembrance: chapter/path summaries, Memories, reflections, Keepsakes, artifact/achievement context, historical crew presentation, safe media, complete detail states.
3	Read the Wake	Private Statistics, Timeline, and People: versioned derived metrics, Timeline View, People View, archive-scale search/filtering, noncompetitive patterns.
4	Return to the Journey	Edition Awareness and Revisit: Tideglass integration, compare-to-what-I-played, replay entry points, revisit/new-Voyage flows, new-edition awareness.
5	Chart a Life in Voyages	Multi-view archive expansion: mature timeline/people organization, private collections of journeys, Landfall map mode when dependency is accepted, deeper cross-Voyage context.
6	Preserve the Story	Keepsake curation and program closure: polished personal storybook/export presentation, long-term resilience, privacy/consent degradation, performance, accessibility, final owner acceptance.

45. Phase 1: Open the Wake

Phase 1 should begin now and is designed for parallel execution with Admiralty, Deepwater, Tideglass, Helm, Drydock, and Shipwright Phase 1 work. Its schema pressure should remain low by deriving from accepted Wayfarer history first.

Mandatory work: current-history audit; archive service/read-model contract; visual archive home; year grouping; Voyage cards; owner-safe Voyage Detail baseline; filters and sorting; exact published-version identity; historical crew/role summary; timing quality display; outcome/chapter summary; Artifact Cabinet link/context; Personal Harbor navigation; complete loading/empty/error/permission states; responsive/accessibility proof; route/screen/journey catalog updates.

Phase 1 must not add Tideglass diff semantics, Landfall map history, public sharing, competitive analytics, or new progression truth.

Phase 1 Mainline Safety Contract

If Wakebook stops after Phase 1, Voyagewright still gains a complete, polished, private Journey Archive using current accepted personal-history data. No later phase is required to make the archive correct.

46. Phase 2: Bind the Voyages

Phase 2 deepens one Voyage Record into a remembrance experience. It should start only after Phase 1 is accepted into main.

Add rich journey path summaries, optional objectives and safe choice context, historical crew detail, Captain/Creator attribution, artifact and achievement chronology, Reflection editing, Memory curation, private Keepsake presentation, consent-state UX, safe private media, and technical provenance views.

The phase must preserve the distinction between canonical historical fact and owner-authored remembrance. Missing or unsafe detail must remain unavailable rather than inferred.

47. Phase 3: Read the Wake

Phase 3 introduces private cross-Voyage understanding: Timeline View, People View, versioned personal statistics, archive search at scale, and richer year/period summaries.

Metrics must be source-bound and quality-aware. The phase may create rebuildable derived caches if profiling proves them necessary, but may not persist inferred social judgments or sensitive behavioral analytics.

No ranking, streak pressure, public comparison, or “performance score” belongs in this phase.

48. Phase 4: Return to the Journey

Phase 4 has a hard dependency on Tideglass’s accepted semantic edition comparison contract. It integrates “Compare to what I played,” current-version awareness, controlled historical edition selection where supported, and safe revisit flows.

It also centralizes presentation-only replay entry points through Lanternwake and distinguishes replay from starting a new Voyage. A replay cannot mutate business state. A revisit that creates new runtime state must hand off to One Voyage explicitly.

If Tideglass is unavailable, the rest of Wakebook remains complete; the feature degrades to exact edition identity without semantic comparison.

49. Phase 5: Chart a Life in Voyages

Phase 5 expands the archive’s organizing lenses. It may add private custom shelves/collections of journeys, richer People and Timeline relationships, seasonal/year views, and Landfall-backed Map View once the canonical geography/history projection exists.

Geography remains data-minimized. The product should remember authored places and confirmed journey context, not invent a continuous trail. Sensitive locations require redaction/generalization rules inherited from Landfall.

Helm’s participating-Captain records should be fully reflected by this stage so the archive can distinguish historical authority and Player participation cleanly.

50. Phase 6: Preserve the Story

Phase 6 is the final product-closure phase. It does not invent another domain. It completes curation, long-term presentation, performance, accessibility, resilience, and owner-facing polish.

A “Voyage Book” or printable/downloadable personal presentation may be generated from owner-safe Wakebook projections, but it is not the canonical account-data export owned by Wayfarer. The distinction must be explicit.

Program closure requires every ordinary archive destination to be reachable, every required state designed, migrations/reconciliation safe, privacy and consent proven, Tideglass/Landfall/Helm dependencies truthfully classified, and the owner walkthrough accepted.

51. Migration and Adoption Strategy

Wakebook should adopt existing records in place. Phase 1 begins with a current-state census of Wayfarer history, artifact, achievement, Memory, Keepsake, consent, and Passport routes. It identifies which desired experiences are already representable and which require new derived contracts.

New tables or fields must be additive first. SQLite and MySQL migration ranges are phase-scoped and reserved under the Continuous Development Standard. Historical fixtures should include pre-Wakebook records so upgrades prove no data loss or semantic rewrite.

Rollout may initially enable Wakebook for synthetic/demo accounts and owner testing before broader users, but dormant mode must not become an excuse for incomplete visible pages. When enabled, the whole Phase 1 vertical slice must be coherent.

52. Observability and Support

Operational insight should focus on system health, not private content. Useful metrics include archive query latency, projection lag, reconciliation drift count, failed protected-media loads, consent-redaction operations, statistics regeneration duration, and Tideglass/Landfall adapter availability.

Support tooling may expose bounded metadata such as record IDs, lifecycle state, source version, projection version, and reconciliation status. Deeper sensitive history should require the future Admiralty support-grant model where applicable.

Logs and traces must not contain Reflection text, Memory text, hidden Chronicle prose, raw answers, participant-private media, invitation credentials, or raw storage keys.

53. Final Acceptance Criteria

Project Wakebook is complete only when the private journey archive is both historically trustworthy and emotionally worth using. Technical completion without product completion is insufficient.

Gate	Required result
Historical truth	Every Voyage detail is derived from accepted canonical facts, owner annotations, or explicitly versioned metrics.
Version stability	Played edition, checksum, historical labels, crew snapshots, and artifact context remain stable across current-object edits.
Privacy	Owner, crew-safe, and any public-safe projections are explicit; foreign-account access leaks no existence or private metadata.
Consent	Keepsake/person media grant, denial, and revocation degrade presentation safely.
No duplicate authority	One Voyage, Wayfarer, Tideglass, Landfall, Helm, Sealed Hold, Harborlight, and Lanternwake boundaries remain intact.
Archive usability	A person can browse, search, filter, open, reflect on, and return to journeys without route knowledge.
Responsive/accessibility	Desktop, mobile, touch, keyboard, zoom, reduced motion, semantics, and failure states are complete.
Scale	Large personal archives remain responsive through bounded queries and derived data.
Continuous integration	Every phase was mainline-safe and merged before the next same-project phase.
Product acceptance	Final source-bound browser journeys and visual evidence pass, followed by owner acceptance.

54. Recommended Technical Baseline

Wakebook should stay close to current Voyagewright technology rather than introduce a new framework for historical pages.

Use strict TypeScript/Zod contracts; canonical Prisma models and indexed queries; server-side privacy projections; cursor pagination; content-addressed/protected media references; platform design-system components; accepted Motion/Lanternwake ownership; and Sounding Line test registration.

Derived caches should be versioned and rebuildable. Search should begin with database-native owner-scoped querying unless profiling proves a dedicated index is necessary. A private archive does not need a miniature Elasticsearch cluster simply because someone learned the word “faceting.”

55. Governance and Change Control

Wakebook inherits the Global Product Governance Standard and the Continuous Development and Mainline Integration Standard. Future changes cannot weaken one-account behavior, route reachability,

visual completion, private-by-default history, version pinning, owner acceptance, or canonical ownership boundaries without an approved governance amendment.

Any new public-sharing capability belongs first to Harborlight governance. Any new runtime fact belongs first to One Voyage/Helm. Any new location collection belongs first to Landfall. Any new artifact ownership fact belongs first to Wayfarer. Wakebook may consume accepted contracts after they reach main.

Exceptions must identify scope, reason, owner, risk, expiry, and compensating controls. “It was easier in the component” is not an exception category.

56. Glossary

Journey Archive: the complete private Wakebook experience over a person’s historical Chronicle participation.

Voyage Record: Wayfarer’s durable version-pinned per-person materialized history record.

Historical Snapshot: immutable or stable-at-derivation human context captured to preserve past meaning when current objects change.

Memory: owner-authored private remembrance attached to a Voyage Record.

Keepsake: curated remembrance artifact built from historical facts plus owner-selected content and participant consent.

Replay: presentation-only reenactment that does not change progression.

Revisit: starting or joining a new runtime Voyage related to a previously played Chronicle.

Edition Awareness: knowledge of the relationship between a played version and other versions, typically supplied by Tideglass.

Derived Statistic: rebuildable private aggregate computed from canonical history under a versioned formula.

People View: private historical organization by shared participants, not a public social graph.

Appendix A. Wakebook Mainline Safety Contract

Every Wakebook phase prompt must answer these questions before broad implementation.

Required declaration	Wakebook-specific requirement
Post-phase capability	Describe the complete archive capability that exists immediately after merge.
Active behavior	List user-visible surfaces that become discoverable and supported.
Dormant behavior	List future Wakebook features that remain unavailable; dormant UI must not pretend to be complete.
Canonical sources	Identify One Voyage, Wayfarer, Tideglass, Helm, Landfall, Sealed Hold, Harborlight, and Lanternwake contracts consumed.
Schema impact	Declare Prisma changes, SQLite/MySQL migration reservations, backfill, and compatibility window.
Privacy impact	List owner, crew-safe, and other projections affected; identify consent impact.
Rollback	Explain how code can revert without destructive history rewrite.
Permanent-stop test	Prove main remains coherent and useful if no later Wakebook phase is ever implemented.

Appendix B. Historical Data Quality Matrix

Field family	Exact source	Fallback	Forbidden inference
Edition identity	Published-version ID + checksum	None; record is invalid without canonical version identity	Current edition substituted for played edition
Timing	Versioned Wayfarer timing metrics	ESTIMATED or UNAVAILABLE	Zero or client stopwatch guess
Crew	Historical participant snapshots	Current safe identity shown separately	Current profile overwriting historical snapshot
Choices	Whitelisted safe canonical summary	UNAVAILABLE	Raw event payload or guessed branch
Artifacts	Personal artifact record / grant receipt	Witnessed-only safe history	Shared inventory treated as ownership
Geography	Landfall historical safe projection	Generalized place or unavailable	Continuous GPS trail reconstruction
Media	Authorized Sealed Hold reference	Placeholder + retained text context	Raw object key or unauthorized public derivative

Appendix C. Privacy Projection Matrix

Data	Owner	Crew-safe	Public/Community
Voyage existence/details	Full	Only when explicit policy permits	Not from Wakebook by default
Timing metrics	Full	Normally hidden	Hidden
Reflection/private notes	Full	Hidden	Hidden
Memory text/media	Full	Consent/policy-specific only	Requires separate Harborlight publication flow
Crew historical identity	Full historical snapshot	Context-specific	Never automatically exposed
Artifacts	Owner record + provenance	Existing safe summary only	Artifact Cabinet public projection if separately enabled
Keepsake	Private	Participant consent-specific viewing if implemented	Separate Harborlight Voyage Log only
Statistics	Private	Hidden	Hidden by default

Appendix D. Required Screen State Matrix

Surface	Mandatory states
Archive Home	Loading; one-Voyage; populated; first-use empty; filtered no-results; unauthorized; session expired; dependency unavailable; offline-read where supported.
Voyage Detail	Loading; complete; partial historical evidence; removed source Chronicle; media unavailable; consent revoked; replay unsupported; Tideglass unavailable; error.
Timeline	Loading; populated; empty; long-history virtualization; filter no-results; keyboard focus restoration.
People	Populated; unresolved historical person; current profile unavailable; consent-limited representation; no-results.
Statistics	Exact; mixed quality; insufficient sample; unavailable metric; recomputing; stale derived cache; error.
Keepsake/ Memory	Draft; saved; dirty; conflict; consent pending; consent denied; consent revoked; media unavailable; soft deleted.

Appendix E. Suggested Sounding Line Contract Catalog

Contract ID	Meaning	Minimum evidence
wakebook.history.version-pinning	Played edition and historical snapshots remain stable	Unit + service + historical fixture
wakebook.history.owner-privacy	Foreign accounts cannot infer private records	Service/API + browser negative
wakebook.timing.quality	Exact/estimated/unavailable semantics are truthful	Unit + fixture matrix
wakebook.consent.projection	Consent grant/denial/revocation changes only allowed presentation	Service + browser
wakebook.artifact-context	Artifact ownership comes only from accepted provenance	Cross-project contract
wakebook.stats.derivation	Private aggregate definitions are versioned and rebuildable	Unit + reconciliation
wakebook.tideglass.handoff	Played/current edition identities are passed safely to Tideglass	Adapter + component
wakebook.replay.nonmutation	Historical replay does not change progression	Cross-project/browser
wakebook.navigation.reachability	Archive and detail surfaces are discoverable through normal product navigation	Browser journey desktop/mobile

References

Primary governing and implementation sources

- Project Wayfarer Player Identity Governing Document.
- Project Wayfarer Phase 3: Per-Person Chronicle History execution/design materials.
- Project Wayfarer Phase 4 Artifact Cabinet and Achievements implementation materials.
- Voyagewright Global Product Governance Standard v1.0.
- Project Homeport Product Reality Recovery and Convergence Governing Document.
- Project Sounding Line Parts I-III.
- Voyagewright Continuous Development and Mainline Integration Standard v1.0.
- Project Tideglass, Project Helm, Project Landfall, Project Sealed Hold, Project Harborlight, and Project Lanternwake boundaries as accepted when implementation begins.

Repository rule: current fetched origin/main is always implementation truth for paths, types, migrations, and accepted code. This document governs intended Wakebook behavior and ownership boundaries.

Final Governing Rule

Wakebook may make history richer, easier to navigate, more beautiful, and more meaningful. It may never make history less truthful.