


Training diagnostics: smoothed within each run; full trace retained in raw artifacts
Optimized objective
(not comparable across recipes)
15
10
5
Gradient norm before clipping
10^1
Training type accuracy
0.950
0.925
0.900
0.875
0.850
200
400
600
800
1000
Optimizer step


adaptive1024_w0/balanced32 (seed817, lr0.0001)
adaptive1024_w0/balanced32_p0 (seed817, lr0.0001)
adaptive1024_w0/balanced32_p2 (seed817, lr0.0001)
adaptive1024_w0/balanced32_shape_l1 (seed817, lr0.0001)
adaptive1024_w0/balanced32_speed_l1 (seed817, lr0.0001)
adaptive1024_w0/balanced32_vector (seed817, lr0.0001)
adaptive1024_w0/geo_l1_16 (seed817, lr0.0001)
adaptive1024_w0/geo_mse32 (seed817, lr0.0001)
adaptive1024_w0/geo_mse64 (seed817, lr0.0001)
adaptive1024_w0/pos_mse32 (seed817, lr0.0001)
search1024_w0/anchor (seed817, lr0.0001)
search1024_w0/collision_weak (seed817, lr0.0001)
search1024_w0/geometry_strong (seed817, lr0.0001)
search1024_w0/heading_l1 (seed817, lr0.0001)
search1024_w0/heading_p2 (seed817, lr0.0001)
search1024_w0/heading_p3 (seed817, lr0.0001)
search1024_w0/legacy (seed817, lr0.0001)
search1024_w0/position_mse (seed817, lr0.0001)
search1024_w0/speed_p2 (seed817, lr0.0001)
search1024_w0/vector_heading (seed817, lr0.0001)
search1024_w0/warm_winner (seed817, lr0.0001)
search1024_w0/width_p2 (seed817, lr0.0001)