


Oracle Forms: Create LOV and Record Group

Comprehensive Step-by-Step Implementation Guide & EBS Registration

1. Open Form Builder


- Canvas:** Setup user interface layout container.
- Data Block → EMP:** Create the underlying database block for employee records.
- LOV based on DEPTNO:** Define List of Values for department identification.
- LOV → Data from RECORD GROUP:** Bind the LOV source directly to a dynamic Record Group.
- RG → CREATED:** Build and configure the Record Group query.

Form Builder Structure




Object Navigator & Property Palette

LOV Property Configuration



LOV Setup for DEPTNO

Record Group Setup & Compilation



Record Group SQL Query Definition (RG_DEPTNO)

2. Save & 3. Compile


- Save your work locally as an `.fmb` file format.
- Compile the form to generate the corresponding executable binary `.fmx` file.

4. Register the Form in EBS

a. Move .fmx to Oracle EBS Server using WinSCP

Transfer the compiled file to the directory path:

`\u01\install\VISION\fs1\EBSapps\app1\wnd\12.0.0\forms\US\`




Transferring .fmx binary via WinSCP to EBS Server


Application Developer Configuration & Verification

b. Application Developer Responsibility:

- **Form • Create:** Register the custom form name and details.
- **Function • Create:** Define form functions.
- **Menu • Query:** Attach the form function to your menu structure.



Defining Form Functions




Attaching Form to Menu

c. Switch to Your Responsibility (Forms Responsibility):

- Open Menu → Run Runtime of EMP form.
- Perform Insert, Update, or Delete operations on the EMP table and **Save**.
- Navigate to the database and run verification query:

```
SELECT * FROM EMP WHERE DEPTNO = 30;
```



Runtime form execution & SQL*Plus data validation showing inserted rows