

Oracle Workflow Lab

Create, run and monitor a notification workflow (Day 21)


Item	Name
User / Responsibility owner	KHADIJA
Responsibility added	Workflow Administrator Web Applications
Workflow (item type)	KH_WF
Process	KH_PROCESS
Message	KH_MSG
Notification	KH_NOTIFY

Note: some screenshots were taken while practising with earlier names (for example KHADI_WF, KHADI_PROC, KHADI_MSG). The steps in this document use the final names listed above.

1. What is Oracle Workflow (OWF)?

A workflow is a business process made of a **Start**, one or more **activities** inside a **process**, and an **End**.

Example: applying for leave. (Start) fill in a form, send it to your manager, manager approves, confirmation email (End).



Key points

- Define the business rules first (who gets notified, what the message says).
- Responsibility needed in EBS: **Workflow Administrator Web Applications**.
- Workflows are designed in **Oracle Workflow Builder** (desktop GUI), then saved to the database.
- To run a workflow from the web, log in as **SYSADMIN**.
- Building blocks used here: Item Type **KH_WF** > Process **KH_PROCESS** > Message **KH_MSG** > Notification **KH_NOTIFY**.

Step overview

Part	Steps	Where
A. Setup	1 - 2	Oracle EBS (System Administrator)
B. Design the workflow	3 - 10	Oracle Workflow Builder
C. Run and check	11 - 15	EBS web: Administrator Workflow
D. Troubleshooting	Appendix	Two errors we hit and how we fixed them

Step 1: Add the Workflow responsibility to your user

- Navigate: **System Administrator > Security > User > Define**, then query user **KHADIJA**.
- In the Direct Responsibilities grid add a new row and search **Workflow%**.
- Select **Workflow Administrator Web Applications**, click OK, then **Save**.

The screenshot shows the Oracle Applications Users form for user KHADIJA. The form includes fields for User Name, Password, Description, Status, Password Expiration, Person, Customer, Supplier, E-Mail, Fax, and Effective Dates. The Direct Responsibilities tab is active, showing a grid of responsibilities. A new row has been added with the responsibility 'workflow%' and effective dates from 04-SEP-2026 to 04-OCT-2026. A search for 'Workflow%' has been performed, resulting in a list of responsibilities, with 'Workflow Administrator Web Applications' selected.


Responsibility	Application	Description	Security Group	From	To
System Administrator	System Administration		Standard	08-SEP-2026	
General Ledger, Vision Oper	General Ledger		Standard	28-SEP-2026	
workflow%				04-SEP-2026	04-OCT-2026

Responsibility	Application
Workflow	Oracle iProcurement
Workflow - Trade Mgmt	Oracle iProcurement
Workflow Administrator Event Manager	Application Object Library
Workflow Administrator Web (New)	Application Object Library
Workflow Administrator Web Applications	Application Object Library
Workflow Administrator, Vision Enterprises	Application Object Library
Workflow Administrator, Vision Services Ja...	Application Object Library
Workflow Administrator, Vision University	Application Object Library
Workflow User Belgium	Application Object Library
Workflow User France	Application Object Library
Workflow User Germany	Application Object Library
Workflow User Italy	Application Object Library
Workflow User Netherlands	Application Object Library
Workflow User Sweden	Application Object Library

Users form: adding the Workflow Administrator Web Applications responsibility.

Step 2: Check the Workflow menu

- Switch to the responsibility **Workflow Administrator Web Applications**.
- Open **Administrator Workflow**. It has the tabs: Home, Developer Studio, Business Events, Status Monitor, Notifications and Administration.




Error	Local Event ERROR : oracle.app
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Local Event ERROR : oracle.app
System: Error	Local Event ERROR : oracle.app
System: Error	Local Event ERROR : oracle.app
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored
System: Error	Error in Workflow IGSPE002/ora Statement ignored

Navigator menu of the Workflow Administrator Web Applications responsibility.

Step 3: Open Workflow Builder and start the Quick Start Wizard


- Open **Oracle Workflow Builder** on the desktop.
- Go to **File > Quick Start Wizard**. The wizard generates the item type and a process for you.



Workflow Quick Start Wizard with its default values.

Step 4: Fill in the wizard


- Item Type: Internal Name and Display Name = **KH_WF**.
- Persistence Type: **Temporary**, Number of Days: **0**.
- Process: Internal Name and Display Name = **KH_PROCESS**. Click OK.



Wizard filled in (screenshot taken with the practice names KHADI_WK / KHADI_PROC).

Step 5: Create the message

- In the Navigator, right-click **Messages** and choose **New Message**.
- The process window already shows the **Start** and **End** nodes created by the wizard.




Right-click Messages > New Message.

Step 6: Name the message

- On the **Message** tab set Internal Name and Display Name = **KH_MSG**.
- Priority: Normal. The Description is optional.


Important: the text of the message must go in the **Body** tab. Text typed only in the Description field is not shown in the notification.



Message tab (practice name KHADI_MSG; use KH_MSG).

Step 7: Write the message body


- Open the **Body** tab. Subject = **KH_MSG**.
- In **Text Body** type your message, for example **HELLO ORACLE**.
- Also fill the **HTML Body** tab with the same text, because the web Worklist shows the HTML body.
- Click Apply, then OK.




Body tab with the Text Body filled in.

Step 8: Create the notification and attach the message

- Right-click **Notifications** and choose **New Notification**.
- Internal Name and Display Name = **KH_NOTIFY**.
- In the **Message** drop-down choose **KH_MSG** (this attaches the message to the notification). Click Apply, then OK.



First attempt with practice names (KHADI_NOTIFY / KHADI_MSG).




Final version: KH_NOTIFY with message KH_MSG.

Step 9: Build the process diagram and set the performer

- Drag **KH_NOTIFY** from the Navigator into the process window, between Start and End.
- Start: right-click and drag a line to KH_NOTIFY. KH_NOTIFY: right-click and drag a line to End.
- Double-click KH_NOTIFY > **Node** tab > Performer: Type = **Constant**, Value = **KHADIJA** (an existing EBS user).
- Click Apply, then OK.


Performer must be an existing user or role. Entering the item type name (for example WF_KHADI) gives error 1405 (see the Appendix).



Process with Start > notification > End, and the Performer set on the Node tab.

Step 10: Save the workflow to the database

- Go to **File > Save As** and select **Database**.
- User: **APPS**, Password: the APPS password, Connect: **EBSDB**. Click OK.



Save As dialog: Database, APPS, EBSDB.

Step 11: Log in as SYSADMIN

- Open the EBS login page and sign in as **SYSADMIN**, which is needed to run the workflow.

Oracle

Login

Enter your user name and password.

* User Name
SYSADMIN

* Password
.....

Login Cancel

[Login Assistance](#)


Select a Language:
English

Accessibility
None


EBS login page.

Step 12: Find the workflow in Developer Studio

- Open **Developer Studio** and search Workflow Type **KH%** (or pick it from the list of values).
- Select **KH_WF** and click **Go**.
- In the result row click the **Run** icon.



Developer Studio: Workflow Types search (logged in as SYSADMIN).



KH_WF found. The Run icon is on the right.

Step 13: Run the workflow

- Workflow Owner: SYSADMIN. **Item Key**: any value, for example 1. User Key: 1.
- Process shows **KH_PROCESS**. Click **Submit**.
- A confirmation says the workflow has been started.

The Item Key must be unique for every run of the same workflow type. Use 2, 3, 4 ... for new runs.

The screenshot shows the 'Run Workflow' page in the Oracle Administrator Workflow interface. The page title is 'Run Workflow: KH_WF'. Below the title, there is a instruction: 'Identify the workflow process you're about to launch, enter any attributes that you need to set and select the "Submit" button to begin processing.' Below this, there is a 'Workflow Identifier' section with the following fields: 'Workflow Owner' (Oracle Applications User), 'Item Key' (1), 'User Key' (1), and 'Process' (KH_PROCESS). There is also a 'Workflow Attributes' section with a tip: 'This workflow has no workflow-level attributes.' The 'Submit' button is visible in the bottom right corner.


Run Workflow: KH_WF with process KH_PROCESS.

The screenshot shows the 'Run Workflow' page in the Oracle Administrator Workflow interface for 'KHADI_WF'. The page title is 'Run Workflow: KHADI_WF'. Below the title, there is a instruction: 'Identify the workflow process you're about to launch, enter any attributes that you need to set and select the "Submit" button to begin processing.' Below this, there is a 'Workflow Identifier' section with the following fields: 'Workflow Owner' (Oracle Applications User), 'Item Key' (2), 'User Key' (2), and 'Process' (KHADI_PROG). There is also a 'Workflow Attributes' section with a tip: 'This workflow has no workflow-level attributes.' The 'Submit' button is visible in the bottom right corner. A confirmation dialog box is displayed in the foreground, stating: 'Confirmation: Workflow "KHADI_WF / 2" has been started. Select the "Status Monitor" tab to view processing status. Select the "Notification" tab to view and respond to notifications sent to you by the workflow.' The 'OK' button is visible in the dialog.


Confirmation (practice run KHADI_WF / 2).

Step 14: Check the Status Monitor

- Open **Status Monitor**, type **KH%** in Workflow Type (or use the list of values) and click **Go**.
- Select your run and open the **Status Diagram**. The Java applet may take a moment to load.




Status Monitor: Monitor Search.




Status Diagram loading. This earlier run shows status Error because of the performer problem.

Step 15: Open the notification and read the message

- Open the **Notifications** tab (Worklist) for the performer user.
- Select the **KH_MSG** notification and click **Open**.
- The message text is displayed (here: HELLO ORACLE).



Worklist with the KH_MSG notifications.



Notification opened: the body text now appears.

Extra: searching the workflow type as user KHADIJA

The same Workflow Type search also works when logged in as KHADIJA (who has the Workflow Administrator Web Applications responsibility). The list of values shows every workflow type that starts with KH.

The screenshot shows the Oracle Administrator Workflow Developer Studio interface. The main window displays the 'Workflow Types' section with a search bar and a 'Go' button. The search results show a list of workflow types starting with 'KH'.

Search and Select: Workflow Type

Search By: Workflow Type KH% Go

Results

Select	Quick Select	Workflow Type ▲	Internal Name	Description
☐		KHADIJAW	KHADIJAW	
☐		KHADLWF	KHADLWF	
☐		KHADL_WF	KHADL_WK	
☐		KH_WF	KH_WF	


Developer Studio list of values as KHADIJA.

Appendix: Troubleshooting

Error 1405: Invalid performer

Cause: the Performer on the notification node contained a value that is not a user or role (the item type name WF_KHADI was used).

Fix: open the notification node > Node tab > Performer: Type = Constant, Value = an existing user or role, such as KHADIJA or SYSADMIN. Verify and save again.




Workflow Error 1405 shown in Workflow Builder.

Notification arrives with an empty message

Cause: the message text was typed in the Description field instead of the Body tab, so the notification had no body. Notifications that were already sent keep their old content.

Fix: put the text in the Body tab (Text Body and HTML Body), save to the database, then run the workflow again with a **new Item Key** and open the new notification.



Notification KH_MSG delivered with an empty body.