user_model.dart

```
class UserModel {
  final String id;
  final String nombre;
  final String correo;
  final String telefono;

  UserModel({
    required this.id,
    required this.nombre,
    required this.correo,
    required this.telefono,
  });

  factory UserModel.fromMap(Map<String, dynamic> data) {
    return UserModel(
      id: data["id_usuario"],
      nombre: data["nombre"],
      correo: data["correo"],
      telefono: data["telefono"],
    );
  }
}
```

admin_page.dart

```
import 'package:flutter/material.dart';
import 'package:eliteform/widgets/users_list.dart';
import '../services/auth_service.dart';
import 'login_page.dart';

class AdminPage extends StatelessWidget {
  const AdminPage({super.key});

  // Usamos el servicio de autenticación centralizado
  Future<void> _logout(BuildContext context) async {
    final authService = AuthService();
    await authService.logout();

    if (context.mounted) {
      Navigator.pushReplacement(
        context,
        MaterialPageRoute(builder: (context) => const LoginPage()),
      );
```

```
    }
  }

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: const Text("Panel de Administrador"),
        actions: [
          IconButton(
            icon: const Icon(Icons.logout),
            onPressed: () => _logout(context),
          ),
        ],
      ),
      // Sin 'const' y con el nombre exacto de la clase
      body: UsersList(),
    );
  }
}
```

dieta_page.dart

```
import 'package:flutter/material.dart';

class DietaPage extends StatelessWidget {
  const DietaPage({super.key});

  @override
  Widget build(BuildContext context) {
    return const Center(
      child: Text("Dietas próximamente"),
    );
  }
}
```

ejercicios_page.dart

```
import 'package:flutter/material.dart';

class EjerciciosPage extends StatelessWidget {
  const EjerciciosPage({super.key});

  @override
  Widget build(BuildContext context) {
```

```
    return const Center(
      child: Text("Ejercicios próximamente"),
    );
  }
}
```

eventos_page.dart

```
import 'package:flutter/material.dart';

class EventosPage extends StatelessWidget {
  const EventosPage({super.key});

  @override
  Widget build(BuildContext context) {
    return const Center(
      child: Text("Eventos próximamente"),
    );
  }
}
```

home_page.dart

```
import 'package:flutter/material.dart';
import 'package:firebase_auth/firebase_auth.dart';
import 'login_page.dart';
import 'perfil_page.dart';
import 'rutina_page.dart';
import 'dieta_page.dart';
import 'ejercicios_page.dart';
import 'eventos_page.dart';

class HomePage extends StatefulWidget {
  const HomePage({super.key});

  @override
  State<HomePage> createState() => _HomePageState();
}

class _HomePageState extends State<HomePage> {
  int _selectedIndex = 0;

  final List<Widget> _pages = const [
```

```
  RutinaPage(),
  DietaPage(),
  EjerciciosPage(),
  EventosPage(),
  PerfilPage(),
];

void _onItemTapped(int index) {
  setState(() {
    _selectedIndex = index;
  });
}

Future logout() async {
  await FirebaseAuth.instance.signOut();

  Navigator.pushReplacement(
    context,
    MaterialPageRoute(builder: (context) => const LoginPage()),
  );
}

@override
Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
      title: const Text("EliteForm"),
      actions: [
        IconButton(
          icon: const Icon(Icons.logout),
          onPressed: logout,
        )
      ],
    ),
    body: _pages[_selectedIndex],
    bottomNavigationBar: BottomNavigationBar(
      backgroundColor: const Color(0xFF020617),
      selectedItemColor: Colors.orangeAccent,
      unselectedItemColor: Colors.white54,
      currentIndex: _selectedIndex,
      onTap: _onItemTapped,
      items: const [
        BottomNavigationBarItem(
```

```
            icon: Icon(Icons.fitness_center),
            label: "Rutina",
          ),
          BottomNavigationBarItem(
            icon: Icon(Icons.restaurant),
            label: "Dieta",
          ),
          BottomNavigationBarItem(
            icon: Icon(Icons.sports_gymnastics),
            label: "Ejercicios",
          ),
          BottomNavigationBarItem(
            icon: Icon(Icons.event),
            label: "Eventos",
          ),
          BottomNavigationBarItem(
            icon: Icon(Icons.person),
            label: "Perfil",
          ),
        ],
      ),
    );
  }
}
```

login_page.dart

```
import 'package:flutter/material.dart';
import 'package:firebase_auth/firebase_auth.dart';

import 'register_page.dart';
import 'home_page.dart';
import '../widgets/app_background.dart';
import 'admin_page.dart';

class LoginPage extends StatefulWidget {
  const LoginPage({super.key});

  @override
  State<LoginPage> createState() => _LoginPageState();
}

class _LoginPageState extends State<LoginPage> {
```

```
final emailController = TextEditingController();
final passwordController = TextEditingController();

final adminEmail = "admin@admin.com";
final adminPassword = "123456";

Future loginUser() async {
  if (emailController.text.trim() == adminEmail &&
      passwordController.text.trim() == adminPassword) {
    Navigator.pushReplacement(
      context,
      MaterialPageRoute(builder: (context) => const AdminPage()),
    );
    return;
  }

  try {
    await FirebaseAuth.instance.signInWithEmailAndPassword(
      email: emailController.text.trim(),
      password: passwordController.text.trim(),
    );

    Navigator.pushReplacement(
      context,
      MaterialPageRoute(builder: (context) => const HomePage()),
    );
  } on FirebaseAuthException catch (e) {
    showError(e.message);
  }
}

void showError(String? message) {
  showDialog(
    context: context,
    builder: (context) => AlertDialog(
      title: const Text("Error"),
      content: Text(message ?? "Credenciales incorrectas"),
    ),
  );
}

@override
Widget build(BuildContext context) {
```

```
  return Scaffold(
    body: AppBackground(
      child: Center(
        child: SingleChildScrollView(
          child: Padding(
            padding: const EdgeInsets.all(25),
            child: Column(
              children: [
                const Icon(
                  Icons.fitness_center,
                  size: 90,
                  color: Colors.orangeAccent,
                ),
                const SizedBox(height: 20),
                const Text(
                  "Elite Form",
                  style: TextStyle(
                    fontSize: 34,
                    fontWeight: FontWeight.bold,
                    letterSpacing: 2,
                  ),
                ),
                const SizedBox(height: 5),
                const Text(
                  "Entrena. Mejora. Supera.",
                  style: TextStyle(color: Colors.white54),
                ),
                const SizedBox(height: 40),
                Container(
                  padding: const EdgeInsets.all(20),
                  decoration: BoxDecoration(
                    color: const Color(0xFF1E293B),
                    borderRadius: BorderRadius.circular(20),
                  ),
                  child: Column(
                    children: [
                      TextField(
                        controller: emailController,
                        decoration: const InputDecoration(
                          labelText: "Correo",
                          prefixIcon: Icon(Icons.email),
                        ),
                      ),
```

```
                        const SizedBox(height: 15),
                        TextField(
                          controller: passwordController,
                          obscureText: true,
                          decoration: const InputDecoration(
                            labelText: "Contraseña",
                            prefixIcon: Icon(Icons.lock),
                          ),
                        ),
                        const SizedBox(height: 25),
                        SizedBox(
                          width: double.infinity,
                          child: ElevatedButton(
                            onPressed: loginUser,
                            style: ElevatedButton.styleFrom(
                              backgroundColor: Colors.orangeAccent,
                              foregroundColor: Colors.black,
                              padding: const
EdgeInsets.symmetric(vertical: 16),
                              shape: RoundedRectangleBorder(
                                borderRadius:
BorderRadius.circular(12),
                              ),
                            ),
                            child: const Text(
                              "INICIAR ENTRENAMIENTO",
                              style: TextStyle(fontWeight:
FontWeight.bold),
                            ),
                          ),
                        ),
                        const SizedBox(height: 10),
                        TextButton(
                          onPressed: () {
                            Navigator.push(
                              context,
                              MaterialPageRoute(
                                builder: (context) => const
RegisterPage(),
                              ),
                            );
                          },
                          child: const Text("Crear cuenta"),
```

```
                        )
                      ],
                    ),
                  )
                ],
              ),
            ),
          ),
        ),
      ),
    );
  }
}
```

perfil_page.dart

```
import 'package:flutter/material.dart';
import 'package:firebase_auth/firebase_auth.dart';
import 'package:cloud_firestore/cloud_firestore.dart';
import 'package:flutter/services.dart';
import 'login_page.dart';

class PerfilPage extends StatefulWidget {
  const PerfilPage({super.key});

  @override
  State<PerfilPage> createState() => _PerfilPageState();
}

class _PerfilPageState extends State<PerfilPage> {
  final nombreController = TextEditingController();
  final telefonoController = TextEditingController();
  final emailController = TextEditingController();

  bool editando = false;
  bool loading = true;

  Future cargarDatos() async {
    final user = FirebaseAuth.instance.currentUser;

    final doc = await FirebaseFirestore.instance
        .collection("usuarios")
        .doc(user!.uid)
```

```
        .get();

    nombreController.text = doc["nombre"];
    telefonoController.text = doc["telefono"];
    emailController.text = user.email ?? "";
    setState(() {
      loading = false;
    });
  }

  Future actualizarPerfil() async {
    if (telefonoController.text.length != 10) {
      ScaffoldMessenger.of(context).showSnackBar(
        const SnackBar(
            content: Text("El teléfono debe tener exactamente 10
dígitos")),
      );
      return; // Detiene la ejecución
    }
    // -----------------------

    final user = FirebaseAuth.instance.currentUser;

    await FirebaseFirestore.instance
        .collection("usuarios")
        .doc(user!.uid)
        .update({
      "nombre": nombreController.text.trim(),
      "telefono": telefonoController.text.trim(),
    });

    ScaffoldMessenger.of(context).showSnackBar(
      const SnackBar(content: Text("Perfil actualizado")),
    );
  }

  Future eliminarCuenta() async {
    final user = FirebaseAuth.instance.currentUser;

    bool confirmar = await showDialog(
          context: context,
          builder: (context) => AlertDialog(
            title: const Text("Eliminar cuenta"),
```

```
            content: const Text(
                "Esta acción eliminará tu cuenta permanentemente.
¿Continuar?"),
            actions: [
              TextButton(
                onPressed: () => Navigator.pop(context, false),
                child: const Text("Cancelar"),
              ),
              TextButton(
                onPressed: () => Navigator.pop(context, true),
                child: const Text(
                  "Eliminar",
                  style: TextStyle(color: Colors.red),
                ),
              ),
            ],
          ),
        ) ??
        false;

    if (!confirmar) return;

    try {
      await FirebaseFirestore.instance
          .collection("usuarios")
          .doc(user!.uid)
          .delete();

      await user.delete();

      Navigator.pushReplacement(
        context,
        MaterialPageRoute(builder: (context) => const LoginPage()),
      );
    } catch (e) {
      ScaffoldMessenger.of(context).showSnackBar(
        const SnackBar(content: Text("No se pudo eliminar la cuenta")),
      );
    }
  }

  @override
  void initState() {
```

```
    super.initState();
    cargarDatos();
  }

  @override
  Widget build(BuildContext context) {
    if (loading) {
      return const Center(child: CircularProgressIndicator());
    }

    final user = FirebaseAuth.instance.currentUser;

    return Padding(
      padding: const EdgeInsets.all(20),
      child: SingleChildScrollView(
        child: Column(
          children: [
            const Icon(
              Icons.person,
              size: 100,
              color: Colors.orangeAccent,
            ),
            const SizedBox(height: 20),
            if (!editando) ...[
              ListTile(
                leading: const Icon(Icons.badge),
                title: const Text("Nombre"),
                subtitle: Text(nombreController.text),
              ),
              const SizedBox(height: 10),
              ListTile(
                leading: const Icon(Icons.phone),
                title: const Text("Teléfono"),
                subtitle: Text(telefonoController.text),
              ),
              const SizedBox(height: 10),
              ListTile(
                leading: const Icon(Icons.email),
                title: const Text("Correo"),
                subtitle: Text(user!.email ?? ""),
              ),
              const SizedBox(height: 30),
              SizedBox(
```

```
                width: double.infinity,
                child: ElevatedButton(
                  onPressed: () {
                    setState(() {
                      editando = true;
                    });
                  },
                  child: const Text("Editar perfil"),
                ),
              ),
              const SizedBox(height: 15),
              SizedBox(
                width: double.infinity,
                child: ElevatedButton(
                  onPressed: eliminarCuenta,
                  style: ElevatedButton.styleFrom(
                    backgroundColor: Colors.red,
                    foregroundColor: Colors.white,
                  ),
                  child: const Text("Eliminar cuenta"),
                ),
              ),
            ],
            if (editando) ...[
              TextField(
                controller: nombreController,
                decoration: const InputDecoration(
                  labelText: "Nombre",
                  prefixIcon: Icon(Icons.badge),
                ),
              ),
              const SizedBox(height: 15),
              TextField(
                controller: telefonoController,
                keyboardType: TextInputType.number,
                maxLength: 10,
                inputFormatters:
[FilteringTextInputFormatter.digitsOnly],
                decoration: const InputDecoration(
                  labelText: "Teléfono",
                  prefixIcon: Icon(Icons.phone),
                  counterText:
```

```
                    "", // Esto oculta el contador "0/10" para no
alterar diseño
                ),
              ),
              const SizedBox(height: 15),
              TextField(
                controller: emailController,
                enabled: false, // Mantiene el campo bloqueado
                decoration: const InputDecoration(
                  labelText: "Correo electrónico",
                  prefixIcon: Icon(Icons.email),
                ),
              ),
              const SizedBox(height: 30),
              SizedBox(
                width: double.infinity,
                child: ElevatedButton(
                  onPressed: () async {
                    await actualizarPerfil();

                    setState(() {
                      editando = false;
                    });
                  },
                  child: const Text("Guardar cambios"),
                ),
              ),
              TextButton(
                onPressed: () {
                  setState(() {
                    editando = false;
                  });
                },
                child: const Text("Cancelar"),
              ),
            ],
          ],
        ),
      ),
    );
  }
}
```

register_page.dart

```
import 'package:flutter/material.dart';
import 'package:flutter/services.dart'; // [cite: 1] Necesario para
FilteringTextInputFormatter
import 'package:firebase_auth/firebase_auth.dart';
import 'package:cloud_firestore/cloud_firestore.dart';
import 'home_page.dart';

class RegisterPage extends StatefulWidget {
  const RegisterPage({super.key});

  @override
  State<RegisterPage> createState() => _RegisterPageState();
}

class _RegisterPageState extends State<RegisterPage> {
  final emailController = TextEditingController();
  final passwordController = TextEditingController();
  final nombreController = TextEditingController();
  final telefonoController = TextEditingController();

  Future registerUser() async {
    // [cite: 2] VALIDACIÓN LÓGICA: Verifica que tenga exactamente 10
dígitos antes de llamar a Firebase
    if (telefonoController.text.length != 10) {
      showError("El teléfono debe tener exactamente 10 dígitos");
      return;
    }

    try {
      UserCredential userCredential =
          await FirebaseAuth.instance.createUserWithEmailAndPassword(
        email: emailController.text.trim(),
        password: passwordController.text.trim(),
      );

      await FirebaseFirestore.instance
          .collection("usuarios")
          .doc(userCredential.user!.uid)
          .set({
        "id_usuario": userCredential.user!.uid,
        "nombre": nombreController.text.trim(),
```

```
        "correo": emailController.text.trim(),
        "telefono": telefonoController.text.trim(),
        "fecha_registro": FieldValue.serverTimestamp(),
      });

      if (mounted) {
        Navigator.pushReplacement(
          context,
          MaterialPageRoute(builder: (context) => const HomePage()),
        );
      }
    } on FirebaseAuthException catch (e) {
      showError(e.message);
    }
  }

  void showError(String? message) {
    showDialog(
      context: context,
      builder: (context) => AlertDialog(
        title: const Text("Error"),
        content: Text(message ?? "Ocurrió un error"),
      ),
    );
  }

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: const Text("Registro"),
      ),
      body: Padding(
        padding: const EdgeInsets.all(20),
        child: SingleChildScrollView(
          // [cite: 3] Recomendado para evitar errores de overflow con
el teclado
          child: Column(
            children: [
              TextField(
                controller: nombreController,
                decoration: const InputDecoration(labelText: "Nombre"),
              ),
```

```
              const SizedBox(height: 10),

              // [cite: 4] CAMBIOS EN EL CAMPO DE TELÉFONO
              TextField(
                controller: telefonoController,
                decoration: const InputDecoration(
                  labelText: "Teléfono",
                  hintText: "Ej: 1234567890",
                  counterText: "", // Oculta el contador visual si lo
deseas
                ),
                keyboardType: TextInputType
                    .number, // [cite: 5] Muestra el teclado numérico
                maxLength: 10, // [cite: 6] Limita la escritura a 10
caracteres
                inputFormatters: [
                  FilteringTextInputFormatter
                      .digitsOnly, // [cite: 7] Bloquea letras y
símbolos
                ],
              ),

              const SizedBox(height: 10),
              TextField(
                controller: emailController,
                decoration: const InputDecoration(labelText: "Email"),
              ),
              const SizedBox(height: 10),
              TextField(
                controller: passwordController,
                decoration: const InputDecoration(labelText:
"Contraseña"),
                obscureText: true,
              ),
              const SizedBox(height: 20),
              ElevatedButton(
                onPressed: registerUser,
                child: const Text("Registrarse"),
              ),
            ],
          ),
        ),
      ),
```

```
    );
  }
}
```

rutina_page.dart

```
import 'package:flutter/material.dart';

class RutinaPage extends StatelessWidget {
  const RutinaPage({super.key});

  @override
  Widget build(BuildContext context) {
    return const Center(
      child: Text("Rutinas próximamente"),
    );
  }
}
```

auth_services.dart

```
import 'package:firebase_auth/firebase_auth.dart';

class AuthService {
  final FirebaseAuth _auth = FirebaseAuth.instance;

  Future<UserCredential> register(String email, String password) async
{
    return await _auth.createUserWithEmailAndPassword(
      email: email,
      password: password,
    );
  }

  Future<UserCredential> login(String email, String password) async {
    return await _auth.signInWithEmailAndPassword(
      email: email,
      password: password,
    );
  }

  Future logout() async {
    await _auth.signOut();
```

```
  }

  User? get currentUser => _auth.currentUser;
}
```

firestore_service.dart

```
import 'package:cloud_firestore/cloud_firestore.dart';

class FirestoreService {
  final FirebaseFirestore _db = FirebaseFirestore.instance;

  Future createUser({
    required String uid,
    required String nombre,
    required String correo,
    required String telefono,
  }) async {
    await _db.collection("usuarios").doc(uid).set({
      "id_usuario": uid,
      "nombre": nombre,
      "correo": correo,
      "telefono": telefono,
      "fecha_registro": FieldValue.serverTimestamp(),
    });
  }

  Future updateUser(uid, nombre, telefono) async {
    await _db.collection("usuarios").doc(uid).update({
      "nombre": nombre,
      "telefono": telefono,
    });
  }

  Future deleteUser(uid) async {
    await _db.collection("usuarios").doc(uid).delete();
  }

  Stream<QuerySnapshot> getUsers() {
    return _db.collection("usuarios").snapshots();
  }
}
```

app_background.dart

```
import 'package:flutter/material.dart';

class AppBackground extends StatelessWidget {
  final Widget child;

  const AppBackground({super.key, required this.child});

  @override
  Widget build(BuildContext context) {
    return Container(
      decoration: const BoxDecoration(
        gradient: LinearGradient(
          colors: [Color(0xFF0F172A), Color(0xFF020617)],
          begin: Alignment.topCenter,
          end: Alignment.bottomCenter,
        ),
      ),
      child: child,
    );
  }
}
```

users_list.dart

```
import 'package:flutter/material.dart';
import 'package:cloud_firestore/cloud_firestore.dart';

class UsersList extends StatelessWidget {
  const UsersList({super.key});

  @override
  Widget build(BuildContext context) {
    return StreamBuilder<QuerySnapshot>(
      stream:
FirebaseFirestore.instance.collection("usuarios").snapshots(),
      builder: (context, snapshot) {
        if (snapshot.hasError) {
          return const Center(
            child: Text("Error cargando usuarios"),
          );
        }
```

```
        if (snapshot.connectionState == ConnectionState.waiting) {
          return const Center(
            child: CircularProgressIndicator(),
          );
        }

        if (!snapshot.hasData || snapshot.data!.docs.isEmpty) {
          return const Center(
            child: Text("No hay usuarios registrados"),
          );
        }

        final users = snapshot.data!.docs;

        return ListView.builder(
          itemCount: users.length,
          itemBuilder: (context, index) {
            var user = users[index];

            return Card(
              color: const Color(0xFF1E293B),
              margin: const EdgeInsets.all(10),
              child: ListTile(
                leading: const CircleAvatar(
                  backgroundColor: Colors.transparent,
                  child: Icon(Icons.person, color: Colors.black),
                ),
                title: Text(
                  user["correo"],
                  style: const TextStyle(
                    fontWeight: FontWeight.bold,
                  ),
                ),
                subtitle: Text(user["id_usuario"]),
              ),
            );
          },
        );
      },
    );
  }
}
```

firebase_options.dart

```
// File generated by FlutterFire CLI.
// ignore_for_file: type=lint
import 'package:firebase_core/firebase_core.dart' show FirebaseOptions;
import 'package:flutter/foundation.dart'
    show defaultTargetPlatform, kIsWeb, TargetPlatform;

/// Default [FirebaseOptions] for use with your Firebase apps.
///
/// Example:
/// ```dart
/// import 'firebase_options.dart';
/// // ...
/// await Firebase.initializeApp(
///   options: DefaultFirebaseOptions.currentPlatform,
/// );
/// ```
class DefaultFirebaseOptions {
  static FirebaseOptions get currentPlatform {
    if (kIsWeb) {
      return web;
    }
    switch (defaultTargetPlatform) {
      case TargetPlatform.android:
        return android;
      case TargetPlatform.iOS:
        return ios;
      case TargetPlatform.macOS:
        return macos;
      case TargetPlatform.windows:
        return windows;
      case TargetPlatform.linux:
        throw UnsupportedError(
          'DefaultFirebaseOptions have not been configured for linux -
'
          'you can reconfigure this by running the FlutterFire CLI
again.',
        );
      default:
        throw UnsupportedError(
```

```
          'DefaultFirebaseOptions are not supported for this
platform.',
        );
    }
  }

  static const FirebaseOptions web = FirebaseOptions(
    apiKey: 'AIzaSyBbRQ6uzjMi_7OpcJI6f0ZJEvBd8xT7IsY',
    appId: '1:939544369119:web:4c614d815a576122ba166a',
    messagingSenderId: '939544369119',
    projectId: 'eliteform-9f2fc',
    authDomain: 'eliteform-9f2fc.firebaseapp.com',
    storageBucket: 'eliteform-9f2fc.firebasestorage.app',
    measurementId: 'G-PV4P008WB0',
  );

  static const FirebaseOptions android = FirebaseOptions(
    apiKey: 'AIzaSyA4gZ8Y7QCemSJHvyRubS0BFtKWI8HOZhA',
    appId: '1:939544369119:android:12ca6edee9257e84ba166a',
    messagingSenderId: '939544369119',
    projectId: 'eliteform-9f2fc',
    storageBucket: 'eliteform-9f2fc.firebasestorage.app',
  );

  static const FirebaseOptions ios = FirebaseOptions(
    apiKey: 'AIzaSyDKvG8A61w-lNq1qJFcCnm3QQPTWuEp9uc',
    appId: '1:939544369119:ios:aec1d68a173efec5ba166a',
    messagingSenderId: '939544369119',
    projectId: 'eliteform-9f2fc',
    storageBucket: 'eliteform-9f2fc.firebasestorage.app',
    iosClientId:
'939544369119-igo0ocpal0gd4aidfg6v0g667g9s73q0.apps.googleusercontent.c
om',
    iosBundleId: 'com.example.eliteform',
  );

  static const FirebaseOptions macos = FirebaseOptions(
    apiKey: 'AIzaSyDKvG8A61w-lNq1qJFcCnm3QQPTWuEp9uc',
    appId: '1:939544369119:ios:aec1d68a173efec5ba166a',
    messagingSenderId: '939544369119',
    projectId: 'eliteform-9f2fc',
    storageBucket: 'eliteform-9f2fc.firebasestorage.app',
```

```
    iosClientId:
'939544369119-igo0ocpal0gd4aidfg6v0g667g9s73q0.apps.googleusercontent.c
om',
    iosBundleId: 'com.example.eliteform',
  );

  static const FirebaseOptions windows = FirebaseOptions(
    apiKey: 'AIzaSyBbRQ6uzjMi_7OpcJI6f0ZJEvBd8xT7IsY',
    appId: '1:939544369119:web:f70ca6ab1734f229ba166a',
    messagingSenderId: '939544369119',
    projectId: 'eliteform-9f2fc',
    authDomain: 'eliteform-9f2fc.firebaseapp.com',
    storageBucket: 'eliteform-9f2fc.firebasestorage.app',
    measurementId: 'G-XN7E1GMDHQ',
  );
}
```

main.dart

```
import 'package:flutter/material.dart';
import 'package:firebase_core/firebase_core.dart';
import 'firebase_options.dart';
import 'pages/login_page.dart';

void main() async {
  // Asegura que los bindings de Flutter estén listos antes de
inicializar Firebase [cite: 396]
  WidgetsFlutterBinding.ensureInitialized();

  // Inicialización de Firebase usando las opciones configuradas por
plataforma [cite: 396]
  await Firebase.initializeApp(
    options: DefaultFirebaseOptions.currentPlatform,
  );

  runApp(const MyApp());
}

class MyApp extends StatelessWidget {
  const MyApp({super.key});

  @override
  Widget build(BuildContext context) {
```

```
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: "EliteForm",

      // Configuración centralizada del estilo visual de la aplicación
[cite: 400]
      theme: ThemeData(
        brightness: Brightness.dark,
        scaffoldBackgroundColor:
            const Color(0xFF0F172A), // Fondo azul oscuro profundo
[cite: 400]

        colorScheme: const ColorScheme.dark(
          primary: Colors.orangeAccent,
          secondary: Colors.orangeAccent,
          surface: Color(
              0xFF1E293B), // Color para tarjetas y contenedores [cite:
401]
        ),

        // Estilo global para la barra superior [cite: 401]
        appBarTheme: const AppBarTheme(
          backgroundColor: Color(0xFF020617),
          foregroundColor: Colors.orangeAccent,
          elevation: 0,
          iconTheme: IconThemeData(color: Colors.orangeAccent),
        ),

        // Configuración predeterminada para botones elevados [cite:
401]
        elevatedButtonTheme: ElevatedButtonThemeData(
          style: ElevatedButton.styleFrom(
            backgroundColor: Colors.orangeAccent,
            foregroundColor: Colors.black,
            padding: const EdgeInsets.symmetric(horizontal: 30,
vertical: 15),
            shape: RoundedRectangleBorder(
              borderRadius: BorderRadius.circular(12),
            ),
          ),
        ),

        // Estilo para los campos de texto (Inputs) [cite: 401]
```

```
        inputDecorationTheme: const InputDecorationTheme(
          filled: true,
          fillColor: Color(0xFF1E293B),
          border: OutlineInputBorder(
            borderRadius: BorderRadius.all(Radius.circular(12)),
            borderSide: BorderSide.none,
          ),
          prefixIconColor: Colors.orangeAccent,
        ),

        progressIndicatorTheme: const ProgressIndicatorThemeData(
          color: Colors.orangeAccent,
        ),
      ),

      // Punto de entrada: Pantalla de inicio de sesión [cite: 401]
      home: const LoginPage(),
    );
  }
}
```