

```

import json
import boto3
import uuid
from botocore.config import Config

# --- CONFIG ---
INPUT_BUCKET = "surveillance-input"
OUTPUT_BUCKET = "surveillance-output"
TABLE_NAME = "SurveillanceAlerts"

s3 = boto3.client('s3', config=Config(signature_version='s3v4'))
dynamodb = boto3.resource('dynamodb').Table(TABLE_NAME)

def lambda_handler(event, context):
    headers = {
        "Access-Control-Allow-Origin": "*",
        "Access-Control-Allow-Methods": "OPTIONS,GET"
    }

    path = event.get('rawPath', '')

    # 1. Upload URL (Goes to INPUT Bucket)
    if "get-upload-url" in path:
        file_name = f"{str(uuid.uuid4())}.mp4"
        url = s3.generate_presigned_url(
            ClientMethod='put_object',
            Params={'Bucket': INPUT_BUCKET, 'Key': file_name,
'ContentType': 'video/mp4'},
            ExpiresIn=300
        )
        return {
            'statusCode': 200, 'headers': headers,
            'body': json.dumps({'uploadUrl': url, 'fileName': file_name})
        }

    # 2. Get Alerts (View URL comes from OUTPUT Bucket)
    elif "get-alerts" in path:
        response = dynamodb.scan()
        items = response.get('Items', [])

        # Generate view links for the output bucket
        for item in items:
            if 'snapshot_key' in item:
                item['view_url'] = s3.generate_presigned_url(
                    'get_object',
                    Params={'Bucket': OUTPUT_BUCKET, 'Key':
item['snapshot_key']},
                    ExpiresIn=3600
                )

            items.sort(key=lambda x: x['timestamp'], reverse=True)
        return {'statusCode': 200, 'headers': headers, 'body':
json.dumps(items)}

    return {'statusCode': 404, 'body': 'Not Found'}

```