

Cucumber Report

Mar 22, 2022, 8:33:32 PM

Start : Mar 22, 8:32:19.658 PM

End : Mar 22, 8:33:30.638 PM

Duration : 1 m 10.980 s

Features






PASSED - 3
FAILED - 1
SKIPPED - 0


Scenarios

PASSED - 8
FAILED - 4
SKIPPED - 0


Steps

PASSED - 52
FAILED - 4
SKIPPED - 8






#	Feature Name	T	P	F	S	Duration
1	<u>User logout</u>	1	1	0	0	1 m 8.611 s
2	<u>Login</u>	5	1	4	0	1 m 9.954 s
3	<u>Sort Products</u>	4	4	0	0	1 m 10.740 s
4	<u>User wants to place order</u>	2	2	0	0	1 m 10.931 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User logout</u>	<u>user wants to logout</u>	4	4	0	0	1 m 8.605 s
2	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 2.963 s
3	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 2.673 s
4	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 6.678 s
5	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 9.150 s
6	<u>Login</u>	<u>login with valid email and password</u>	4	4	0	0	1 m 9.947 s
7	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 9.341 s
8	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 9.730 s
9	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 1.803 s
10	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 10.725 s



#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
11	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 2.516 s
12	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 10.924 s


(F)- User logout



PASSED	DURATION - 1 m 8.611 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:32:19.658 PM // 8:33:28.269 PM /					


(S)- user wants to logout


PASSED	DURATION - 1 m 8.605 s	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:32:19.664 PM // 8:33:28.269 PM /			
User logout			
@logout @Regression			

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name "standard_user" and password "secret_sauce"	PASSED	12.270 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.005 s
	screenshot		
2	When user click on menu button	PASSED	13.385 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	<p>And click on logout button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.282 s
4	<p>Then user has been logged out and in login page again</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.000 s

(F)- Login**(S)- login invalid credentials**



#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	6.276 s
2	When user enter login "invalid username and password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128)	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	2.692 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s


(S)- login invalid credentials




#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	0.713 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.997 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
2	<p>When user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"</p> <pre>org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.012 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.424 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s


(S)- login invalid credentials

#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot  Accepted usernames are: standard_user locked_out_user admin customer Password for all users: secret secret_source	PASSED	2.548 s
2	When user enter login "Missing password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "Missing password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.320 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	2.106 s


#	Step / Hook Details	Status	Duration
			
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Password is required"	SKIPPED	0.001 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1610e08ed068aa66d05fe13ed4823328, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir3108_1510}, goog:chromeOptions: {debuggerAddress: localhost:61163}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61163/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1610e08ed068aa66d05fe13ed4823328 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)</pre>	FAILED	21.863 s

#	Step / Hook Details	Status	Duration
	<pre> at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		


(S)- login invalid credentials






#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.667 s
2	When user enter login "valid username and invalid password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.175 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	3.853 s


#	Step / Hook Details	Status	Duration
			
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s

(S)- login with valid email and password




#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	0.469 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.277 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
2	<p>When user enter email "standard_user" and password "secret_sauce"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	8.007 s
3	<p>And click on the login button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.467 s
4	<p>Then user navigated to home page</p>	PASSED	1.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.911 s




(F)- Sort Products


PASSED	DURATION - 1 m 10.740 s /8:32:19.697 PM // 8:33:30.437 PM /	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 16 Pass - 16 Fail - 0 Skip - 0
			

(S)- User wants to sort the products using sorting options


PASSED	DURATION - 1 m 9.341 s /8:32:19.698 PM // 8:33:29.039 PM /	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
Sort Products			

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	4.527 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.132 s
3	<p>When select one of the sorting type "Name (A to Z)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.428 s
4	<p>Then the items should be sorted based the selection "Name (A to Z)"</p>	PASSED	6.265 s




#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.465 s


(S)- User wants to sort the products using sorting options

PASSED	DURATION - 1 m 9.730 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:32:19.703 PM // 8:33:29.433 PM /	Sort Products			


@SortProduct @HappyScenario @Regression

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	9.910 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.442 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.114 s
3	<p>When select one of the sorting type "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.951 s
4	Then the items should be sorted based the selection "Price (high to low)"	PASSED	2.020 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.336 s

(S)- User wants to sort the products using sorting options


PASSED	DURATION - 1 m 1.803 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:32:19.704 PM // 8:33:21.507 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	10.076 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.398 s




#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.430 s
3	<p>When select one of the sorting type "Name (Z to A)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.955 s
4	<p>Then the items should be sorted based the selection "Name (Z to A)"</p>	PASSED	2.005 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.271 s

(S)- User wants to sort the products using sorting options


PASSED	DURATION - 1 m 10.725 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:32:19.712 PM // 8:33:30.437 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	9.727 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.823 s


#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.992 s
3	<p>When select one of the sorting type "Price (low to high)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.849 s
4	<p>Then the items should be sorted based the selection "Price (low to high)"</p>	PASSED	4.113 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.537 s




(F)- User wants to place order








(S)- user try to place order






#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	12.170 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.196 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.055 s
3	<p>When user add item using "Sauce Labs Bike Light; Sauce Labs Backpack" to the shopping cart</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.120 s
4	<p>And user clicks on the shopping cart icon</p>	PASSED	0.170 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.213 s
5	And click on the checkout button	PASSED	0.445 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.128 s
6	And fill payment information from file "testdata/PaymentInfoData.json"	PASSED	1.555 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.185 s



#	Step / Hook Details	Status	Duration
			
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.465 s
8	<p>And the items total price is "Item Total: \$39.98"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.157 s
9	<p>And the total price after tax is "Total: \$43.18"</p>	PASSED	0.100 s




#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.139 s
10	<p>And the taxes rate is "8" %</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.080 s
11	<p>And clicks on the finish button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.241 s
		PASSED	0.172 s



#	Step / Hook Details	Status	Duration
	 <p>THANK YOU FOR YOUR ORDER Your order has been dispatched, and will arrive just as fast as the pony can get there!</p> <p>PONY EXPRESS SAUCE LABS</p> <p>BACK HOME</p> <p>© 2022 Sauce Labs. All Rights Reserved. Terms of Service Privacy Policy</p>		
12	Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"	PASSED	0.075 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>THANK YOU FOR YOUR ORDER Your order has been dispatched, and will arrive just as fast as the pony can get there!</p> <p>PONY EXPRESS SAUCE LABS</p> <p>BACK HOME</p> <p>© 2022 Sauce Labs. All Rights Reserved. Terms of Service Privacy Policy</p>	PASSED	0.127 s




(S)- user try to place order

PASSED	DURATION - 1 m 10.924 s	 <table border="1"> <caption>Step Execution Times</caption> <thead> <tr> <th>Step Number</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>~10.924</td></tr> <tr><td>2</td><td>~3.5</td></tr> <tr><td>3</td><td>~2.0</td></tr> <tr><td>4</td><td>~0.2</td></tr> <tr><td>5</td><td>~0.5</td></tr> <tr><td>6</td><td>~3.0</td></tr> <tr><td>7</td><td>~0.3</td></tr> <tr><td>8</td><td>~0.2</td></tr> <tr><td>9</td><td>~0.1</td></tr> <tr><td>10</td><td>~0.1</td></tr> <tr><td>11</td><td>~0.1</td></tr> <tr><td>12</td><td>~0.1</td></tr> </tbody> </table>	Step Number	Duration (s)	1	~10.924	2	~3.5	3	~2.0	4	~0.2	5	~0.5	6	~3.0	7	~0.3	8	~0.2	9	~0.1	10	~0.1	11	~0.1	12	~0.1	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
Step Number	Duration (s)																													
1	~10.924																													
2	~3.5																													
3	~2.0																													
4	~0.2																													
5	~0.5																													
6	~3.0																													
7	~0.3																													
8	~0.2																													
9	~0.1																													
10	~0.1																													
11	~0.1																													
12	~0.1																													
/ 8:32:19.714 PM // 8:33:30.638 PM /																														
User wants to place order																														
@PlaceOrder @HappyScenario @Regression																														

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	6.992 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.423 s
			
2	And user in the "Products" page	PASSED	3.341 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.047 s
			
3	When user add item using "Sauce Labs Backpack" to the shopping cart	PASSED	1.960 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.359 s

#	Step / Hook Details	Status	Duration
			
4	<p>And user clicks on the shopping cart icon</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.175 s
5	<p>And click on the checkout button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.611 s
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p>	PASSED	3.114 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.399 s
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.407 s
8	<p>And the items total price is "Item Total: \$29.99"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.223 s
		PASSED	0.181 s

#	Step / Hook Details	Status	Duration
			
9	And the total price after tax is "Total: \$32.39"	PASSED	0.029 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot		
			
10	And the taxes rate is "8" %	PASSED	0.057 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
			
11	And clicks on the finish button	PASSED	0.138 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.122 s
12	<p>Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"</p>	PASSED	0.061 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.110 s