

Cucumber Report

Mar 22, 2022, 8:26:52 PM

Start : Mar 22, 8:25:30.987 PM

End : Mar 22, 8:26:50.885 PM

Duration : 1 m 19.898 s

Features





PASSED - 2
FAILED - 2
SKIPPED - 0


Scenarios

PASSED - 6
FAILED - 6
SKIPPED - 0


Steps

PASSED - 52
FAILED - 4
SKIPPED - 8






#	Feature Name	T	P	F	S	Duration
1	<u>Sort Products</u>	4	3	1	0	1 m 19.270 s
2	<u>Login</u>	5	0	5	0	1 m 12.122 s
3	<u>User wants to place order</u>	2	2	0	0	1 m 19.863 s
4	<u>User logout</u>	1	1	0	0	1 m 18.144 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 15.523 s
2	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 19.115 s
3	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 13.539 s
4	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 19.212 s
5	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 3.778 s
6	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 4.523 s
7	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	58.270 s
8	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 6.209 s
9	<u>Login</u>	<u>login with valid email and password</u>	4	4	0	0	1 m 12.118 s
10	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 19.361 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 19.857 s
12	<u>User logout</u>	<u>user wants to logout</u>	4	4	0	0	1 m 18.144 s




(F)- Sort Products

FAILED	DURATION - 1 m 19.270 s	Scenarios Total - 4 Pass - 3 Fail - 1 Skip - 0		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 8:25:30.987 PM // 8:26:50.257 PM /					


(S)- User wants to sort the products using sorting options



PASSED	DURATION - 1 m 15.523 s	Sort Products		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:25:31.001 PM // 8:26:46.524 PM /		@SortProduct @HappyScenario @Regression			



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	16.252 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.311 s
	screenshot		
			
2	And user in the "Products" page	PASSED	1.922 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.895 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>When select one of the sorting type "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	5.939 s
4	<p>Then the items should be sorted based the selection "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.132 s


(S)- User wants to sort the products using sorting options







#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	11.151 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.797 s
	screenshot		
			
2	And user in the "Products" page	PASSED	0.618 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.424 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When select one of the sorting type "Name (A to Z)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	3.568 s
		PASSED	0.934 s
4	Then the items should be sorted based the selection "Name (A to Z)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	4.499 s
		PASSED	0.597 s

(S)- User wants to sort the products using sorting options




#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	15.332 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.790 s
	screenshot		
			
2	And user in the "Products" page	PASSED	0.565 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
			
3	When select one of the sorting type "Price (low to high)"	PASSED	4.049 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.926 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
4	<p>Then the items should be sorted based the selection "Price (low to high)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.865 s
		PASSED	0.543 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e178efbfef2d95105774344c379d5c19, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir3108_15104}, goog:chromeOptions: {debuggerAddress: localhost:60252}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60252/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e178efbfef2d95105774344c379d5c19 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)</pre>	FAILED	20.146 s




#	Step / Hook Details	Status	Duration
	<pre> at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:15) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		



(S)- User wants to sort the products using sorting options





#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	3.994 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.658 s

#	Step / Hook Details	Status	Duration
2	And user in the "Products" page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.053 s
		PASSED	0.947 s
3	When select one of the sorting type "Name (Z to A)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.770 s
		PASSED	0.650 s
4	Then the items should be sorted based the selection "Name (Z to A)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	8.472 s
		PASSED	1.897 s

#	Step / Hook Details	Status	Duration
			

(F)- Login**(S)- login invalid credentials**


#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	2.549 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.912 s

#	Step / Hook Details	Status	Duration
			
2	<p>When user enter login "invalid username and password" from "testdata/LoginData.xlsx"</p> <pre>java.lang.NoSuchMethodError: 'org.apache.poi.hssf.usermodel.HSSFSheet com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(java.lang.String, int) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.390 s
3	And click on the login button	SKIPPED	0.001 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ac654ab997ead994c83d0f479324e654, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir31084_11000}, goog:chromeOptions: {debuggerAddress: localhost:60303}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60303/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts:</pre>	FAILED	20.793 s



#	Step / Hook Details	Status	Duration
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ac654ab997ead994c83d0f479324e654 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		

(S)- login invalid credentials




#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	1.848 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.937 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>When user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"</p> <pre>java.lang.NoSuchMethodError: 'org.apache.poi.hssf.usermodel.HSSFSheet com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(java.lang.String, int) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.373 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4c44b33d7a94e1b7c495cae6947c9741, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir32084_11000}, goog:chromeOptions: {debuggerAddress: localhost:60251}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60251/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts:</pre>	FAILED	21.236 s



#	Step / Hook Details	Status	Duration
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4c44b33d7a94e1b7c495cae6947c9741 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		

(S)- login invalid credentials




#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	1.142 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>When user enter login "Missing password" from "testdata/LoginData.xlsx"</p> <pre>java.lang.NoSuchMethodError: 'org.apache.poi.hssf.usermodel.HSSFSheet com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(java.lang.String, int) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "Missing password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.085 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.824 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Password is required"	SKIPPED	0.000 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2acf14b2a7b50aef1df54b600187ce59, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\...}, goog:chromeOptions: {debuggerAddress: localhost:60253}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60253/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,</pre>	FAILED	20.566 s



#	Step / Hook Details	Status	Duration
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2acf14b2a7b50aef1df54b600187ce59 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		

(S)- login invalid credentials




#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	0.040 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.532 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>When user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"</p> <pre>java.lang.NoSuchMethodError: 'org.apache.poi.hssf.usermodel.HSSFSheet com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(java.lang.String, int) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.334 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a99e45a2e2ac7629eef681c9934ec51d, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir31084_11000}, goog:chromeOptions: {debuggerAddress: localhost:60297}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60297/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts:</pre>	FAILED	20.309 s




#	Step / Hook Details	Status	Duration
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a99e45a2e2ac7629eef681c9934ec51d at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		

(S)- login with valid email and password



#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	1.034 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.980 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>When user enter email "standard_user" and password "secret_sauce"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	9.078 s
3	<p>And click on the login button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.550 s
4	<p>Then user navigated to home page</p>	PASSED	0.520 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.035 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0922eb632999c92aa18d44e49dc3b7cb, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5...), userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir31564_1400}, goog:chromeOptions: {debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60269/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0922eb632999c92aa18d44e49dc3b7cb at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)</pre>	FAILED	20.426 s

#	Step / Hook Details	Status	Duration
	<pre> at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		




(F)- User wants to place order



PASSED	DURATION - 1 m 19.863 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 8:25:31.022 PM // 8:26:50.885 PM /					




(S)- user try to place order



PASSED	DURATION - 1 m 19.361 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 8:25:31.022 PM // 8:26:50.383 PM /					
User wants to place order					
@PlaceOrder @HappyScenario @Regression					

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	5.731 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.119 s
	screenshot		
2	And user in the "Products" page	PASSED	0.783 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.725 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>When user add item using "Sauce Labs Bike Light; Sauce Labs Backpack" to the shopping cart</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	5.630 s
4	<p>And user clicks on the shopping cart icon</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.225 s
5	<p>And click on the checkout button</p>	PASSED	0.439 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.596 s
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	8.751 s
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.176 s
		PASSED	0.769 s


#	Step / Hook Details	Status	Duration
			
8	<p>And the items total price is "Item Total: \$39.98"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.313 s
9	<p>And the total price after tax is "Total: \$43.18"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.063 s
10	<p>And the taxes rate is "8" %</p>	PASSED	0.141 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.125 s
11	<p>And clicks on the finish button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.141 s
12	<p>Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.031 s
		PASSED	0.298 s




#	Step / Hook Details	Status	Duration
	<p>THANK YOU FOR YOUR ORDER Your order has been dispatched, and will arrive just as fast as the pony can get there!</p>  <p>BACK HOME</p> <p> </p> <p>© 2022 Sauce Labs. All Rights Reserved. Terms of Service Privacy Policy</p>		



(S)- user try to place order




PASSED	DURATION - 1 m 19.857 s	 <table border="1"> <tr> <td>Steps</td></tr> <tr> <td>Total - 12</td></tr> <tr> <td>Pass - 12</td></tr> <tr> <td>Fail - 0</td></tr> <tr> <td>Skip - 0</td></tr> </table>	Steps	Total - 12	Pass - 12	Fail - 0	Skip - 0	
Steps								
Total - 12								
Pass - 12								
Fail - 0								
Skip - 0								
/ 8:25:31.028 PM // 8:26:50.885 PM /								
User wants to place order								
@PlaceOrder @HappyScenario @Regression								


#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	7.287 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.437 s
2	And user in the "Products" page	PASSED	0.553 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.391 s
3	<p>When user add item using "Sauce Labs Backpack" to the shopping cart</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.457 s
4	<p>And user clicks on the shopping cart icon</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	2.023 s
		PASSED	0.545 s

#	Step / Hook Details	Status	Duration
			
5	And click on the checkout button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	2.323 s
		PASSED	0.214 s
6	And fill payment information from file "testdata/PaymentInfoData.json" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	6.999 s
		PASSED	0.866 s
7	And Click on continue button	PASSED	0.703 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.690 s
8	<p>And the items total price is "Item Total: \$29.99"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.211 s
9	<p>And the total price after tax is "Total: \$32.39"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.399 s
		PASSED	0.564 s


#	Step / Hook Details	Status	Duration
			
10	And the taxes rate is "8" % AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.581 s
11	And clicks on the finish button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.114 s
12	Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can PASSED	PASSED	0.690 s

#	Step / Hook Details	Status	Duration
1	<p>get there!"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.691 s

(F)- User logout**(S)- user wants to logout**

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name "standard_user" and password "secret_sauce"	PASSED	7.890 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.874 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p>		
2	When user click on menu button	PASSED	14.240 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.393 s
3	And click on logout button	PASSED	0.987 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.255 s

#	Step / Hook Details	Status	Duration
4	Then user has been logged out and in login page again AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.000 s
		PASSED	1.929 s