

Cucumber Report

Mar 22, 2022, 7:41:42 PM

Start : Mar 22, 7:40:37.430 PM

End : Mar 22, 7:41:41.403 PM

Duration : 1 m 3.973 s

Features






PASSED - 3
FAILED - 1
SKIPPED - 0


Scenarios

PASSED - 8
FAILED - 4
SKIPPED - 0


Steps

PASSED - 52
FAILED - 4
SKIPPED - 8






#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	5	1	4	0	1 m 3.722 s
2	<u>User wants to place order</u>	2	2	0	0	1 m 3.949 s
3	<u>Sort Products</u>	4	4	0	0	1 m 3.358 s
4	<u>User logout</u>	1	1	0	0	1 m 0.378 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	56.905 s
2	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 3.528 s
3	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	1 m 0.104 s
4	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	55.691 s
5	<u>Login</u>	<u>login with valid email and password</u>	4	4	0	0	1 m 3.673 s
6	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 3.949 s
7	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 3.079 s
8	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	55.000 s
9	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	57.222 s
10	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	51.988 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 3.346 s
12	<u>User logout</u>	<u>user wants to logout</u>	4	4	0	0	1 m 0.378 s

(F)- Login**(S)- login invalid credentials**


#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	1.034 s
		PASSED	1.516 s
2	When user enter login "invalid username and password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128)	FAILED	0.528 s


#	Step / Hook Details	Status	Duration
	at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	2.453 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.001 s
	AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [851b93c044213ce7a24b4250d593c3b6, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir32084_1510}, goog:chromeOptions: {debuggerAddress: localhost:57033}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57033/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 851b93c044213ce7a24b4250d593c3b6 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22)	FAILED	20.536 s


#	Step / Hook Details	Status	Duration
	<pre> at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768)</pre>		


(S)- login invalid credentials





#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	3.619 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.915 s
2	When user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	2.405 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s

(S)- login invalid credentials





#	Step / Hook Details	Status	Duration
1	<p>Given A user in the login page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>Accepted usernames are:</p> <ul style="list-style-type: none"> standard_user locked_out_user wikia_user <p>Password for all users:</p> <ul style="list-style-type: none"> secret_sauce 	PASSED	0.613 s
2	<p>When user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"</p> <pre>org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	1.256 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>Accepted usernames are:</p> <ul style="list-style-type: none"> standard_user locked_out_user wikia_user <p>Password for all users:</p> <ul style="list-style-type: none"> secret_sauce 	PASSED	3.159 s


#	Step / Hook Details	Status	Duration
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s
	<p>AFTER - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f4dad3b7fa87728166cdc9209d9486d, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.74, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\KHALED~1\AppData\Local\Temp\scoped_dir31084_11040}, goog:chromeOptions: {debuggerAddress: localhost:57053}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57053/devtoo..., se:cdpVersion: 99.0.4844.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0f4dad3b7fa87728166cdc9209d9486d at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:129) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:125) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:614) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:455) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at com.multimodule.uitesting.testbase.TestBase.tearBrowser(TestBase.java:22) at com.multimodule.uitesting.stepDefinitions.hooks.Hooks.tearDown(Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</pre>	FAILED	20.727 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'DESKTOP-5J36R0S', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:119) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) </pre>		


(S)- login invalid credentials






#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.627 s
2	When user enter login "Missing password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "Missing password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.033 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.731 s


#	Step / Hook Details	Status	Duration
			
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Password is required"	SKIPPED	0.000 s

(S)- login with valid email and password



#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	0.872 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.692 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
2	<p>When user enter email "standard_user" and password "secret_sauce"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	4.412 s
3	<p>And click on the login button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.966 s
4	<p>Then user navigated to home page</p>	PASSED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.965 s




(F)- User wants to place order



PASSED	DURATION - 1 m 3.949 s / 7:40:37.454 PM // 7:41:41.403 PM /	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	Steps Total - 24 Pass - 24 Fail - 0 Skip - 0
--------	--	--	--




(S)- user try to place order



PASSED	DURATION - 1 m 3.949 s / 7:40:37.454 PM // 7:41:41.403 PM /	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0
User wants to place order		



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	8.282 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.627 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.691 s
3	<p>When user add item using "Sauce Labs Backpack" to the shopping cart</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.684 s
4	<p>And user clicks on the shopping cart icon</p>	PASSED	0.082 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.204 s
5	And click on the checkout button	PASSED	0.159 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.123 s
6	And fill payment information from file "testdata/PaymentInfoData.json"	PASSED	1.233 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.163 s



#	Step / Hook Details	Status	Duration
			
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.129 s
8	<p>And the items total price is "Item Total: \$29.99"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.046 s
9	<p>And the total price after tax is "Total: \$32.39"</p>	PASSED	0.034 s




#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.161 s
10	And the taxes rate is "8" %	PASSED	0.072 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.159 s
11	And clicks on the finish button	PASSED	0.170 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.160 s



#	Step / Hook Details	Status	Duration
			
12	Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"	PASSED	0.089 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.096 s


(S)- user try to place order


PASSED	DURATION - 1 m 3.079 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 7:40:37.470 PM // 7:41:40.549 PM /				
User wants to place order				
@PlaceOrder @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	12.861 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.584 s
	screenshot		
			
2	And user in the "Products" page	PASSED	2.880 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.212 s
	screenshot		
			
3	When user add item using "Sauce Labs Bike Light; Sauce Labs Backpack" to the shopping cart	PASSED	2.198 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
4	<p>And user clicks on the shopping cart icon</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.123 s
5	<p>And click on the checkout button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.223 s
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p>	PASSED	1.131 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.145 s
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.132 s
8	<p>And the items total price is "Item Total: \$39.98"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.048 s
		PASSED	0.099 s


#	Step / Hook Details	Status	Duration
			
9	And the total price after tax is "Total: \$43.18" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.040 s
10	And the taxes rate is "8" % AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.043 s
11	And clicks on the finish button	PASSED	0.200 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.168 s
12	<p>Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.064 s
		PASSED	0.118 s



(F)- Sort Products




(S)- User wants to sort the products using sorting options





#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	5.215 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.539 s
	screenshot		
			
2	And user in the "Products" page	PASSED	1.058 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.662 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When select one of the sorting type "Price (low to high)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	5.459 s
		PASSED	0.851 s
4	Then the items should be sorted based the selection "Price (low to high)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.479 s
		PASSED	0.380 s

(S)- User wants to sort the products using sorting options

PASSED	DURATION - 57.222 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:40:37.465 PM // 7:41:34.687 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	3.145 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.083 s
2	And user in the "Products" page	PASSED	0.163 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.509 s
3	When select one of the sorting type "Name (A to Z)"	PASSED	1.137 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.171 s



#	Step / Hook Details	Status	Duration
4	<p>Then the items should be sorted based the selection "Name (A to Z)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.784 s
		PASSED	0.496 s

(S)- User wants to sort the products using sorting options


PASSED	DURATION - 51.988 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:40:37.472 PM // 7:41:29.460 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	6.645 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.315 s
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	4.745 s
3	<p>When select one of the sorting type "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.220 s
		PASSED	1.337 s

#	Step / Hook Details	Status	Duration
			
4	<p>Then the items should be sorted based the selection "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.755 s
		PASSED	0.941 s

(S)- User wants to sort the products using sorting options



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	6.645 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.146 s
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.150 s
3	<p>When select one of the sorting type "Name (Z to A)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	5.688 s
		PASSED	1.048 s

#	Step / Hook Details	Status	Duration
4	<p>Then the items should be sorted based the selection "Name (Z to A)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.685 s
		PASSED	0.248 s



(F)- User logout

PASSED	DURATION - 1 m 0.378 s / 7:40:37.485 PM // 7:41:37.863 PM /	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0

(S)- user wants to logout



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name "standard_user" and password "secret_sauce"	PASSED	9.166 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.168 s
2	When user click on menu button	PASSED	12.084 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.185 s

#	Step / Hook Details	Status	Duration
3	And click on logout button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.092 s
		PASSED	0.096 s
4	Then user has been logged out and in login page again AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.001 s
		PASSED	0.080 s