

Cucumber Report

Mar 22, 2022, 7:21:24 PM

Start : Mar 22, 7:20:18.079 PM

End : Mar 22, 7:21:23.159 PM

Duration : 1 m 5.080 s

Features






PASSED - 4
FAILED - 0
SKIPPED - 0


Scenarios

PASSED - 12
FAILED - 0
SKIPPED - 0


Steps

PASSED - 64
FAILED - 0
SKIPPED - 0






#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	5	5	0	0	1 m 5.080 s
2	<u>Sort Products</u>	4	4	0	0	1 m 4.855 s
3	<u>User wants to place order</u>	2	2	0	0	1 m 4.751 s
4	<u>User logout</u>	1	1	0	0	1 m 2.809 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>login with valid email and password</u>	4	4	0	0	1 m 4.660 s
2	<u>Login</u>	<u>login invalid credentials</u>	4	4	0	0	1 m 3.870 s
3	<u>Login</u>	<u>login invalid credentials</u>	4	4	0	0	1 m 0.459 s
4	<u>Login</u>	<u>login invalid credentials</u>	4	4	0	0	1 m 4.921 s
5	<u>Login</u>	<u>login invalid credentials</u>	4	4	0	0	1 m 5.026 s
6	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 4.425 s
7	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 4.169 s
8	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 4.841 s
9	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 4.508 s
10	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 4.751 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	1 m 1.631 s
12	<u>User logout</u>	<u>user wants to logout</u>	4	4	0	0	1 m 2.808 s




(F)- Login


PASSED	DURATION - 1 m 5.080 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 7:20:18.079 PM // 7:21:23.159 PM /					



(S)- login with valid email and password



PASSED	DURATION - 1 m 4.660 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.091 PM // 7:21:22.751 PM /					
Login					
@login @HappyScenario @Regression					

#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	0.590 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.726 s
	screenshot		
			
2	When user enter email "standard_user" and password "secret_sauce"	PASSED	8.598 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.850 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	<p>And click on the login button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.539 s
4	<p>Then user navigated to home page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.176 s



(S)- login invalid credentials



#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.173 s
2	When user enter login "Missing password" from "testdata/LoginData.xlsx" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	3.734 s

#	Step / Hook Details	Status	Duration
3	And click on the login button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	3.714 s
			
4	Then system displays an error message says "Epic sadface: Password is required" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.615 s
			


(S)- login invalid credentials

PASSED	DURATION - 1 m 0.459 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.112 PM // 7:21:18.571 PM /				
Login				
@login @Regression @NegativeScenarios				



#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.447 s
		PASSED	0.742 s
2	When user enter login "invalid username and valid password" from "testdata/LoginData.xlsx" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	6.400 s
		PASSED	2.991 s
3	And click on the login button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.938 s
	screenshot	PASSED	0.580 s



#	Step / Hook Details	Status	Duration
			
4	<p>Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.032 s
		PASSED	0.128 s

(S)- login invalid credentials


PASSED	DURATION - 1 m 4.921 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.128 PM // 7:21:23.049 PM /				
Login				
@login @Regression @NegativeScenarios				

#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	2.622 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>The screenshot shows the Swag Labs login interface. The username field contains 'standard_user' and the password field contains '*****'. Below the fields is a red 'LOGIN' button. To the right of the button is a cartoon character holding a flag with a 'S' on it. At the bottom left, it says 'Accepted usernames are:' followed by 'standard_user', 'locked_out_user', and 'nonexistent_user'. At the bottom right, it says 'Password for all users:' followed by 'secret_sauce'.</p>	PASSED	7.358 s
2	<p>When user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>The screenshot shows the Swag Labs login interface. The username field contains 'standard_user' and the password field contains '*****'. Below the fields is a red 'LOGIN' button. To the right of the button is a cartoon character holding a flag with a 'S' on it. At the bottom left, it says 'Accepted usernames are:' followed by 'standard_user', 'locked_out_user', and 'nonexistent_user'. At the bottom right, it says 'Password for all users:' followed by 'secret_sauce'.</p>	PASSED	8.884 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>The screenshot shows the Swag Labs login interface. The username field contains 'standard_user' and the password field contains '*****'. Below the fields is a red 'LOGIN' button. To the right of the button is a cartoon character holding a flag with a 'S' on it. At the bottom left, it says 'Accepted usernames are:' followed by 'standard_user', 'locked_out_user', and 'nonexistent_user'. At the bottom right, it says 'Password for all users:' followed by 'secret_sauce'.</p>	PASSED	1.624 s
3	<p>And click on the login button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	4.756 s
		PASSED	0.208 s



#	Step / Hook Details	Status	Duration
			
4	<p>Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.088 s
		PASSED	0.204 s

(S)- login invalid credentials




#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	2.794 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	8.239 s
2	When user enter login "invalid username and password" from "testdata/LoginData.xlsx"	PASSED	7.409 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	3.055 s
3	And click on the login button	PASSED	3.683 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.650 s



#	Step / Hook Details	Status	Duration
			
4	<p>Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.059 s
		PASSED	0.101 s

(F)- Sort Products

PASSED	DURATION - 1 m 4.855 s / 7:20:18.102 PM // 7:21:22.957 PM /	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 16 Pass - 16 Fail - 0 Skip - 0
			


(S)- User wants to sort the products using sorting options



PASSED	DURATION - 1 m 4.425 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.103 PM // 7:21:22.528 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	4.489 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.958 s
	screenshot		
			
2	And user in the "Products" page	PASSED	0.368 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When select one of the sorting type "Price (low to high)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	1.589 s
		PASSED	0.774 s
4	Then the items should be sorted based the selection "Price (low to high)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	5.563 s
		PASSED	1.887 s


(S)- User wants to sort the products using sorting options





#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	7.514 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	3.191 s
			
2	And user in the "Products" page	PASSED	3.360 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.704 s
			
3	When select one of the sorting type "Name (Z to A)"	PASSED	3.365 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	3.053 s



#	Step / Hook Details	Status	Duration
			
4	<p>Then the items should be sorted based the selection "Name (Z to A)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.440 s
		PASSED	1.074 s

(S)- User wants to sort the products using sorting options


PASSED	DURATION - 1 m 4.841 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.116 PM // 7:21:22.957 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	2.990 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.571 s
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	4.654 s
3	<p>When select one of the sorting type "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	5.538 s
		PASSED	0.306 s

#	Step / Hook Details	Status	Duration
			
4	<p>Then the items should be sorted based the selection "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.338 s
		PASSED	0.218 s

(S)- User wants to sort the products using sorting options

PASSED	DURATION - 1 m 4.508 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.132 PM // 7:21:22.640 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	8.008 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.505 s
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	4.155 s
3	<p>When select one of the sorting type "Name (A to Z)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.897 s
		PASSED	2.096 s



#	Step / Hook Details	Status	Duration
4	<p>Then the items should be sorted based the selection "Name (A to Z)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED PASSED	5.912 s 0.413 s



(F)- User wants to place order




PASSED	DURATION - 1 m 4.751 s	Scenarios	Steps
/ 7:20:18.111 PM // 7:21:22.862 PM /		Total - 2 Pass - 2 Fail - 0 Skip - 0	Total - 24 Pass - 24 Fail - 0 Skip - 0



(S)- user try to place order






#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	9.574 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	6.514 s
	screenshot		
			
2	And user in the "Products" page	PASSED	0.997 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.080 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When user add item using "Sauce Labs Bike Light; Sauce Labs Backpack" to the shopping cart AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	13.819 s
4	And user clicks on the shopping cart icon AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.159 s
5	And click on the checkout button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.096 s
		PASSED	0.101 s



#	Step / Hook Details	Status	Duration
			
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.464 s
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.191 s
8	<p>And the items total price is "Item Total: \$39.98"</p>	PASSED	0.073 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.098 s
9	<p>And the total price after tax is "Total: \$43.18"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.026 s
10	<p>And the taxes rate is "8" %</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.038 s
		PASSED	0.088 s




#	Step / Hook Details	Status	Duration
			
11	<p>And clicks on the finish button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.089 s
12	<p>Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.036 s



(S)- user try to place order





#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	2.370 s
		PASSED	3.778 s
2	And user in the "Products" page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.805 s
		PASSED	0.303 s

#	Step / Hook Details	Status	Duration
3	When user add item using "Sauce Labs Backpack" to the shopping cart AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.758 s
		PASSED	0.791 s
4	And user clicks on the shopping cart icon AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.382 s
		PASSED	0.119 s
5	And click on the checkout button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.559 s
	Screenshot	PASSED	0.315 s

#	Step / Hook Details	Status	Duration
			
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	7.018 s
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.334 s
8	<p>And the items total price is "Item Total: \$29.99"</p>	PASSED	0.047 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.184 s
9	<p>And the total price after tax is "Total: \$32.39"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.067 s
10	<p>And the taxes rate is "8" %</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.080 s
		PASSED	0.097 s

#	Step / Hook Details	Status	Duration
			
11	And clicks on the finish button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.238 s
		PASSED	0.183 s
12	Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	1.011 s
		PASSED	0.170 s




(F)- User logout

PASSED	DURATION - 1 m 2.809 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.137 PM // 7:21:20.946 PM /					

(S)- user wants to logout

PASSED	DURATION - 1 m 2.808 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:18.138 PM // 7:21:20.946 PM /					
User logout					
@logout @Regression					

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name "standard_user" and password "secret_sauce"	PASSED	5.046 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	7.216 s
	screenshot		
2	When user click on menu button	PASSED	18.315 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>And click on logout button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.084 s
4	<p>Then user has been logged out and in login page again</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.000 s