

Cucumber Report

Mar 22, 2022, 8:30:45 PM

Start : Mar 22, 8:29:43.310 PM

End : Mar 22, 8:30:44.215 PM

Duration : 1 m 0.905 s

Features






PASSED - 3
FAILED - 1
SKIPPED - 0


Scenarios

PASSED - 8
FAILED - 4
SKIPPED - 0


Steps

PASSED - 52
FAILED - 4
SKIPPED - 8






#	Feature Name	T	P	F	S	Duration
1	<u>Sort Products</u>	4	4	0	0	1 m 0.905 s
2	<u>Login</u>	5	1	4	0	59.787 s
3	<u>User wants to place order</u>	2	2	0	0	59.745 s
4	<u>User logout</u>	1	1	0	0	1 m 0.754 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	54.525 s
2	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 0.888 s
3	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	1 m 0.457 s
4	<u>Sort Products</u>	<u>User wants to sort the products using sorting options</u>	4	4	0	0	55.245 s
5	<u>Login</u>	<u>login with valid email and password</u>	4	4	0	0	55.562 s
6	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	59.693 s
7	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	55.268 s
8	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	59.762 s
9	<u>Login</u>	<u>login invalid credentials</u>	4	1	1	2	59.726 s
10	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	58.894 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>User wants to place order</u>	<u>user try to place order</u>	12	12	0	0	59.732 s
12	<u>User logout</u>	<u>user wants to logout</u>	4	4	0	0	1 m 0.754 s




(F)- Sort Products

PASSED	DURATION - 1 m 0.905 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 8:29:43.310 PM // 8:30:44.215 PM /					


(S)- User wants to sort the products using sorting options



PASSED	DURATION - 54.525 s	Sort Products		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:29:43.323 PM // 8:30:37.848 PM /		@SortProduct @HappyScenario @Regression			



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	5.942 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.794 s
			
2	And user in the "Products" page	PASSED	0.058 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.877 s

#	Step / Hook Details	Status	Duration
			
3	<p>When select one of the sorting type "Name (A to Z)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.331 s
4	<p>Then the items should be sorted based the selection "Name (A to Z)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.593 s


(S)- User wants to sort the products using sorting options





#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	11.489 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.508 s
	screenshot		
			
2	And user in the "Products" page	PASSED	1.078 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When select one of the sorting type "Name (Z to A)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	2.038 s
4	Then the items should be sorted based the selection "Name (Z to A)" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.232 s


(S)- User wants to sort the products using sorting options

PASSED	DURATION - 1 m 0.457 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/8:29:43.340 PM // 8:30:43.797 PM /				
Sort Products				
@SortProduct @HappyScenario @Regression				



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	9.843 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.028 s
	screenshot		
			
2	And user in the "Products" page	PASSED	0.243 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.036 s
	screenshot		
			
3	When select one of the sorting type "Price (high to low)"	PASSED	4.498 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.004 s
	screenshot		



#	Step / Hook Details	Status	Duration
4	<p>Then the items should be sorted based the selection "Price (high to low)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	3.586 s
		PASSED	0.289 s


(S)- User wants to sort the products using sorting options




#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user "standard_user" and password "secret_sauce"	PASSED	7.967 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.668 s
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	3.039 s
3	<p>When select one of the sorting type "Price (low to high)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	2.211 s
		PASSED	0.184 s



#	Step / Hook Details	Status	Duration
			
4	<p>Then the items should be sorted based the selection "Price (low to high)"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.531 s
		PASSED	0.217 s

(F)- Login



(S)- login with valid email and password





#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.047 s
		PASSED	0.767 s
2	When user enter email "standard_user" and password "secret_sauce" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.123 s
		PASSED	0.321 s

#	Step / Hook Details	Status	Duration
3	And click on the login button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.982 s
		PASSED	2.763 s
4	Then user navigated to home page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.436 s
		PASSED	0.448 s


(S)- login invalid credentials

FAILED	DURATION - 59.693 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 8:29:43.338 PM // 8:30:43.031 PM /				
Login				
@login @Regression @NegativeScenarios				


#	Step / Hook Details	Status	Duration
1	<p>Given A user in the login page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>Accepted usernames are:</p> <ul style="list-style-type: none"> standard_user locked_out_user wikia_user <p>Password for all users:</p> <ul style="list-style-type: none"> secret_sauce 	PASSED	3.833 s
2	<p>When user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"</p> <pre>org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "valid username and invalid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>Accepted usernames are:</p> <ul style="list-style-type: none"> standard_user locked_out_user wikia_user <p>Password for all users:</p> <ul style="list-style-type: none"> secret_sauce 	PASSED	0.673 s

#	Step / Hook Details	Status	Duration
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s


(S)- login invalid credentials





#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	0.424 s
2	When user enter login "invalid username and password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at ?.user enter login "invalid username and password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot  A screenshot of a login interface. At the top, there's a logo for 'SWAGLABS'. Below it is a form with 'Username' and 'Password' fields. A large red button labeled 'LOGIN' is centered. To the right of the button is a cartoon character holding a flag with the letter 'S'. Below the form, text says 'Accepted usernames are:' followed by 'standard_user', 'locked_out_user', and 'admin_user'. To the right, it says 'Password for all users:' followed by 'secret_sauce'. screenshot	PASSED	0.109 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.001 s


(S)- login invalid credentials





#	Step / Hook Details	Status	Duration
1	Given A user in the login page	PASSED	3.248 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	3.345 s

#	Step / Hook Details	Status	Duration
			
2	<p>When user enter login "Missing password" from "testdata/LoginData.xlsx"</p> <pre>org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "Missing password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.317 s
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.025 s
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Password is required"	SKIPPED	0.001 s


(S)- login invalid credentials




#	Step / Hook Details	Status	Duration
1	Given A user in the login page AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	2.324 s
2	When user enter login "invalid username and valid password" from "testdata/LoginData.xlsx" org.apache.poi.poifs.filesystem.OfficeXmlFileException: The supplied data appears to be in the Office 2007+ XML. You are calling the part of POI that deals with OLE2 Office Documents. You need to call a different part of POI to process this data (eg XSSF instead of HSSF) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:128) at org.apache.poi.poifs.storage.HeaderBlock.<init>(HeaderBlock.java:115) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:326) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:431) at org.apache.poi.hssf.usermodel.HSSFWorkbook.<init>(HSSFWorkbook.java:411) at com.multimodule.helpers.TestResourcesReaders.readExcelSheetByIndex(TestResourcesReaders.java:54) at com.multimodule.uitesting.stepDefinitions.testSteps.LoginTestSteps.userEnterLoginFrom(LoginTestSteps.java:52) at ?.user enter login "invalid username and valid password" from "testdata/LoginData.xlsx"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-ui-project/src/test/resources/featuers/Login.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	1.462 s

#	Step / Hook Details	Status	Duration
			
3	And click on the login button	SKIPPED	0.000 s
4	Then system displays an error message says "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s




(F)- User wants to place order








(S)- user try to place order






#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	9.054 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.727 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	<p>And user in the "Products" page</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.701 s
3	<p>When user add item using "Sauce Labs Backpack" to the shopping cart</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.607 s
4	<p>And user clicks on the shopping cart icon</p>	PASSED	0.756 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.291 s
5	<p>And click on the checkout button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.841 s
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	1.367 s
		PASSED	0.144 s



#	Step / Hook Details	Status	Duration
			
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.351 s
8	<p>And the items total price is "Item Total: \$29.99"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.347 s
9	<p>And the total price after tax is "Total: \$32.39"</p>	PASSED	0.149 s




#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.126 s
10	<p>And the taxes rate is "8" %</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.046 s
11	<p>And clicks on the finish button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.109 s
		PASSED	0.191 s



#	Step / Hook Details	Status	Duration
			
12	Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"	PASSED	0.101 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.152 s


(S)- user try to place order



PASSED	DURATION - 59.732 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 8:29:43.360 PM // 8:30:43.092 PM /				
User wants to place order				
@PlaceOrder @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name is "standard_user" and password "secret_sauce"	PASSED	9.615 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.539 s
	screenshot		
			
2	And user in the "Products" page	PASSED	0.260 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
			
3	When user add item using "Sauce Labs Bike Light; Sauce Labs Backpack" to the shopping cart	PASSED	2.808 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
4	<p>And user clicks on the shopping cart icon</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.350 s
5	<p>And click on the checkout button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.235 s
6	<p>And fill payment information from file "testdata/PaymentInfoData.json"</p>	PASSED	1.198 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.143 s
7	<p>And Click on continue button</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.193 s
8	<p>And the items total price is "Item Total: \$39.98"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.067 s
		PASSED	0.176 s


#	Step / Hook Details	Status	Duration
			
9	And the total price after tax is "Total: \$43.18" AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.031 s
10	And the taxes rate is "8" % AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.042 s
11	And clicks on the finish button	PASSED	0.131 s



#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.119 s
12	<p>Then the order has been created with thanks word "Your order has been dispatched, and will arrive just as fast as the pony can get there!"</p> <p>AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.050 s
		PASSED	0.114 s



(F)- User logout

PASSED	DURATION - 1 m 0.754 s / 8:29:43.350 PM // 8:30:44.104 PM /	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
			

(S)- user wants to logout



#	Step / Hook Details	Status	Duration
1	Given user is logged in with standard account user name "standard_user" and password "secret_sauce"	PASSED	12.305 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.617 s
2	When user click on menu button	PASSED	12.656 s
	AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.185 s

#	Step / Hook Details	Status	Duration
3	And click on logout button AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.076 s
		PASSED	0.098 s
4	Then user has been logged out and in login page again AFTER_STEP - com.multimodule.uitesting.stepDefinitions.hooks.Hooks.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.000 s
		PASSED	0.098 s