

Cucumber Report

Mar 22, 2022, 7:28:29 PM

Start : Mar 22, 7:28:18.446 PM

End : Mar 22, 7:28:28.264 PM

Duration : 9.818 s

Features

Scenarios

Steps

PASSED - 6

FAILED - 4

SKIPPED - 0

PASSED - 21





FAILED - 6


SKIPPED - 0

PASSED - 104


FAILED - 6

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>User Wants to add a new category</u>	4	3	1	0	6.451 s
2	<u>User Wants to update a product data</u>	3	0	3	0	8.679 s
3	<u>Get Category by ID</u>	5	5	0	0	9.013 s
4	<u>User Wants to add a new product</u>	4	3	1	0	6.348 s
5	<u>Get All Categories</u>	1	1	0	0	9.051 s
6	<u>Get All Products</u>	1	1	0	0	9.083 s
7	<u>Delete a category using the category ID</u>	1	1	0	0	9.618 s
8	<u>update a category data</u>	2	1	1	0	8.583 s
9	<u>Get One Product by ID</u>	5	5	0	0	8.932 s
10	<u>Delete a product using the product ID</u>	1	1	0	0	9.672 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Wants to add a new category</u>	<u>User try to add the category with valid data</u>	6	5	1	0	6.448 s
2	<u>User Wants to add a new category</u>	<u>User try to add category with invalid data request body parameters and valid content type</u>	5	5	0	0	5.086 s
3	<u>User Wants to add a new category</u>	<u>User try to add category with invalid data request body parameters and valid content type</u>	5	5	0	0	5.054 s
4	<u>User Wants to add a new category</u>	<u>User try to add category with invalid data request body parameters and valid content type</u>	5	5	0	0	5.051 s
5	<u>User Wants to update a product data</u>	<u>User try to update the product with valid data</u>	6	5	1	0	8.616 s
6	<u>User Wants to update a product data</u>	<u>User try to update the product with valid data</u>	6	5	1	0	8.650 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>User Wants to update a product data</u>	<u>User try to update the product with invalid data Missing product mandatory items</u>	4	2	1	1	8.542 s
8	<u>Get Category by ID</u>	<u>User try to get category with invalid category ID</u>	3	3	0	0	8.943 s
9	<u>Get Category by ID</u>	<u>User try to get category with invalid category ID</u>	3	3	0	0	8.928 s
10	<u>Get Category by ID</u>	<u>User try to get category with invalid category ID</u>	3	3	0	0	8.659 s
11	<u>Get Category by ID</u>	<u>User try to get category with invalid category ID</u>	3	3	0	0	8.762 s
12	<u>Get Category by ID</u>	<u>User try to get a Category with valid Category id</u>	3	3	0	0	8.919 s
13	<u>User Wants to add a new product</u>	<u>User try to add the product with valid data and invalid content type</u>	5	5	0	0	5.107 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>User Wants to add a new product</u>	<u>User try to add the product with valid data</u>	6	5	1	0	6.322 s
15	<u>User Wants to add a new product</u>	<u>User try to add the product with invalid data request body and valid content type</u>	5	5	0	0	5.060 s
16	<u>User Wants to add a new product</u>	<u>User try to add the product with invalid data request body and valid content type</u>	5	5	0	0	5.044 s
17	<u>Get All Categories</u>	<u>get all available Categories</u>	3	3	0	0	9.051 s
18	<u>Get All Products</u>	<u>get all available product</u>	3	3	0	0	9.083 s
19	<u>Delete a category using the category ID</u>	<u>User will try to delete a product using a valid category ID</u>	3	3	0	0	9.617 s
20	<u>update a category data</u>	<u>User try to update the category with invalid data Missing product mandatory items</u>	4	2	1	1	8.567 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>update a category data</u>	<u>User try to update the category with valid data</u>	6	6	0	0	8.534 s
22	<u>Get One Product by ID</u>	<u>User try to get a product with valid product id</u>	3	3	0	0	8.931 s
23	<u>Get One Product by ID</u>	<u>User try to get product with invalid</u>	3	3	0	0	8.689 s
24	<u>Get One Product by ID</u>	<u>User try to get product with invalid</u>	3	3	0	0	8.628 s
25	<u>Get One Product by ID</u>	<u>User try to get product with invalid</u>	3	3	0	0	8.814 s
26	<u>Get One Product by ID</u>	<u>User try to get product with invalid</u>	3	3	0	0	8.688 s
27	<u>Delete a product using the product ID</u>	<u>User will try to delete a product using a valid product ID</u>	5	5	0	0	9.672 s

(F)- User Wants to add a new category

FAILED	DURATION - 6.451 s	Scenarios		Steps	
/ 7:28:18.446 PM // 7:28:24.897 PM /		Total - 4		Total - 21	
		Pass - 3		Pass - 20	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



(S)- User try to add the category with valid data

<div>FAILED</div> <div>DURATION - 6.448 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:28:18.449 PM // 7:28:24.897 PM /				
User Wants to add a new category				
@HappyScenario @AddCategory @Regression				

#	Step / Hook Details	Status	Duration
1	Given user wants to add a category using post "/categories"	PASSED	0.007 s
2	And new category body Content type is "application/json"	PASSED	0.151 s
3	When User send a post request to set new category with unique ID and name "category"	PASSED	2.954 s
4	Then new category response status code is "201"	PASSED	0.003 s
5	And new category response header contains "ETag" header	PASSED	0.003 s
6	And new category response body should be is empty java.lang.AssertionError: 1 expectation failed. JSON path isEmpty() doesn't match. Expected: is <true> Actual: <false> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$12.call(Unknown Source)	FAILED	0.922 s



#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.validateResponseSelfRequired(ResponseSpecificationImpl.groovy:684) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:262) at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:212) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:109) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at io.restassured.internal.ValidatableResponseImpl.super\$2\$body(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy:298) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy) at com.multimodule.apitesting.driver.Assertions.emptyBody(Assertions.java:76) at com.multimodule.apitesting.stepDefinitions.testSteps.category.PostNewCategory. new_category_response_body_should_be_is_empty(PostNewCategory.java:58) at ?.new category response body should be is empty(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-api- project/src/test/resources/featuers/./featuers/categories/PostNewCategory.feature:12) * Not displayable characters are replaced by '?'. </pre>		

(S)- User try to add category with invalid data request body parameters and valid content type

<div>PASSED</div> <div>DURATION - 5.086 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:28:18.553 PM // 7:28:23.639 PM /</div>			
<div>User Wants to add a new category</div>			
<div>@AddCategory @Regression @NegativeScenarios</div>			



#	Step / Hook Details	Status	Duration
1	Given user wants to add a category using post "/products"	PASSED	0.001 s
2	And new category body Content type is "application/json"	PASSED	0.196 s
3	When User send a post request to add category with "scenarios/addnewcategory/invalid-body-missing-id-request.json"	PASSED	2.198 s
4	Then new category response status code is "400"	PASSED	0.001 s
5	And new category response body should match "scenarios/addnewcategory/invalid-body-missing-id-response.json"	PASSED	0.424 s

(S)- User try to add category with invalid data request body parameters and valid content type

<div>PASSED</div> <div>DURATION - 5.054 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:28:18.586 PM // 7:28:23.640 PM /</div>			
<div>User Wants to add a new category</div>			
<div>@AddCategory @Regression @NegativeScenarios</div>			



#	Step / Hook Details	Status	Duration
1	Given user wants to add a category using post "/products"	PASSED	0.000 s
2	And new category body Content type is "application/json"	PASSED	0.167 s
3	When User send a post request to add category with "scenarios/addnewcategory/invalid-body-id-int-request.json"	PASSED	1.870 s
4	Then new category response status code is "400"	PASSED	0.010 s
5	And new category response body should match "scenarios/addnewcategory/invalid-body-id-int-response.json"	PASSED	0.627 s

(S)- User try to add category with invalid data request body parameters and valid content type



PASSED	DURATION - 5.051 s		Steps	
/ 7:28:18.588 PM // 7:28:23.639 PM /			Total - 5	
User Wants to add a new category			Pass - 5	
@AddCategory @Regression @NegativeScenarios			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user wants to add a category using post "/products"	PASSED	0.001 s
2	And new category body Content type is "application/json"	PASSED	0.182 s
3	When User send a post request to add category with "scenarios/addnewcategory/invalid-body-missing-name-request.json"	PASSED	2.112 s
4	Then new category response status code is "400"	PASSED	0.002 s
5	And new category response body should match "scenarios/addnewcategory/invalid-body-missing-name-response.json"	PASSED	0.524 s

(F)- User Wants to update a product data

<div>FAILED</div> <div>DURATION - 8.679 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 12</div> <div>Fail - 3</div> <div>Skip - 1</div>	<div></div>
/ 7:28:18.490 PM // 7:28:27.169 PM /					



(S)- User try to update the product with valid data

FAILED	DURATION - 8.616 s		Steps	
/ 7:28:18.495 PM // 7:28:27.111 PM /			Total - 6	
User Wants to update a product data			Pass - 5	
@UpdateProduct @HappyScenario @Regression			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user wants to update a product using patch "/products/{id}" with id "312290"	PASSED	0.009 s
2	And update product body content type is "application/json"	PASSED	0.155 s
3	When User send a patch request to update with "scenarios/updateproduct/UpdateProduct_AllFields-request.json"	PASSED	6.068 s
4	Then update product response status code is "200"	PASSED	0.000 s
5	And update product response header contains "ETag" header	PASSED	0.002 s
6	<p>And update product response body matches "scenarios/updateproduct/UpdateProduct_AllFields-response.json"</p> <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. warning: the following keywords are unknown and will be ignored: [image, manufacturer, model, name, price, shipping, upc, url] level: "warning" schema: {"loadingURI":"#", "pointer":""} domain: "syntax" ignored: [{"image","manufacturer","model","name","price","shipping","upc","url"} error: instance type (object) does not match any allowed primitive type (allowed: ["string"]) level: "error" schema: {"loadingURI":"#", "pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["string"] Actual: {"id":312290,"name":"1","type":"Product Patched","price":1222,"upc":"string","shipping":2666,"description":"Product Patched","manufacturer":"Test product","model":"Product Patched","url":"Test product","image":"Test product","createdAt":"2016-11-17T17:58:03.298Z","updatedAt":"2022-03-22T17:28:22.895Z"} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$12.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:684) at jdk.internal.reflect.GeneratedMethodAccessor300.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:99) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at io.restassured.internal.ValidatableResponseImpl.super\$2\$body(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) </pre>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy:293) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy) at com.multimodule.apitesting.driver.Assertions.bodySchema(Assertions.java:44) at com.multimodule.apitesting.stepDefinitions.testSteps.products.UpdateProductById. updateProductData_validBody_BodyMatches(UpdateProductById.java:56) at ?.update product response body matches "scenarios/updateproduct/UpdateProduct_AllFields-response.json"(file:///C:/Users/ Khaled%20M%20Farh/Downloads/test-multi-module-project/test-api-project/src/test/resources/featuers/./featuers/products/ UpdateProductById.feature:12) * Not displayable characters are replaced by '?'. </pre>		



(S)- User try to update the product with valid data

FAILED	DURATION - 8.650 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 7:28:18.519 PM // 7:28:27.169 PM /				
User Wants to update a product data				
@UpdateProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user wants to update a product using patch "/products/{id}" with id "312290"	PASSED	0.000 s
2	And update product body content type is "application/json"	PASSED	0.205 s
3	When User send a patch request to update with "scenarios/updateproduct/UpdateProduct_MandatoryFields-request.json"	PASSED	6.144 s
4	Then update product response status code is "200"	PASSED	0.001 s
5	And update product response header contains "ETag" header	PASSED	0.000 s
6	And update product response body matches "scenarios/updateproduct/UpdateProduct_MandatoryFields-response.json" <pre> java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. warning: the following keywords are unknown and will be ignored: [image, manufacturer, model, name, price, shipping, upc, url] level: "warning" schema: {"loadingURI":"#","pointer":""} domain: "syntax" ignored: [{"image","manufacturer","model","name","price","shipping","upc","url"} error: instance type (object) does not match any allowed primitive type (allowed: ["string"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "type" found: "object" expected: ["string"] Actual: {"id":"312290","name":"1","type":"Product Patched","price":1222,"upc":"string","shipping":2666,"description":"Product Patched","manufacturer":"Test product","model":"Product Patched","url":"Test product","image":"Test product","createdAt":"2016-11-17T17:58:03.298Z","updatedAt":"2022-03-22T17:28:22.895Z"} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) </pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$12.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:684) at jdk.internal.reflect.GeneratedMethodAccessor300.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:99) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at io.restassured.internal.ValidatableResponseImpl.super\$2\$body(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy:293) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy) at com.multimodule.apitesting.driver.Assertions.bodySchema(Assertions.java:44) at com.multimodule.apitesting.stepDefinitions.testSteps.products.UpdateProductByID.updateProductData_validBody_BodyMatches(UpdateProductByID.java:56) at ?.update product response body matches "scenarios/updateproduct/UpdateProduct_MandatoryFields-response.json"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-api-project/src/test/resources/featuers/./featuers/products/UpdateProductByID.feature:12) </pre> <p>* Not displayable characters are replaced by '?'. </p>		



(S)- User try to update the product with invalid data Missing product mandatory items

<div>FAILED</div> <div>DURATION - 8.542 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:28:18.565 PM // 7:28:27.107 PM /				
User Wants to update a product data				
@UpdateProduct @Regression @NegativeScenarios				



#	Step / Hook Details	Status	Duration
1	Given user wants to update a product using patch "/products/{id}" with id "312290"	PASSED	0.003 s
2	When User send a patch request to update with "scenarios/updateproduct/UpdateProduct_MissingName-request.json"	PASSED	6.219 s
3	Then update product response status code is "400" <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$12.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:684) at jdk.internal.reflect.GeneratedMethodAccessor300.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:127) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) at com.multimodule.apitesting.driver.Assertions.statusCode(Assertions.java:52) at com.multimodule.apitesting.stepDefinitions.testSteps.products.UpdateProductById. updateProductData_validBody_StatusCode(UpdateProductById.java:44) at ?.update product response status code is "400"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-api- project/src/test/resources/featuers/.../featuers/products/UpdateProductById.feature:24) * Not displayable characters are replaced by '?'. </pre>		
4	And update product response body matches "scenarios/updateproduct/UpdateProduct-Error-response.json"	SKIPPED	0.000 s

(F)- Get Category by ID

PASSED	DURATION - 9.013 s	Scenarios		Steps	
/ 7:28:18.507 PM // 7:28:27.520 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



(S)- User try to get category with invalid category ID

PASSED	DURATION - 8.943 s		Steps	
/ 7:28:18.507 PM // 7:28:27.450 PM /			Total - 3	
Get Category by ID			Pass - 3	
@Regression @NegativeScenarios @GetCategoryById			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user send a request to get category "/categories/{id}" with "-1"	PASSED	6.586 s



#	Step / Hook Details	Status	Duration
2	Then category status code is "404"	PASSED	0.001 s
3	And there is no "No record found for id '-1'" found for this category id	PASSED	0.016 s

(S)- User try to get category with invalid category ID

<div>PASSED</div> <div>DURATION - 8.928 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:18.560 PM // 7:28:27.488 PM /				
Get Category by ID				
@Regression @NegativeScenarios @GetCategoryByID				



#	Step / Hook Details	Status	Duration
1	Given user send a request to get category "/categories/{id}" with "AS"	PASSED	6.618 s
2	Then category status code is "404"	PASSED	0.000 s
3	And there is no "No record found for id 'AS'" found for this category id	PASSED	0.021 s

(S)- User try to get category with invalid category ID

PASSED		DURATION - 8.659 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:28:18.583 PM // 7:28:27.242 PM /						
Get Category by ID						
@Regression @NegativeScenarios @GetCategoryByID						



#	Step / Hook Details	Status	Duration
1	Given user send a request to get category "/categories/{id}" with "0"	PASSED	6.371 s
2	Then category status code is "404"	PASSED	0.001 s
3	And there is no "No record found for id '0'" found for this category id	PASSED	0.014 s

(S)- User try to get category with invalid category ID

<div>PASSED</div> <div>DURATION - 8.762 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:18.590 PM // 7:28:27.352 PM /				
Get Category by ID				
@Regression @NegativeScenarios @GetCategoryByID				



#	Step / Hook Details	Status	Duration
1	Given user send a request to get category "/categories/{id}" with "0S"	PASSED	6.466 s
2	Then category status code is "404"	PASSED	0.001 s
3	And there is no "No record found for id '0S'" found for this category id	PASSED	0.038 s

(S)- User try to get a Category with valid Category id



<div>PASSED</div> <div>DURATION - 8.919 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:18.601 PM // 7:28:27.520 PM /				
Get Category by ID				
@HappyScenario @Regression @GetCategoryById				

#	Step / Hook Details	Status	Duration
1	Given user send a request to get category "/categories/{id}" with "abcat0101000"	PASSED	6.665 s
2	Then category status code is "200"	PASSED	0.000 s
3	And get category response body is "scenarios/getcategorybyid/response-body_Id_abcat0101000.json"	PASSED	0.007 s

(F)- User Wants to add a new product



FAILED	DURATION - 6.348 s	Scenarios		Steps	
/ 7:28:18.533 PM // 7:28:24.881 PM /		Total - 4		Total - 21	
		Pass - 3		Pass - 20	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User try to add the product with valid data and invalid content type

<div>PASSED</div> <div>DURATION - 5.107 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:28:18.533 PM // 7:28:23.640 PM /				
User Wants to add a new product				
@AddProduct @Regression @NegativeScenarios				

#	Step / Hook Details	Status	Duration
1	Given user wants to add a product using post "/products"	PASSED	0.013 s
2	And new product body Content type is "text/plain"	PASSED	0.201 s
3	When User send a post request to update with "scenarios/addnewproduct/valid-fullbody-request.json"	PASSED	1.964 s
4	Then new product response status code is "400"	PASSED	0.025 s
5	And new product response body should match "scenarios/addnewproduct/error-response.json"	PASSED	0.637 s

(S)- User try to add the product with valid data

<div>FAILED</div> <div>DURATION - 6.322 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:28:18.559 PM // 7:28:24.881 PM /				
User Wants to add a new product				
@AddProduct @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given user wants to add a product using post "/products"	PASSED	0.001 s
2	And new product body Content type is "application/json"	PASSED	0.166 s
3	When User send a post request to update with "scenarios/addnewproduct/valid-fullbody-request.json"	PASSED	3.160 s
4	Then new product response status code is "201"	PASSED	0.020 s
5	And new product response header contains "ETag" header	PASSED	0.000 s
6	<p>And new product response body should be is empty</p> <pre> java.lang.AssertionError: 1 expectation failed. JSON path isEmpty() doesn't match. Expected: is <true> Actual: <false> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$12.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:684) at jdk.internal.reflect.GeneratedMethodAccessor300.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:262) at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:109) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at io.restassured.internal.ValidatableResponseImpl.super\$2\$body(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) </pre>	FAILED	0.677 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy:298) at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy) at com.multimodule.apitesting.driver.Assertions.emptyBody(Assertions.java:76) at com.multimodule.apitesting.stepDefinitions.testSteps.products.PostNewProduct.response_body_is_empty(PostNewProduct.java:52) at ?.new product response body should be is empty(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-api-project/src/test/resources/featuers/.../featuers/products/PostNewProduct.feature:12) * Not displayable characters are replaced by '?'.		

(S)- User try to add the product with invalid data request body and valid content type

<div>PASSED</div> <div>DURATION - 5.060 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0.153</td></tr><tr><td>3</td><td>2.087</td></tr><tr><td>4</td><td>0.002</td></tr><tr><td>5</td><td>0.541</td></tr></tbody></table></div>	Step	Duration (s)	1	0	2	0.153	3	2.087	4	0.002	5	0.541	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step		Duration (s)													
1		0													
2		0.153													
3	2.087														
4	0.002														
5	0.541														
<div>/ 7:28:18.578 PM // 7:28:23.638 PM /</div>															
<div>User Wants to add a new product</div>															
<div>@AddProduct @Regression @NegativeScenarios</div>															



#	Step / Hook Details	Status	Duration
1	Given user wants to add a product using post "/products"	PASSED	0.000 s
2	And new product body Content type is "application/json"	PASSED	0.153 s
3	When User send a post request to update with "scenarios/addnewproduct/invalid-body-missing-mandatoryfilds-request.json"	PASSED	2.087 s
4	Then new product response status code is "400"	PASSED	0.002 s
5	And new product response body should match "scenarios/addnewproduct/error-response.json"	PASSED	0.541 s

(S)- User try to add the product with invalid data request body and valid content type



<div>PASSED</div> <div>DURATION - 5.044 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0.153</td></tr><tr><td>3</td><td>2.087</td></tr><tr><td>4</td><td>0.002</td></tr><tr><td>5</td><td>0.541</td></tr></tbody></table></div>	Step	Duration (s)	1	0	2	0.153	3	2.087	4	0.002	5	0.541	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step		Duration (s)													
1		0													
2		0.153													
3	2.087														
4	0.002														
5	0.541														
<div>/ 7:28:18.595 PM // 7:28:23.639 PM /</div>															
<div>User Wants to add a new product</div>															
<div>@AddProduct @Regression @NegativeScenarios</div>															

#	Step / Hook Details	Status	Duration
1	Given user wants to add a product using post "/products"	PASSED	0.001 s
2	And new product body Content type is "application/json"	PASSED	0.217 s
3	When User send a post request to update with "scenarios/addnewproduct/invalid-body-price-string-request.json"	PASSED	2.043 s
4	Then new product response status code is "400"	PASSED	0.000 s
5	And new product response body should match "scenarios/addnewproduct/error-response.json"	PASSED	0.575 s

(F)- Get All Categories



PASSED	DURATION - 9.051 s	Scenarios		Steps	
/ 7:28:18.551 PM // 7:28:27.602 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- get all available Categories



PASSED	DURATION - 9.051 s		Steps	
/ 7:28:18.551 PM // 7:28:27.602 PM /			Total - 3	
Get All Categories			Pass - 3	
@GetAllCategories @HappyScenario @Regression			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User send a get Categories request to "/categories"	PASSED	6.775 s
2	Then Categories status code is "200"	PASSED	0.001 s
3	And Categories response body matches "scenarios/getallcategories/response-body.json" in Api contract	PASSED	0.012 s

(F)- Get All Products



PASSED	DURATION - 9.083 s	Scenarios		Steps	
/ 7:28:18.558 PM // 7:28:27.641 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- get all available product

<div>PASSED</div> <div>DURATION - 9.083 s</div>			Steps		
/ 7:28:18.558 PM // 7:28:27.641 PM /			Total - 3		
Get All Products			Pass - 3		
			Fail - 0		
@HappyScenario @Regression @GetAllProducts			Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given User send a get request to "/products"	PASSED	6.776 s
2	Then status code is "200"	PASSED	0.002 s
3	And response body matches "scenarios/getallproducts/response-body.json" in Api contract	PASSED	0.009 s

(F)- Delete a category using the category ID

PASSED	DURATION - 9.618 s	Scenarios		Steps	
/ 7:28:18.563 PM // 7:28:28.181 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- User will try to delete a product using a valid category ID

PASSED	DURATION - 9.617 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:28:18.564 PM // 7:28:28.181 PM /				
Delete a category using the category ID				
@DeleteCategory @HappyScenario @Regression				

#	Step / Hook Details	Status	Duration
1	Given A PRE-created category with data "scenarios/deletecategorybyid/valid-fullbody-request.json"	PASSED	2.821 s
2	When user sends a delete category request to "/categories/{id}" with ID "16" where id is the value of category ID	PASSED	4.504 s
3	Then deleted category status code is "200"	PASSED	0.000 s

(F)- update a category data

FAILED	DURATION - 8.583 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 7:28:18.568 PM // 7:28:27.151 PM /					

(S)- User try to update the category with invalid data Missing product mandatory items

FAILED	DURATION - 8.567 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 7:28:18.568 PM // 7:28:27.135 PM /				
update a category data				
@UpdateCategoryByID @Regression @NegativeScenarios				

#	Step / Hook Details	Status	Duration
1	Given user wants to update a category using patch "/categories/{id}" with id "abcat0010000"	PASSED	0.044 s

#	Step / Hook Details	Status	Duration
2	When User send a patch request to update category with "scenarios/updatecategory/UpdateCategory_MissingName-request.json"	PASSED	6.262 s
3	<p>Then update category response status code is "400"</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$12.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:684) at jdk.internal.reflect.GeneratedMethodAccessor300.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:127) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at io.restassured.internal.ValidatableResponseImpl.super\$2\$statusCode(ValidatableResponseImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) at com.multimodule.apitesting.driver.Assertions.statusCode(Assertions.java:52) at com.multimodule.apitesting.stepDefinitions.testSteps.category.UpdateCategoryById.update_category_response_status_code_is(UpdateCategoryById.java:41) at ?.update category response status code is "400"(file:///C:/Users/Khaled%20M%20Farh/Downloads/test-multi-module-project/test-api- </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	project/src/test/resources/featuers/./featuers/categories/UpdateCategoryById.feature:22) * Not displayable characters are replaced by '?'. 4 And update category response body matches "scenarios/updatecategory/UpdateCategory-Error-response.json"		
4	And update category response body matches "scenarios/updatecategory/UpdateCategory-Error-response.json"	SKIPPED	0.000 s

(S)- User try to update the category with valid data



<div>PASSED</div> <div>DURATION - 8.534 s</div>		<table border="1"><thead><tr><th>Step</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>0</td><td>0</td><td>0</td></tr><tr><td>2</td><td>0</td><td>0</td><td>0</td></tr><tr><td>3</td><td>6</td><td>0</td><td>0</td></tr><tr><td>4</td><td>0</td><td>0</td><td>0</td></tr><tr><td>5</td><td>0</td><td>0</td><td>0</td></tr><tr><td>6</td><td>0</td><td>0</td><td>0</td></tr></tbody></table>	Step	Pass	Fail	Skip	1	0	0	0	2	0	0	0	3	6	0	0	4	0	0	0	5	0	0	0	6	0	0	0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Step	Pass		Fail	Skip																												
1	0		0	0																												
2	0		0	0																												
3	6	0	0																													
4	0	0	0																													
5	0	0	0																													
6	0	0	0																													
/ 7:28:18.617 PM // 7:28:27.151 PM /																																
update a category data																																
@UpdateCategoryById @HappyScenario @Regression																																

#	Step / Hook Details	Status	Duration
1	Given user wants to update a category using patch "/categories/{id}" with id "abcat0010000"	PASSED	0.008 s
2	And update category body content type is "application/json"	PASSED	0.155 s
3	When User send a patch request to update category with "scenarios/updatecategory/UpdateCategory_AllFields-request.json"	PASSED	6.123 s
4	Then update category response status code is "200"	PASSED	0.000 s
5	And update category response header contains "ETag" header	PASSED	0.001 s
6	And update category response body matches "scenarios/updatecategory/UpdateCategory_AllFields-response.json"	PASSED	0.007 s

(F)- Get One Product by ID



<div>PASSED</div>	<div>DURATION - 8.932 s</div>	<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>5</div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 15</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>15</div></div>
<div>/ 7:28:18.573 PM // 7:28:27.505 PM /</div>					

(S)- User try to get a product with valid product id

<div><div>PASSED</div><div>DURATION - 8.931 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 7:28:18.574 PM // 7:28:27.505 PM /				
Get One Product by ID				
@GetProductById @HappyScenario @Regression				



#	Step / Hook Details	Status	Duration
1	Given user send a request to get "/products/{id}" with valid "185230"	PASSED	6.684 s
2	Then Positive status code is "200"	PASSED	0.000 s
3	And get product response body is "scenarios/getproductbyid/response-body_Id_185230.json"	PASSED	0.007 s

(S)- User try to get product with invalid

<div>PASSED</div> <div>DURATION - 8.689 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>0</td></tr><tr><td>2</td><td>0</td><td>0</td><td>0</td></tr><tr><td>3</td><td>0</td><td>0</td><td>0</td></tr></tbody></table></div>	Step	Pass	Fail	Skip	1	1	0	0	2	0	0	0	3	0	0	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step	Pass		Fail	Skip															
1	1		0	0															
2	0		0	0															
3	0	0	0																
/ 7:28:18.585 PM // 7:28:27.274 PM /																			
Get One Product by ID																			
@GetProductById @Regression @NegativeScenarios																			



#	Step / Hook Details	Status	Duration
1	Given user send a request to get "/products/{id}" with invalid "AS"	PASSED	6.398 s
2	Then Negative status code is "404"	PASSED	0.000 s
3	And there is no "No record found for id 'AS'" found for this id	PASSED	0.022 s

(S)- User try to get product with invalid

<div>PASSED</div> <div>DURATION - 8.628 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:18.587 PM // 7:28:27.215 PM /				
Get One Product by ID				
@GetProductById @Regression @NegativeScenarios				



#	Step / Hook Details	Status	Duration
1	Given user send a request to get "/products/{id}" with invalid "0"	PASSED	6.339 s
2	Then Negative status code is "404"	PASSED	0.000 s
3	And there is no "No record found for id '0'" found for this id	PASSED	0.020 s

(S)- User try to get product with invalid

<div>PASSED</div> <div>DURATION - 8.814 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:18.598 PM // 7:28:27.412 PM /				
Get One Product by ID				
@GetProductById @Regression @NegativeScenarios				



#	Step / Hook Details	Status	Duration
1	Given user send a request to get "/products/{id}" with invalid "0S"	PASSED	6.561 s
2	Then Negative status code is "404"	PASSED	0.007 s
3	And there is no "No record found for id '0S'" found for this id	PASSED	0.024 s

(S)- User try to get product with invalid



<div>PASSED</div> <div>DURATION - 8.688 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:28:18.611 PM // 7:28:27.299 PM /				
Get One Product by ID				
@GetProductById @Regression @NegativeScenarios				

#	Step / Hook Details	Status	Duration
1	Given user send a request to get "/products/{id}" with invalid "-1"	PASSED	6.483 s
2	Then Negative status code is "404"	PASSED	0.001 s
3	And there is no "No record found for id '-1'" found for this id	PASSED	0.016 s

(F)- Delete a product using the product ID

<div>PASSED</div>	<div>DURATION - 9.672 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:28:18.592 PM // 7:28:28.264 PM /					

(S)- User will try to delete a product using a valid product ID

<div><div>PASSED</div><div>DURATION - 9.672 s</div></div>		<div><table><thead><tr><th>Step</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>3</td><td>0</td><td>0</td></tr><tr><td>2</td><td>1</td><td>0</td><td>0</td></tr><tr><td>3</td><td>3</td><td>0</td><td>0</td></tr><tr><td>4</td><td>0</td><td>0</td><td>0</td></tr><tr><td>5</td><td>0</td><td>0</td><td>1</td></tr></tbody></table></div>	Step	Pass	Fail	Skip	1	3	0	0	2	1	0	0	3	3	0	0	4	0	0	0	5	0	0	1	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step	Pass		Fail	Skip																							
1	3		0	0																							
2	1		0	0																							
3	3	0	0																								
4	0	0	0																								
5	0	0	1																								
/ 7:28:18.592 PM // 7:28:28.264 PM /																											
Delete a product using the product ID																											
@DeleteProduct @HappyScenario @Regression																											

#	Step / Hook Details	Status	Duration
1	Given A PRE-created product with data "scenarios/deleteproductbyid/valid-fullbody-request.json"	PASSED	2.875 s

#	Step / Hook Details	Status	Duration
2	And The user wants to delete this product using the ID	PASSED	1.133 s
3	When user sends a delete request to "/products/{id}" where id is the value of product ID	PASSED	3.337 s
4	Then deleted product status code is "200"	PASSED	0.000 s
5	And if the user try it to get this product the status code is "404"	PASSED	0.064 s