

Compte rendu Activité 4 Formulaire

Khaled Kammoun DLSI - ADBD - TD5

Vue info.blade.php :

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <meta http-equiv="X-UA-Compatible" content="ie=edge">
7   <title>Document</title>
8 </head>
9 <body>
10   <form method="POST" action="{{ route('storeInfo') }}">
11     @csrf
12     <div>
13       <label for="nom">Nom:</label>
14       <input type="text" id="nom" name="nom">
15     </div>
16     <div>
17       <label for="prenom">Prénom:</label>
18       <input type="text" id="prenom" name="prenom">
19     </div>
20     <div>
21       <label for="age">Âge:</label>
22       <input type="text" id="age" name="age">
23     </div>
24     <div>
25       <label for="sexe">Sexe:</label>
26       <select class="form-control" id="sexe" name="sexe">
27         <option value="homme">Homme</option>
28         <option value="femme">Femme</option>
29       </select>
30     </div>
31     <div>
32       <label for="loisirs">Loisirs:</label><br>
33       <input type="checkbox" id="football" name="loisirs[]" value="football">
34       <label for="football">Football</label><br>
35       <input type="checkbox" id="lecture" name="loisirs[]" value="lecture">
36       <label for="lecture">Lecture</label><br>
37
38       <input type="checkbox" id="lecture" name="loisirs[]" value="Jeux Video">
39       <label for="jeux_video">Jeux Video</label><br>
40     </div>
41     <button type="submit" class="btn btn-primary">Envoyer</button>
42   </form>
43 </body>
```

Document

×

+

←

↺

🏠

i

127.0.0.1:8000/create

Nom:

Prénom:

Âge:

Sexe:

Homme ▾

Loisirs:

☐ Football

☐ Lecture

☐ Jeux Video

Envoyer

les routes nécessaires à l'affichage et la soumission du formulaire :

```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\TestFormController;
5
6 /*
7 |-----
8 | Web Routes
9 |-----
10 |
11 | Here is where you can register web routes for your application. These
12 | routes are loaded by the RouteServiceProvider and all of them will
13 | be assigned to the "web" middleware group. Make something great!
14 |
15 */
16
17
18 Route::get('/create', [TestFormController::class, 'create'])->name('createForm');
19 Route::post('/store', [TestFormController::class, 'store'])->name('storeInfo');
20
21
22
23 |
24
25
26
27
```


La contrôleur "TestFormController.php":

```
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6
7  class TestFormController extends Controller
8  {
9      //
10     public function create() {
11         return view("info") ;
12     }
13     public function store(Request $request) {
14         $nom = $request->input('nom');
15         $prenom = $request->input('prenom');
16         $age = $request->input('age');
17         $sexe = $request->input('sexe');
18         $loisirs = $request->input('loisirs');
19
20         return view('afficheInfo', compact('nom', 'prenom', 'age', 'sexe', 'loisirs'));
21     }
22 }
23
```

Vue "afficheInfo.blade.php" :


```
info.blade.php  web.php  TestFormController.php  afficheInfo.blade.php X
MyFirstLaravelProject > resources > views > afficheInfo.blade.php > html > body > div.container > ul > li > ul

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <meta http-equiv="X-UA-Compatible" content="ie=edge">
7      <title>Document</title>
8  </head>
9  <body>
10     <div class="container">
11         <h1>Informations saisies :</h1>
12         <ul>
13             <li><strong>Nom:</strong> {{ $nom }}</li>
14             <li><strong>Prénom:</strong> {{ $prenom }}</li>
15             <li><strong>Âge:</strong> {{ $age }}</li>
16             <li><strong>Sexe:</strong> {{ $sexe }}</li>
17             <li><strong>Loisirs:</strong>
18                 <ul>
19                     @foreach($loisirs as $loisir)
20                         <li>{{ $loisir }}</li>
21                     @endforeach
22                 </ul>
23             </li>
24         </ul>
25     </div>
26 </body>
27 </html>
```



A screenshot of a web browser window. The address bar shows the URL `127.0.0.1:8000/create`. The page contains a form with the following fields:

- Nom: Khaled
- Prénom: Kammoun
- Âge: 20
- Sexe: Homme (dropdown menu)
- Loisirs:
 - ☒ Football
 - ☒ Lecture
 - ☐ Jeux Video
- Envoyer (button)



A screenshot of a web browser window. The address bar shows the URL `127.0.0.1:8000/store`. The page displays the following information:

Informations saisies :

- **Nom:** Khaled
- **Prénom:** Kammoun
- **Âge:** 20
- **Sexe:** homme
- **Loisirs:**
 - football
 - lecture