DSA 02 HOME-WORK

EXERCISE 01 :

a) We have the following AVL tree :



By TAIEB EZZRAIMI Cherif



INSERT (4)



AFTER BALANCING

By TAIEB EZZRAIMI Cherif



INSERT (7)



INSERT (1)

By TAIEB EZZRAIMI Cherif

b) Now We have the following AVL tree :



By TAIEB EZZRAIMI Cherif



DELETE (5)

Replace it with the min in its Right-Subtree (4 in our case)



AFTER BALANCING

By TAIEB EZZRAIMI Cherif



DELETE (7)

By TAIEB EZZRAIMI Cherif

EXERCISE 02 :

INITIALLY EMPTY B+ TREE :
WITH M = 5 && L = 4

INSERT 10 :

INSERT 20 :

INSERT 07 :



INSERT 15 :

By TAIEB EZZRAIMI Cherif

INSERT 30 :

(HEAD IS FULL , SPLIT IS NEEDED)



By TAIEB EZZRAIMI Cherif

INSERT 35 , 40 :



By TAIEB EZZRAIMI Cherif

INSERT 26 :

LEAF IS FULL , SPLIT NEEDED



By TAIEB EZZRAIMI Cherif

INSERT 18 , 22 :



By TAIEB EZZRAIMI Cherif

INSERT 5 :

LEAF IS FULL , SPLIT NEEDED



By TAIEB EZZRAIMI Cherif

INSERT 42 , 13 , 46 :



By TAIEB EZZRAIMI Cherif

INSERT 27:

Leaf is full , split needed



By TAIEB EZZRAIMI CHERIF

INSERT 8:

Leaf is full , double split needed
(head is full)



TAIEB EZZRAIMI CHERIF

INSERT 32:



By TAIEB EZZRAIMI CHERIF

INSERT 38:

Leaf is full , split needed



By TAIEB EZZRAIMI Cherif

INSERT 24 , 36:



By TAIEB EZZRAIMI Cherif

INSERT 25:

Leaf is full , split is needed



By TAIEB EZZRAIMI Cherif

INSERT 21:



By TAIEB EZZRAIMI Cherif

Delete 25:

underFlow Occurs
adoption from the left

By TAIEB EZZRAIMI Cherif

Delete 24:

underFlow Occurs
adoption from the left



By TAIEB EZZRAIMI Cherif

Delete 38 , 32 , 8:



By TAIEB EZZRAIMI Cherif

Delete 27:

undelflow occurs , adoption from right



By TAIEB EZZRAIMI Cherif

Delete 46:

undelflow occurs , merge with left



By TAIEB EZZRAIMI Cherif

Delete 13:

undelflow occurs , merge with left
then adopt from right for its parent



By TAIEB EZZRAIMI Cherif

Delete 42:



02) Let’s Find M first :

- EACH BLOCK HAS : M – 1 KEY SO 10(M – 1)
- EACH BLOCK HAS UP TO M CHILD SO M POINTER SO : 8M
- ADDITIONAL POINTER TO THE PARENT : +8

so : 10 M – 10 + 8 M + 8 = 128

=> M = 7 .

By TAIEB EZZRAIMI Cherif

NOW FOR L:

- EACH LEAF HAS : UP TO L KEYS SO : 10 L
- EACH LEAF HAS A POINTER TO ITSPARENT SO: +8
- DATA-SIZE FOR EACH RECORD: 4L

so : 10 L + 8 + 4 L = 128

=> L = 8 .