SOC INCIDENT REPORT

SOC Analyst Investigation — [SIMULATED-CORP-ENV] Environment

Date: 03/18/2026 | Classification: CONFIDENTIAL

Total Alerts	True Positives	False Positives
18	12	6

1. EXECUTIVE SUMMARY

During the monitoring period on 03/18/2026, the SOC detected a total of 18 security alerts across multiple hosts in the [SIMULATED-CORP-ENV] environment. Investigation revealed a critical active Akira ransomware attack on WORKSTATION-01, a full Linux host compromise on LIN-HOST-01, and an organisation-wide phishing campaign targeting multiple users.

Host	Status	Verdict	Action
WORKSTATION-01	🔥 **CRITICAL**	True Positive	Isolate immediately
LIN-HOST-01	🔥 **CRITICAL**	True Positive	Isolate immediately
WORKSTATION-02	⚠️ **MONITOR**	Anomalies	Monitor closely
WORKSTATION-03	🟡 **CONTAINED**	True Positive	User intervention
WORKSTATION-04	🟡 **CONTAINED**	True Positive	User intervention
WORKSTATION-05	🔵 **MONITOR**	False Positive	Verify doc origin
LIN-HOST-05 (Yani)	✅ **CLEAN**	False Positive	Whitelist pending

2. INCIDENT 1 — AKIRA RANSOMWARE ATTACK (WORKSTATION-01)

2.1 Overview

A full Akira ransomware kill chain was identified on WORKSTATION-01, attributed to the compromised account of [DOMAIN]\[USER-A] and subsequently escalated to the Administrator account. The attack progressed through all stages: persistence, delivery, credential access, reconnaissance, defense evasion, C2 communication, exfiltration, and encryption.

2.2 Kill Chain Timeline

Time	Stage	Description
11:52	Persistence	[MALICIOUS-SCHEDULED-TASK] scheduled task executed via schtasks.exe from services.exe parent
11:53	Delivery	PowerShell downloaded [MALICIOUS-MACRO-FILE] from [MALICIOUS-DOMAIN-1] — macro-enabled dropper
12:00:30	Credential Access	Mimikatz executed — sekurlsa::logonpasswords — full credential dump from LSASS
12:00:48	Reconnaissance	AdFind.exe queried full AD domain — all users exported to CSV
12:02	Defense Evasion	All 4 Windows Defender protections disabled via Administrator account
12:12	C2 Communication	Firefox C2 beacon to [MALICIOUS-IP-1]:443 via non-standard source port 12345
12:28	Exfiltration	Rclone transferred exfil.zip to ftp.[MALICIOUS-DOMAIN-1] via FTP — 12 parallel streams
12:31	Impact	WinRAR created password-protected [RANSOMWARE-ARCHIVE] — active file encryption confirmed

2.3 MITRE ATT&CK Mapping

Technique	ID
Scheduled Task / Job	T1053.005
Ingress Tool Transfer	T1105
OS Credential Dumping (LSASS)	T1003.001
Domain Account Discovery	T1087.002
Impair Defenses — Disable AV	T1562.001
Valid Accounts — Admin	T1078.002
C2 over HTTPS	T1071.001
Exfiltration over FTP	T1048.003
Archive via Utility (WinRAR)	T1560.001
Data Encrypted for Impact	T1486

2.4 Indicators of Compromise (IOCs)

Type	Value	Context
Domain	[MALICIOUS-DOMAIN-1]	Payload delivery & FTP exfil
IP	[MALICIOUS-IP-1]	C2 server
MD5	[HASH-MIMIKATZ-MD5]	Mimikatz
MD5	[HASH-PS-MD5]	Malicious PowerShell
File	[MALICIOUS-MACRO-FILE]	Macro dropper
File	[RANSOMWARE-ARCHIVE]	Ransomware archive
Task	[MALICIOUS-SCHEDULED-TASK]	Persistence mechanism

3. INCIDENT 2 — LINUX HOST COMPROMISE (LIN-HOST-01)

3.1 Overview

LIN-HOST-01, assigned to [USER-B], was flagged in the previous shift notes for an anomalous VNC login. During this shift, a full Linux compromise was confirmed, including malware staging in /tmp, privilege escalation to root, deployment of a persistence binary, and active C2 beaconing via DGA subdomains.

3.2 Attack Timeline

Time	Stage	Description
Yesterday	Initial Access	Anomalous VNC login detected for [USER-B] on LIN-HOST-01 — flagged in shift notes
13:02	Delivery	wget downloaded [MALICIOUS-SCRIPT] from raw IP [MALICIOUS-IP-2] into /tmp
13:03:17	Pre-execution	chmod +x [MALICIOUS-SCRIPT] — [USER-B] granted execute permissions
13:03:41	Privilege Escalation	Script escalated to root — deployed persistence binary at [PERSISTENCE-BINARY-PATH]
13:03:43	C2 — 1st Beacon	DNS query to a1b2c3.[C2-DOMAIN] via 8.8.8.8 — bypassing internal DNS
13:15	C2 — 2nd Beacon	DNS query to wer484.[C2-DOMAIN] — DGA confirmed at 12-minute intervals

3.3 IOCs — LIN-HOST-01

Type	Value	Context
IP	[MALICIOUS-IP-2]	Malware delivery server
Domain	*.[C2-DOMAIN]	DGA C2 infrastructure
File	/tmp/[MALICIOUS-SCRIPT]	Initial payload
File	[PERSISTENCE-BINARY-PATH]	Persistence binary

4. OTHER NOTABLE ALERTS

4.1 Phishing Campaign — Multiple Hosts

An active phishing campaign targeting multiple users was identified between 12:50 and 13:34. Six phishing attempts were blocked across 5 users involving 3 malicious domains.

Time	User	Host	Domain	Type
12:50	[USER-G]	LIN-HOST-09	[PHISHING-DOMAIN-1]	Phishing
12:59	[USER-D]	LIN-HOST-13	[TYPOSQUATTING-DOMAIN-1]	Typosquatting
13:04	[IT-ADMIN]	LIN-HOST-05	[TYPOSQUATTING-DOMAIN-2]	Typosquatting
13:09	[USER-H]	LIN-HOST-06	[PHISHING-DOMAIN-1]	Phishing
13:32	[USER-H]	LIN-HOST-06	[TYPOSQUATTING-DOMAIN-1]	Typosquatting
13:34	[USER-I]	LIN-HOST-08	[TYPOSQUATTING-DOMAIN-2]	Typosquatting

4.2 Malware Detections — Contained

Host	User	Threat	Status
WORKSTATION-03	[USER-D]	Trojan:Win32/Pacman	Quarantined x2
WORKSTATION-04	[USER-E]	Trojan:Win32/Pomal!rfn	Quarantined

4.3 False Positives — [IT-ADMIN] (IT-Admin)

Multiple alerts triggered by IT-Admin [IT-ADMIN] on LIN-HOST-05 were classified as False Positives, consistent with authorized AtomicRed Team testing activity documented in shift notes. Three firewall blocks on whitelisted domains (abuseipdb.com, shodan.io, exploit-db.com) require a pending firewall change request to be actioned.

5. RECOMMENDATIONS

Immediate Actions

- Isolate WORKSTATION-01 and LIN-HOST-01 from the network immediately
- Disable [DOMAIN]\[USER-A], [USER-B], and all Administrator accounts pending investigation
- Block [MALICIOUS-DOMAIN-1], ftp.[MALICIOUS-DOMAIN-1], *.[C2-DOMAIN], [MALICIOUS-IP-1], [MALICIOUS-IP-2] at the firewall
- Reset all domain credentials — Mimikatz and AdFind confirm full credential exposure
- Issue organisation-wide phishing alert regarding [PHISHING-DOMAIN-1], [TYPOSQUATTING-DOMAIN-1], [TYPOSQUATTING-DOMAIN-2]

Short-Term Actions

- Conduct forensic imaging of WORKSTATION-01 and LIN-HOST-01 before cleanup
- Scan all hosts for Akira IOCs and [C2-DOMAIN] DNS queries
- Action [IT-ADMIN]'s firewall whitelist request for abuseipdb.com, shodan.io, exploit-db.com
- Provide security awareness training to [USER-D], [USER-E], and [USER-H]
- Restore WORKSTATION-01 from clean backup once forensics are complete

RAPPORT D'INCIDENT DE SÉCURITÉ

Investigation SOC — Environnement [SIMULATED-CORP-ENV]

Date : 18/03/2026 | Classification : CONFIDENTIEL

Total Alertes	Vrais Positifs	Faux Positifs
18	**12**	**6**

1. RÉSUMÉ EXÉCUTIF

Au cours de la période de surveillance du 18/03/2026, le SOC a détecté 18 alertes de sécurité sur plusieurs hôtes de l'environnement [SIMULATED-CORP-ENV]. L'investigation a révélé une attaque critique par ransomware Akira sur WORKSTATION-01, une compromission complète d'un hôte Linux (LIN-HOST-01), ainsi qu'une campagne de phishing ciblant plusieurs utilisateurs à l'échelle de l'organisation.

Hôte	Statut	Verdict	Action
WORKSTATION-01	🔥 **CRITIQUE**	Vrai Positif	Isoler immédiatement
LIN-HOST-01	🔥 **CRITIQUE**	Vrai Positif	Isoler immédiatement
WORKSTATION-02	⚠️ **SURVEILLER**	Anomalies	Surveillance rapprochée
WORKSTATION-03	🟡 **CONTENU**	Vrai Positif	Intervention utilisateur
WORKSTATION-04	🟡 **CONTENU**	Vrai Positif	Intervention utilisateur
WORKSTATION-05	🔵 **SURVEILLER**	Faux Positif	Vérifier origine doc
LIN-HOST-05 (Yani)	✅ **SÛR**	Faux Positif	Liste blanche en attente

2. INCIDENT 1 — ATTAQUE RANSOMWARE AKIRA (WORKSTATION-01)

2.1 Vue d'ensemble

Une chaîne d'attaque complète Akira ransomware a été identifiée sur WORKSTATION-01, attribuée au compte compromis de [DOMAIN]\[USER-A], puis escaladée vers le compte Administrateur. L'attaque a progressé à travers toutes les phases : persistance, livraison, accès aux identifiants, reconnaissance, évasion de défense, communication C2, exfiltration et chiffrement.

2.2 Chronologie de la Chaîne d'Attaque

Heure	Phase	Description
11:52	Persistance	Tâche planifiée [MALICIOUS-SCHEDULED-TASK] exécutée via schtasks.exe depuis le processus parent services.exe
11:53	Livraison	PowerShell télécharge [MALICIOUS-MACRO-FILE] depuis [MALICIOUS-DOMAIN-1] — dropper macro activé
12:00:30	Accès Identifiants	Mimikatz exécuté — sekurlsa::logonpasswords — extraction complète des identifiants depuis LSASS
12:00:48	Reconnaissance	AdFind.exe interroge l'intégralité du domaine AD — tous les utilisateurs exportés en CSV
12:02	Évasion Défense	Les 4 protections Windows Defender désactivées via le compte Administrateur
12:12	Communication C2	Beacon C2 Firefox vers [MALICIOUS-IP-1]:443 via port source non standard 12345
12:28	Exfiltration	Rclone transfère exfil.zip vers ftp.[MALICIOUS-DOMAIN-1] via FTP — 12 flux parallèles
12:31	Impact	WinRAR crée [RANSOMWARE-ARCHIVE] protégé par mot de passe — chiffrement actif des fichiers confirmé

3. INCIDENT 2 — COMPROMISSION HÔTE LINUX (LIN-HOST-01)

3.1 Vue d'ensemble

LIN-HOST-01, attribué à [USER-B], avait été signalé dans les notes du quart précédent pour une connexion VNC anormale. Durant ce quart, une compromission complète du système Linux a été confirmée, incluant le déploiement de malware dans /tmp, une escalade de privilèges vers root, le déploiement d'un binaire de persistance, et un beacon C2 actif via des sous-domaines DGA.

3.2 Chronologie

Heure	Phase	Description
Hier	Accès Initial	Connexion VNC anormale détectée pour [USER-B] sur LIN-HOST-01 — signalée dans les notes
13:02	Livraison	wget télécharge [MALICIOUS-SCRIPT] depuis l'IP brute [MALICIOUS-IP-2] vers /tmp
13:03:17	Pré-exécution	chmod +x [MALICIOUS-SCRIPT] — [USER-B] accorde les permissions d'exécution
13:03:41	Escalade Privilèges	Le script s'escalade en root — binaire de persistance déployé dans [PERSISTENCE-BINARY-PATH]
13:03:43	C2 — 1er Beacon	Requête DNS vers a1b2c3.[C2-DOMAIN] via 8.8.8.8 — contournement du DNS interne
13:15	C2 — 2e Beacon	Requête DNS vers wer484.[C2-DOMAIN] — DGA confirmé à intervalles de 12 minutes

4. CAMPAGNE DE PHISHING ORGANISATIONNELLE

Une campagne de phishing active ciblant plusieurs utilisateurs a été identifiée entre 12h50 et 13h34. Six tentatives de phishing ont été bloquées par le pare-feu sur 5 utilisateurs impliquant 3 domaines malveillants distincts.

Heure	Utilisateur	Hôte	Domaine	Type
12:50	[USER-G]	LIN-HOST-09	[PHISHING-DOMAIN-1]	Phishing
12:59	[USER-D]	LIN-HOST-13	[TYPOSQUATTING-DOMAIN-1]	Typosquatting
13:04	[IT-ADMIN]	LIN-HOST-05	[TYPOSQUATTING-DOMAIN-2]	Typosquatting
13:09	[USER-H]	LIN-HOST-06	[PHISHING-DOMAIN-1]	Phishing
13:32	[USER-H]	LIN-HOST-06	[TYPOSQUATTING-DOMAIN-1]	Typosquatting
13:34	[USER-I]	LIN-HOST-08	[TYPOSQUATTING-DOMAIN-2]	Typosquatting

5. RECOMMANDATIONS

Actions Immédiates

- Isoler immédiatement WORKSTATION-01 et LIN-HOST-01 du réseau
- Désactiver les comptes [DOMAIN]\[USER-A], [USER-B] et tous les comptes Administrateur dans l'attente de l'investigation
- Bloquer au niveau du pare-feu : [MALICIOUS-DOMAIN-1], ftp.[MALICIOUS-DOMAIN-1], *.[C2-DOMAIN], [MALICIOUS-IP-1], [MALICIOUS-IP-2]
- Réinitialiser tous les identifiants du domaine — Mimikatz et AdFind confirment une exposition totale des credentials
- Émettre une alerte phishing à l'échelle de l'organisation concernant [PHISHING-DOMAIN-1], [TYPOSQUATTING-DOMAIN-1], [TYPOSQUATTING-DOMAIN-2]

Actions à Court Terme

- Effectuer une image forensique de WORKSTATION-01 et LIN-HOST-01 avant toute opération de nettoyage
- Scanner tous les hôtes pour les IOCs Akira et les requêtes DNS vers [C2-DOMAIN]
- Traiter la demande de liste blanche de [IT-ADMIN] pour abuseipdb.com, shodan.io, exploit-db.com
- Fournir une formation de sensibilisation à la sécurité à [USER-D], [USER-E] et [USER-H]
- Restaurer WORKSTATION-01 depuis une sauvegarde saine une fois l'analyse forensique terminée