## SECOND PROJECT

Page No.

\* DESIGN:-

STUDENT DATA

Form

Firstname VAT

Lastname KUMAR

C1055 10th

Rollno 136

Address AR MUMBAT

Save Clear

STUDENT DATA

clear

Back

\* Code:private void brasqueAdjonpearformed jour. package 3 tudent Data; 19. 1000 public class student Data extends javax. swipg- Jframe { public student patac) & init components (); () miot. () String classes = +x+classes getText public student pata (string data) { · 1) +x9 initComponents (); allo o paints txtData. setText (data); String address = txtaddoess. RetTExt private void btnBackActionPerformed Cjava. acot. event. Action Event evt) { new student pata (). set visible (true); \*\*\* de l'Aransverse of screen private void bticlear Action Performed Ciava. aut event Action Event evt) { txtData. SetText (""); System. out. pointle (output); private void btnclearActionPerformed Cjava. aut. event. Action Event evt) { txtfirstname . setText ("ok"); +x+Las+name · se+Tex+ (" ok"); txtrollno. setText ("ok"); +x+class. setTex+ ("ok"); txtaddress: setText ("ok"); FARMUM: 229 phoA

private void btnsaveActionPerformed Gava. aut. event. Action Event evt) ? String firstname = txtfirstname getText O trimo; String lastname = +x+Lastname. getText O. trim (); : () 21 19900 String classes = +x+classes getTex+ (). trim on otes phoglashy string rollno = +xtrollno getText (). String address = txtaddress. getText (). son frim co; 150 Asparta bio 11 collect in one string. String output = "\* \* Student Data \* \*\* InInfirst Hame: "+firstname+"" + "Inlast Name: "+las+name+"Inclass:"+classes+ "InRoll no: "trollnot" in Address: "taddress; 1/ print in console. 33stem. out. printin (output); output: - \*\* \* Student Data \* \*\* First Name: VAIOU Last Name : KUMAR : ( class: 10th2, 220 ) +x Rollino: 136 abbotat Address: MUMBAI

Page No.	
OUTPUT!	*
STUDENT DATA	_
Ferm	
Firstname VAIDU	J.
Class toth	
Rollno 136	
Address The MUMBAI	
Save clear	
)	
*** STUDENT DATA ***	
First name: VAIDU Last name: KUMAR Rellne: 4.36	
Class: Loth Address: MUMBAI	