



CRACK ME 6

1. Remove the starting Nag Screen
2. When the button Re-Check is clicked, a pop-up messagebox appears and you should set it to say "Thank you for registering this software"
3. Set the Status box text to: "Clean crack! Good Job!"



Go to String references to dig into notable string and its line of code.

File View Debug Tracing Plugins Favourites Options Help Mar 15 2025 (TitanEngine)

</

Click the string have [NAG] to see and analyze to remove it.

00401067	43 0C 340000	mov dword ptr ds:[403000], eax	
00401067	68 10304000	push target.403010	
0040106E	6A 73	push 73	
0040106E	FF75 08	push dword ptr ss:[ebp+8]	
00401071	E8 96010000	call <JMP.&SetDlgItemTextA>	
00401076	E8 34010000	call target.4010A7	
0040107B	803D 80324000 03	cmp byte ptr ds:[4032B0], 3	
00401082	74 12	je target.401096	
00401084	803D 80324000 02	cmp byte ptr ds:[4032B0], 2	
00401088	74 1A	je target.4010A7	
00401088	803D 80324000 01	cmp byte ptr ds:[4032B0], 1	
00401094	74 27	je target.4010BD	
00401096	68 21304000	push target.403021	403021:"Dirty crack! Nag removed not registered!"
00401098	6A 73	push 73	
00401098	FF75 08	push dword ptr ss:[ebp+8]	
0040109D	E8 68010000	call <JMP.&SetDlgItemTextA>	
004010A5	E8 27	jmp target.4010CE	
004010A9	68 61304000	push target.403061	403061:"[NAG] Please register this software!"
004010AE	68 86304000	push target.403086	403086: "[BULLSHIT] Please register this software for support and you'll receive the full version!"
004010B3	FF75 08	push dword ptr ss:[ebp+8]	
004010B3	E8 49010000	call <JMP.&MessageBoxA>	
004010BD	68 4A304000	push target.40304A	40304A:"Clean crack! Good Job!"
004010C2	6A 73	push 73	
004010C2	FF75 08	push dword ptr ss:[ebp+8]	
004010C7	E8 44010000	call <JMP.&SetDlgItemTextA>	
004010CE	E8 09	jmp target.4010CE	
004010CE	E9 D6000000	jmp target.4011A9	
004010D3	817D 0C 11010000	cmp dword ptr ss:[ebp+0], 111	[ebp+0C]:NtAnsCodePage+22E4
004010D3	08B5 89000000	je target.401199	
004010D3	837D 10 6F	cmp dword ptr ss:[ebp+10], 6F	6F:'o'
004010D3	75 6F	je target.4011AF	
004010D3	E8 C4000000	call target.4011AF	
004010D3	803D 80324000 03	cmp byte ptr ds:[4032B0], 3	

Trace above the code to find how the NAG displayed. And I found that, this NAG is pushed and displayed by the address 00401084 and 00401084. These addresses have command to compare, if byte ptr ds:[4032B0] represent for variable of system equals with 2, the first NAG will be displayed (in this situation, it is always true). So I change the condition comparing with 2 to another number such as 1, to result false.

00401082	74 12	je target.401096	
00401084	803D 80324000 02	cmp byte ptr ds:[4032B0], 2	
00401088	74 1A	je target.4010A7	
0040108D	803D 80324000 01	cmp byte ptr ds:[4032B0], 1	
00401094	74 27	je target.4010BD	
00401096	68 21304000	push target.403021	403021:"Dirty crack! Nag removed not registered!"
00401098	6A 73	push 73	
00401098	FF75 08	push dword ptr ss:[ebp+8]	
004010A0	E8 68010000	call <JMP.&SetDlgItemTextA>	
004010A5	E8 27	jmp target.4010CE	
004010A7	6A 40	push 40	
004010A9	68 61304000	push target.403061	403061:"[NAG] Please register this software!"
004010AE	68 86304000	push target.403086	403086: "[BULLSHIT] Please register this software for support and you'll receive the full version!"
004010B3	FF75 08	push dword ptr ss:[ebp+8]	
004010B3	E8 49010000	call <JMP.&MessageBoxA>	
004010BD	68 4A304000	push target.40304A	
004010C2	6A 73	push 73	
004010C2	FF75 08	push dword ptr ss:[ebp+8]	
004010C7	E8 44010000	call <JMP.&SetDlgItemTextA>	
004010CE	E8 09	jmp target.4010CE	
004010CE	E9 D6000000	jmp target.4011A9	
004010D3	817D 0C 11010000	cmp dword ptr ss:[ebp+0], 111	
004010D3	08B5 89000000	je target.401199	
004010D3	837D 10 6F	cmp dword ptr ss:[ebp+10], 6F	
004010D3	75 6F	je target.4011AF	
004010D3	E8 C4000000	call target.4011AF	
004010D3	803D 80324000 03	cmp byte ptr ds:[4032B0], 3	
004010D3	74 12	je target.401096	
004010D3	803D 80324000 01	cmp byte ptr ds:[4032B0], 1	
004010D3	74 1A	je target.4010A7	
004010D3	803D 80324000 01	cmp byte ptr ds:[4032B0], 1	
004010D3	74 27	je target.4010BD	
004010D3	68 21304000	push target.403021	403021:"Dirty crack! Nag removed not registered!"
004010D3	6A 73	push 73	
004010D3	FF75 08	push dword ptr ss:[ebp+8]	
004010D3	E8 68010000	call <JMP.&SetDlgItemTextA>	
004010D3	E8 27	jmp target.4010CE	
004010D3	6A 40	push 40	
004010D3	68 61304000	push target.403061	403061:"[NAG] Please register this software!"
004010D3	68 86304000	push target.403086	403086: "[BULLSHIT] Please register this software for support and you'll receive the full version!"
004010D3	FF75 08	push dword ptr ss:[ebp+8]	

After passing start NAG, we will change status "Nag not removed!" into "Clean crack! Good job!". So I trace to the line of code having "Nag not removed!". Tracing above

code and found that, we have command “JE” to that string. So I convert Jump Equal to “Nag not removed!” into address of “Clean code...”

74 12	je target.401106	
803D B0324000 02	cmp byte ptr ds:[4032B0],2	
74 1A	je target.401117	
803D B0324000 01	cmp byte ptr ds:[4032B0],1	
74 22	je target.401128	
68 21304000	push target.403021	403021:"Dirty crack! Nag removed not registered!"
6A 73	push 73	
FF75 08	push dword ptr ss:[ebp+8]	
E8 FB000000	call <JMP.&SetDlgItemTextA>	
EB 36	jmp target.401140	
68 10304000	push target.403010	403010:"Nag not removed!"
6A 73	push 73	
FF75 08	push dword ptr ss:[ebp+8]	
E8 EA000000	call <JMP.&SetDlgItemTextA>	
EB 25	jmp target.401140	
68 4A304000	push target.40304A	40304A:"Clean crack! Good Job!"
6A 73	push 73	
FF75 08	push dword ptr ss:[ebp+8]	

Like below: 401117 => 401128.

803D B0324000 02	cmp byte ptr ds:[4032B0],2	
74 2B	je target.401128	
803D B0324000 01	cmp byte ptr ds:[4032B0],1	
74 22	je target.401128	
68 21304000	push target.403021	403021:"Dirty crack! Nag removed not registered!"
6A 73	push 73	
FF75 08	push dword ptr ss:[ebp+8]	
E8 FB000000	call <JMP.&SetDlgItemTextA>	
EB 36	jmp target.401140	
68 10304000	push target.403010	403010:"Nag not removed!"
6A 73	push 73	
FF75 08	push dword ptr ss:[ebp+8]	
E8 EA000000	call <JMP.&SetDlgItemTextA>	
EB 25	jmp target.401140	
68 4A304000	push target.40304A	40304A:"Clean crack! Good Job!"
6A 73	push 73	

After changing status, I found that the code below will execute to automatically displaying NAG “Thank you! Thank you for registering this software!” if we press button Re-check.


0040111C	6A 73	push 73	
0040111E	FF75 08	push dword ptr ss:[ebp+8]	
00401121	E8 EA000000	call <JMP.&SetDlgItemTextA>	
00401126	EB 25	jmp target.401140	
00401128	68 4A304000	push target.40304A	40304A:"Clean crack! Good Job!"
0040112D	6A 73	push 73	
0040112F	FF75 08	push dword ptr ss:[ebp+8]	
00401132	E8 D9000000	call <JMP.&SetDlgItemTextA>	
00401137	6A 40	push 40	
00401139	68 6E324000	push target.40326E	40326E:"Thank you!"
0040113E	68 79324000	push target.403279	403279:"Thank you for registering this software!"
00401143	FF75 08	push dword ptr ss:[ebp+8]	
00401146	E8 B9000000	call <JMP.&MessageBoxA>	
00401148	EB 00	jmp target.401140	
0040114D	EB 5A	jmp target.4011A9	
0040114F	837D 10 70	cmp dword ptr ss:[ebp+10],70	70:'p'
00401153	75 16	jne target.401168	
00401155	6A 40	push 40	
00401157	68 E0304000	push target.4030E0	4030E0:"About"
0040115C	68 F6304000	push target.4030F6	

So I patch this file and check the result.


Modules	Patches
target.exe	<input type="checkbox"/> 0 0040108A:02->01
	<input type="checkbox"/> 1 004010FC:1A->2B

The result:

1.removing starting nag screen



2. When the button Re-Check is clicked, a pop-up messagebox appears and you should set it to say "Thank you for registering this software"
3. Set the Status box text to: "Clean crack! Good Job!"



g screen

DONE!!!